



V-Twin Synthetic Motor Oil

805-1700

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and and keeps pistons and rings from scuffing
- · Features high polarity synthetic base oils which provide minimum friction for increased power
- Advanced multi-grade formulation means cold starts are safe and easy
- The flash point is extremely high which prevents oil burn-off, virtually eliminates oil consumption and keeps engines protected
- SAE Grade 10W-50



V-Twin Semi-Synthetic Motor Oil 805-1710

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and keeps pistons and rings from scuffing
- Its flash point is higher than standard petroleum based oils which limits oil burn-off to lower oil
 consumption
 and keeps hot engines protected
- · Features high polarity synthetic base oils which provide minimum friction for increased power
- Offers many of the benefits of Bel-Ray V-Twin Synthetic Motor Oil butat a more economical price

PART # DESCRIPTION SIZE

805-1710 SAE 20W50 1 L Bottle (12/case)

805-1715 SAE 20W50 4 L Jug (4/case)



V-Twin Mineral Motor Oil

- Exclusive Bel-Ray anti-wear chemistry reduces bearing and valve train wear and keeps pistons and rings from scuffing
- Minimize oil consumption
- Bel-Ray's additive chemistry, high Viscosity Index, low volatility petroleum base oils and oxidation stability provides added wear protection for increased engine reliability
- Provides excellent low cost lubrication performance and engine protection

 PART #
 DESCRIPTION
 SIZE

 805-1720
 SAE 20W50
 1 L (12/case)

 805-1725
 SAE 20W50
 4 L (4/case)



EXS Synthetic Premium Motor Oil

- Uses High Polarity synthetic base oils and exclusive Anti-Wear chemistry to protect engine, transmission and clutch components under the most severe stress and temperatures.
- Maximum performance and unsurpassed engine protection

PART #	DESCRIPTION	SIZE
805-2410	SAE 10W50	1 L (12/case)
805-2430	SAE 10W40	1 L (12/case)
805-2435	SAE 10W40	4 L (4/case)



EXP Semi-Synthetic Motor Oil

- Premium quality synthetic and mineral base oils, combined with anti-wear chemistry results in exceptional performance and protection.
- Resists viscosity loss, protects highly loaded transmissions and improves clutch life and performance.

PART #	DESCRIPTION	SIZE
805-1410	SAE 10W40	1 L (12/case)
805-1420 ***	SAE 15W50	1 L (12/case)
805-1460	SAE 60W	1 L (12/case)
805-1415	SAE 10W40	4 L (4/case)
805-1425***	SAE 15W50	4 L (4/case)
805-1430	SAE 10W40	55 gallon Drum
805-1435	SAE 15W50	55 gallon Drum

*** Limited quantities left



EXL Mineral Motor Oil

- · Highest quality petroleum based oils
- Extreme pressure and anti-wear chemistry
- Provides excellent wear protection for all engines, transmissions and clutch components.

PART #	DESCRIPTION	SIZE
805-3410	SAE 10W40	1 L (12/ case)
805-3414	SAE 10W40	4L (4/case)
805-3420	SAE 20W50	1L (12/case)
805-3424	SAE 20W50	1L (4/case)
805-3415	SAE 10W40	55 Gallon Drum
805-3425	SAE 20W50	55 Gallon Drum



Works Thumper Barely Legal Full Synthetic Ester 4T Engine Oil

- Synthetic ester formula for the ultimate Thumper experience
- Withstands extreme racing conditions
- For air-cooled / liquid cooled 4T engines with we clutches

PART #	DESCRIPTION	SIZE
805-1495	SAE 10W50	1 L (12/case)
805-1497	SAE 10W60	1 L (12/case)



Thumper Liquid Lightning Friction Modified 4T 805-1490 Engine Oil

- Synthetic blend
- Formulated for motorcycles with separate engines and transmissions
- Reduces friction and increases horsepower
- For air-cooled / liquid 4T engines (NOT FOR WET CLUTCHES)
- 10W40 sold by the 1 L bottle (12/case)





Thumper Synthetic Ester Blend Racing Oil 4 Stroke

- Premium multi-grade synthetic blend provides reduced friction loss resulting in maximum engine power.
- High performance polymer ingredients provide unbeatable shear stability.

PART #	DESCRIPTION	SIZE	RETAIL
805-1470	SAE 10W40	1 L (12/case)	\$17.95-J
805-1475	SAE 10W40	4 L (4/case)	\$56.95-J
805-1480	SAE 15W50	1 L (12/case)	\$17.95-J
805-1485	SAE 15W50	4 L (4/case)	\$56.95-J









H1R Synthetic 2-Cycle Racing Oil

- Gives maximum film strength and anti-scuff protection for pistons, rings, cylinders and unsurpassed load-carrying ability to protect high-revving crankshafts.
- Clean burning formula minimizes deposits in combustion chambers and on variable exhaust valves.
- Keeps power valves clean.
- Recommended for dilution ratios of 30:1 to 50:1.

SIZE PART #

805-5000 355 ml 24/ case 805-5001 1 L 12/ case



Si-7 Synthetic 2-Cycle Oil

805-7000

- Virtually eliminates exhaust smoke and minimizes engine deposits.
- Engines run better and last longer with extended service intervals.
- Recommended for injector auto lube systems and premix ratios up to 50:1.
- 1 L container (12/ case)



MC-1 Synthetic 2-Cycle Oil

805-1000

- For Non-Power valve engines
- Unique dispersant system combined with exclusive synthetic base oils to keep engines clean, and cooler running
- · Ability to perform at high dilution ratios (50:1 recommended) giving more power, and better throttle
- 355 ml



SL-2 Semi-Synthetic 2 Stroke Oil

805-5100

805-5010

- Reduces exhaust smoke and prevents the build-up of carbon deposits to ensure longer lasting, better performing engines
- · Meets the JASO FD and ISO-L-EGD ratings
- Ensuring the highest level of detergency for better performing, longer running engines
- Recommended for both auto lube and pre-mix applications
- 1 L Bottle



S2 High Performance Mineral 2-Cycle Oil

- Premium quality petroleum base 2-stroke oil.
- For small motorcycles, mopeds and motor scooters.
- Provides a high level of wear protection and reduces smoking and engine deposits.
- Recommended for injector/auto lube systems and premix ratios up to 50:1.
- 1 L container (12/case).



JS2 Watersports Oil

- Specially formulated for the demands of severe duty service of today's water sports and marine engines.
- Provides maximum protection from rust, corrosion and plug fouling for peak power and performance.

PART # SIZE 805-1600 4 L 805-1601 1 L



BEL-RAY COOLANT

Moto Chill Coolant

805-1530

Bel-Ray Moto Chill Racing Coolant is a premium environmentally friendly coolant specifically formulated for aluminum and copper radiators in engines used in power sports. It provides superior heat transfer performance, deposit control and corrosion protection.

- · Non-toxic, anti-freeze
- Protects aluminum and magnesium components from corrosion
- Pre-mixed, ready to use
- For cooling systems
- 1 L bottle



BEL-RAY BRAKE FLUID

DOT 4 Super Brake Fluid

805-1527

- Excellent for hydraulic clutches
- Reduces the possibility of vapor lock which may result in brake failure.
- Maintains consistent lever "feel" during hard braking
- 355 ml (12/case)



DOT 5 Silicone Brake Fluid 805-1525

- Does not absorb water (the main enemy of brake fluids) and has an extremely high boiling point to fight fading.
- Will not affect plastic or painted surfaces.
- 355 ml (12/case)





BEL-RAY LUBRICANTS



V Twin Big Twin Transmission Oil 805-1750

- SAE Grade 85W-140
- · Special lubricity additives reduce sliding friction for exceptionally smooth quiet shifting and more
- Exclusive Bel-Ray extreme pressure chemistry protects gear components from the destructive effects of shock loading
- · High Viscosity Index base oils maintain film strength over a wide temperature range



V-Twin Sport Transmission Fluid 805-1770

- SAE Gear Oil Grade 85W
- A high quality lubricant specially formulated for the transmission and primary of Sportster® motorcycles.
- · Offers superior lubricity for maximum power, resists oxidation and viscosity breakdown for extended performance, and prevents clutch slipping and chatter for consistent engagement.



Thumper Gear Saver 80w-85 Transmission Oil

805-4805

Bel-Ray® Thumper Gear Saver Transmission Oil 80W-85 is a premium transmission oil that provides maximum gear and bearing protection and smooth clutch performance. Anti-foam and anti-oxidant properties ensure the most effective lubrication and gear protection.

- For Racing motorcycles transmissions equipped with separate engines and transmissions.
- For 4 stoke MX bikes with wet clutches
- 1 L



MC4 Gear Saver Transmission Oil

- Features a special Extreme Pressure (EP) chemistry to absorb heavy shock loads
- Formulated to give maximum gear protection, improved clutch performance and shifting.
- For both 2 & 4 stoke MX bikes with wet clutches.

• 1 L

PART # **DESCRIPTION** 805-4750 75W 805-4800 80W





MC4 Gear Saver Hypoid Gear Oil

- Features special base oils and exclusive Extreme Pressure chemistry to give unsurpassed protection for heavily loaded transmission and final drive units including limited-slip differentials.
- For ATV/UTV & Motorcycles Final drive (Differential or shaft drive) units
- NOT for wet clutches.

• 1 L

PART # DESCRIPTION 805-4809 80W90 805-4851 85W140





BEL-RAY LUBRICANTS

V-Twin Primary Chain Case Lube 805-1760

- High-quality lubricant specially formulated for the primary chain case of all big twin motorcycles.
- Ideally suited to stand up to high pressures, its exclusive Bel-Ray anti-wear chemistry ensures long service life for the primary chain.
- Superior oxidation protection for extended performance, and prevents clutch slipping and chatter for consistent engagement.
- Distinctive red color makes it easier to detect leaks in multiple lubrication cavity engines.
- 11



HVI Racing Suspension Fluid ***Limited Quantities Left ***

- Provides consistent suspension control over a wide range of conditions and temperatures.
- Non-foaming, prevents fading and reduces "stiction".
- Suitable for all standard and competition shocks
- 1L (12/case)

PART # DESCRIPTION 805-2002 Medium - 10W 805-2003 Heavy - 15/20WT



Fork Oil

- For all standard and cartridge-type forks, which gives you consistent damping performance and maximum wear protection.
- Friction modifiers increase lubricity for minimum friction, and more response handling
- Developed for exceptional viscosity stability, anti-friction and anti-foam properties.

PART #	DESCRIPTION	SIZE
805-1005	5W	1L (12/case)
805-1007	7W	1L (12/case)
805-1010	10W	1L (12/case)
805-1011	10W	20 L Pail
805-1015	15W	1L (12/case)
805-1020	20W	1L (12/case)
805-1030	30W	1L (12/case)



Waterproof Grease

805-1100 (tub 16 oz)

Bel-Ray Waterproof Grease is the legendary high-performance, multi-purpose grease. Superior water resistance, even in salt water, will ensure continued sealing and protection. Perfect for wheel bearings, headsets, shock linkages, swing arm pivots and other motorcycle, ATV, snowmobile and marine chassis lubrication points. Due to its aluminum complex formula, it won't melt or run out. Enhanced mechanical stability and special anti-wear additives protect and lubricate bearings for improved performance.

- Waterproof grease for all bearing and bushing applications
- Corrosion protection, even in salt water
- · Wear protection extends bearing life
- · Will not melt or run





BEL-RAY LUBRICANTS



Super Clean "Chain Lube

805-2210

Bel-Ray Super Clean Chain Lube is a unique premium product designed exclusively for motorcycle and ATV 'O' ring chains. It sprays on evenly and provides complete coverage of the chain, creating a waterproof barrier that prevents rust and corrosion. Bel-Ray Super Clean Chain Lube will not fling off and repels dirt and sand.

- Absolutely does not "fling-off", prevents rust and is completely waterproof.
- · Repels dirt, sand, water and grit
- Provides long lasting anti-wear protection for your chain and sprockets



Waterproof Chain Lube

805-2305

- A heavy-duty, long lasting oil for chains and bearings operating in wet environments (great for Argo's)
- Offers exceptional rust and corrosion protection, water displacing properties, and excellent adhesion properties.
- Provides full protection with no fling off or washout to lose product.
- 400 ml



Foam Filter Oil

805-6000

Bel-Rays Foam Filter Oil formula will ensure full engine protection and performance. Superior tackiness traps air filter dust, dirt and even water. Waterproof formula won't wash out, gum or clog. Dark blue color makes it easy to see when filter is thoroughly covered and dries guickly so you'll be up and running sooner.

- For all foam-type air filters.
- Bel-Ray's super viscous formula traps dust & dirt to help prevent engine damage.
- · Waterproof & will not gum-up or clog when wet.
- Dark blue color makes it easy to see when filter is thoroughly covered.
- 1 I hottle



Fiber Filter Oil Spray

805-6020

- · Aerosol lubricant that was specifically developed for superior performance with all fiber/gauze type air filters
- Superior trapping element needed to obtain maximum efficiency from todays fiber/gauze type air filters
- · Traps and holds contaminants, will not gum or clog and does not restrict air flow
- · Water resistant lubricant and will not run off
- 400 ml spray can

BEL-RAY CLEANERS



Silcone Detailer & Protectant Spray

805-9030

- Specially formulated to provide a spectacular finish to all plastic and metal surfaces.
- Designed to resist the attraction of dust and dirt on the surface of parts treated.
- Formulated with inert chemicals that will not react with paint, metals or plastics, but still binds well to surfaces
- Tenaciously holds onto surfaces without running off
- · Easily removed after use and will not persist on surfaces after being properly washed off