

Shindy Daytona Oil Temp Gauge

- Temperature range is 0 199 Celsius.
- Large Digital indicator
- Fits most models by replacing stock oil drain plug
- Replacement senders available

•		
TCI PART #	DESCRIPTION	RETAIL
712-4001	Shindy Oil Plug size 12 mm x P1.5	\$199.95-H
712-4002	Shindy Oil Plug size 14 mm x P1.25	\$199.95-H
712-4003	Shindy Oil Plug size 14 mm x P1.5	\$199.95-H
712-4024	Shindy Oil Plug size 16 mm x P1.5	\$188.95-H
712-4025	Shindy Oil Plug size 18 mm x p1.5	\$188.95-H



Shindy Daytona Water Temperature Gauge

- Compact size digital gauge indicates the actual temperature
- Switchable to F or C
- Velcro mounting makes instant installation on any flat surface
- Body Size: 76 x 36 x 16 mm Window Size: 34 x 15 mm
- Sender included with kit





Koso Temperature Meter with Warning

- Provides engine Temperature Readings i
- C or F readings
- Temperature with over temperature alert function
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep





Koso Mini LCD Thermometer

- Provides engine Temperature Readings
- C or F readings
- Back light
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep

756-5520



Koso Mini Engine Hour Meter

- A great tool for the proper maintenance of your engine
- Provides engine running hours
- 2 resettable time logs
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep







NORTHAMERICA

Koso RX-IN GP Style Speedometer

756-5600 (Black Face) or 756-5601 (White Face)

\$419.95-H \$419.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/B)
- Tachometer
- · Shift Light

251212152

- Water Temperature
- · Oil Temperature
- Fuel Gauge displayed in 10 levels
- 5 Indicator Lights /3 Warning lights
- 24 Hour Clock
- Measures: 151.8 Wide x 81.5 High x 41.5 mm Deep



Koso RX-2 GP Style Speedometer

Special Order BA010001

\$454.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/B)
- Tachometer
- · Shift Light
- Water and Oil Temperatures
- Fuel Gauge displayed in 10 levels
- 5 Indicator Lights/3 Warning lights
- 24 Hour Clock
- Back light can be changed to 7 different colors
- Measures: 180.15 Wide x 105 High x 38 mm Deep



Koso RX-2N GP Style Speedometer Special Order BA015B10 (0-10,000 rpm)

BA015B20 (0-20,000 rpm)

\$479.95-H \$479.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/B)
- Tachometer
- · Shift Light
- Water and Oil Temperatures NORTHAMERICA
- Fuel Gauge displayed in 10 levels
- 5 Indicator Lights /5 Warning lights
- 24 Hour Clock
- Choose from 0-100,000 or 0-20,000 RPM styles
- Measures: 135.7 Wide x 100.7 High x 41 mm Deep



Koso XR-SR Multi-Function Speedometer

- Speedometer
- Odometer
- Trip Meter (Trip A/B)
- Tachometer
- Water Temperature
- Fuel Gauge displayed in 10 levels
- 5 Indicator Lights /3 Warning Lights
- Measures: 116.3 Wide x 72.4 High x 32.3 mm Deep





Koso DB-01R Speedometer

\$204.95-H Special Order BA018B00

The NEW DB series was designed for both Dirt and Enduro Bikes. A simple and compact unit with bar tachometer, odometer trip tach and fuel gauge. This unit will also fit nicely on a street fighter, sport bike or your ATV.

- Speedometer km/h / mph alternative
- Odometer plus Trip Odometer
- Tachometer
- Fuel Gauge
- 4 indicator lights (flash, high beam, oil pressure and neutral)Trip odometer
- Measures 35 Deep x 120 Long x 45 mm High
- Fuel Gauge
- 4 indicator lights (flash, high beam, oil pressure and neutral)



Koso XR-SA Speedometer

756-5515 \$146.95-H

Digital Micro liquid speedometer is easy to read and to use. Fits on most motorcycles, ATV's and scooters. Works well in in the severest conditions.

- Speedometer km/h
- Odometer
- Trip Meter
- Measures 28.07 Deep x 77.21 Long x 68.61 mm High



Koso XR-SA Speedometer Special Order BB002B25

Digital Micro liquid speedometer is easy to read and to use. Back lit making it easy to read at night.

- Speedometer km/h
- Odometer
- · Trip Meter
- Turn Signal, head Beam Lights and Oil Pressure Indicator Lights
- Measures 28.85 Deep x 82.28 Long x 83.1 mm High




Koso Universal Digital Speedometer

756-5602 (64mm/69mm face) Special Order BB552B70 (55mm/61mm face) \$182.95-H \$182.95-H

- Speedometer
- Odometer
- Trip Meter
- Fuel Gauge
- Blue back Light
- 64 mm TCI Part # 756-5602
- 55 mm Special Order BB552B70







Koso DL-02S Digital Speedometer Special Order BA555B10 \$204.95-H

- Speedometer
- Odometer
- Trip Meter
- Measures: Diameter 55 mm (Face Diameter 64.8 mm) x 48.4 mm Deep
- · Blue back Light
- 55 / 64.8 mm face





==



Koso DB-O2R Digital LCD Meter

Special Order BA022W10

\$287.95-H

Designed specifically for street or race bike needs

Koso DB-O2 Digital LCD Meter


Special Order BA022W00

\$266.95-H

Designed specifically for off-road machines that don't use a 12 volt battery

- Speedometer
- Odometer
- Trip Meter
- 3 Stage RPM Shift Light
- Inner Battery Levels
- Speed and Temperature Alarms
- · Hour Meter

岩形岩








Koso Plug-In Indicator Kit

Special Order BA022000 Special Order Indicator Lights \$47.95-H \$ 4.95-H

- Developed for the DB-02 & DB-02R gauges
- Allows user to build and design according to individual needs
- Measures: 141.5 Wide x 72.4 High x 18.4 mm Deep





Koso G2 Revolution Meter

- Tachometer
- Shift Indicator Light
- Volt Meter
- 24 Hour Clock
- Oil and Water Temperatures
- Air/Fuel Ratio optional needs optional O² Sensor
- 1 Indicator Lights /2 Warning Lights
- Measures: 87.2 Wide x 43.6 High x 20.3 mm Deep

\$239.95-H



Koso RX2-NR GP Style

Special Order BA015000

756-5624

\$239.95-H

This is the perfect race gauge! The 80 mm needle, driven by a stepper motor is easy to read at high speeds.

- Tachometer
- Programmable Shift Light
- Temperature Display and Alarm
- Max RPM record
- Measures 135.7 Wide x 100.7 Long x 52 mm High





Koso DL-02R Digital Tachometer

Special Order BA555B11

\$204.95-H

- Tachometer
- Water and Oil Temperatures
- Measures: Diameter 55 mm (Face Diameter 64.8 mm) x 48.4 mm Deep
- 24 Hour Clock
- Blue back Light





Koso GP Style Universal Tachometer

756-5622

- 0 15,000 RPM
- Rev Indicator Light
- Fits on Carburator and EFI Models
- Illuminated needle

\$137.95-H



Shindy Daytona Digital Tachometer

712-4050

- Compact size digital gauge indicates up to 19,990 RPM
- Universal to both 2 and 4 strokes, and single to 8 cylinders
- Memorizes the highest RPM'/clock function
- Body size: 76 x 36 x 16 mm Window size: 34 x 15 mm



\$166.95-H



Koso Wideband Air/Fuel Ratio Meter

756-5630

\$407.95-H

- Air/Fuel Ratio information
- Warning function will tell if your engine is running too lean or too rich
- Optional O Adaptor available for 2-stroke engines (756-5631)
- Measures 99.5 Wide x 42 High by 22.5 mm Deep







Koso Narrow Band Air/Fuel Ratio Meter 756-5635

\$239.95-H

This back lit air/fuel ratio gauge was designed to provide critical information to help get more power out of your 4-stroke engine and to be able to precisely tune your engine.

- Air/Fuel Ratio information
- Measures : Diameter 55 mm (Face Diameter 61 mm) and 57 mm deep



11



Koso Gear Indicator

- Gear Indicator with Shift Light
- Indicates gear selected from Neutral up to 6 gears
- Programmable shift light
- Displays: N, 1, 2, 3, 4, 5, 6
- Measures: 50 High x 24 mm deep (Face 43 mm high)

756-5540 \$165.95-H



Applications

REPUBLISHED FERFORMSKE GRUGE

Make	Model	Year
Aprila	Mille Factory	2004
Aprila	Mille & Futura	01-02
Aprila	Falco SL1000	2003
Benelli	Tornado	01-03
BMW	F650C/GS & R1150R	All
Buell	Cyclone & X89R Firebolt	All
Ducati	749/996/998/999	All
Harley Davidson	Sportster	1999 & 2006
Harley Davidson	Softail	1999+
Harley Davidson	V-Rod	all
MV Agusta	MV F4S Late	all
MV Agusta	F4 1000R	2006
Triumph	Daytona 600	03-04
Triumph	Sprint RS/RT Models	all
Triumph	Tiger	2005
Triumph	Daytona 955i	99-03
Triumph	Sprint ST 1050	2004
Triumph	Speed Triple	2003
Triumph	Sprint SM1050	2006
Triumph	Tiger 1050	2007
Honda	Hornet 600	all
Honda	CBR600 FX/Y	99-00
Honda	CBR600 F1/S	01-02
Honda	CBR600RR	03-07
Honda	Firestorm & Varadero	all
Honda	VFR750	some 94-97
Honda	VFR800	up to 2000
Honda	VFR800 V Tec	02-07
Honda	Fireblade injected	up to 2005
Honda	CBR1000RR Blackbird car	all
Honda	CBR1100RR Blackbird inj	all
Honda	CB1300-F3	2003+
Honda	SM1300 Pan European	2002+
Honda	VTX1800	all
Kawasaki	ZX6R & ZX636 (J Model and on)	all
Kawasaki	ER-6n	06-07
Kawasaki	Z750	04-07
Kawasaki	ZX9R (C Model and on)	all
Kawasaki	ZX10	04-07
Kawasaki	Z1000	03-07
Kawasaki	ZX12R	all

Make	Model	Year
Suzuki	GSX600	most
Suzuki	GSF600	most
Suzuki	GSXR 600 inj	all
Suzuki	DL650 V-Storm	all
Suzuki	SV650	all
Suzuki	SV650S	up to 2002
Suzuki	GSX750F	99-00
Suzuki	GSXR750W	all
Suzuki	DL1000 V-Storm	all
Suzuki	GSXR1000 inj	all
Suzuki	SV1000	up to 2004
Suzuki	TL1000R	all
Suzuki	GSX1300R	all
Suzuki	GSX1400	all
Suzuki	VL1500	04-05
Yamaha	FZ6-N	04-07
Yamaha	FZ1	06-07
Yamaha	Fazer 600	2000/2003
Yamaha	Fazer 1000	00*05
Yamaha	R6	98-05
Yamaha	R6R	06-07
Yamaha	R1	99-01/04-07
Yamaha	FJR1300/ABS	01-06
Yamaha	Warrior	
Yamaha	MT01	06-07





Dealers

Order on-line, check stock and current pricing at www.transcanimports.com



Koso Dual EGT with RPM & Water Temperature

Koso's NEW dual EGT with RPM and Water Temperature allows you to precisely tune your engine preventing engine damage. The settable warnings and maximum recall functions for both EGT's RPMM and water temperature are easy to use and show you vital engine information. The color change and back lit screen makes it very easy to view warnings. This too can save your engine from expensive repairs!

- Measures 124 mm. W x 58.5 mm H x 2 mm D
- Engine Temperature Display Range 100°C-1100°C
- Engine Temp Over Heat Warning Range 200°C-1000°C
- Water Temperature Range 0 to 200 C
- RPM Range 0 to 15000 RPM
- AC/DC12V



Settable warning changes color to alert you

RETAIL \$479.95-H \$521.95-H



PART # DESCRIPTION

756-5535 Dual EGT Meter with Standard EGT Sensor756-5536 Dual EGT Meter with Fast Response EGT Sensor

Koso Exhaust, Gas and Temperature Meters

Koso digital high precision exhaust temperature gauges provide precious information on your engine, allowing you to tune your engine more precisely. If it is too lean the exhaust temperature is hotter and if it is too rich, the exhaust temperature is cooler.

- · Digital LCM Meter with Blue LED Back Light
- Engine Temp Over Heat Warning (Flashing Amber Light
- DC12V Only
- Easy Programming
- Peak recall showing the highest temperature
- Range 100°C-1200°C
- Easy Wiring
- Kit includes: gauge, sensors, clamp, wiring, mounting bracket and instructions

DESCRIPTION	TCI PART#	RETAIL
Single EGT Meter with Standard EGT Sensor	756-5500	\$262.95-H
Single EGT Meter with Fast Response EGT Sensor	756-5509	\$287.95-H
Dual EGT Meter with Standard EGT Sensor	756-5530	\$399.95-H
Dual EGT Meter with Fast Response EGT Sensor	756-5531	\$449.95-H



Independent settable warning for each side. Color change to alert you






How to Install EGT Probes

The exhaust temperature gauge is powered by a thermocouple probe mounted in the exhaust pipe.

- 1 pipe per cylinder (1 Probe per cylinder) Mount probe 10 12" from piston.
- 2 into 1 (2 Probes) Install the 2 probes in the "Y" as close to the junction as possible.
- 2 into 1 (1 Probe) Install the probe in the pipe 2 inches beyond the coupler.

What do "Exhaust Temperature Readings" Mean?			
800 - 1100° F	Too Rich		
1100 - 1300° F	Good Mixture		
1300° F	Too Lean		





\$ 26.95-H

\$ 26.95-H

\$ 26.95-H

\$ 26.95-H

\$ 26.95-H

\$ 26.95-H

\$ 5.95-H

\$ 11.95-H

\$ 5.95-H

\$ 5.95-H

BF100001

BF120000

BF140000

BF140001

BF160000

BF180000

BF010510

BF010611

BF010820

BF010800

KOSO GAUGE ACCESSORIES

Koso Accessories are special order in	tems					
DESCRIPTION		PART #	RETAIL	200	10	
AC/DC Convertor		BL000010	\$ 47.95-H	- Carrier		
O ² Adapter for 2-Stroke Engine		756-5631	\$ 47.95-H		1	,
(Fits on Wide Band Air/Fuel Ratio Gaug	ge)					
Bosch Oxygen Sensor		756-5632	\$119.95-H	O ² Adaptei	r Ros	ch Oxygen Sensor
(Fits on Wide Band Air/Fuel Ratio Gaug	ge)			o /tauptei	503	en oxygen sensor
Oxygen Sensor		28-BOS2004	\$ 74.95-H			
(Fits Narrow Band Air Fuel Ratio Gauge	e)				1	
Water Temp. Sensor		BF550023	\$ 35.95-H	IÅ (<i>」</i>	
(Fits Dual EGT w/RPM & Water Temp.)				====	U	
Standard EGT Sensor		756-5504	\$ 95.95-H	Fast Dansan	FCT	
Fast Response EGT Sensor		756-5505	\$119.95-H	Fast Response Sensor		td EGT Sensor
Water Temperature Sensor Adapter - 14	mm	BG014B00	\$ 32.95-H	3611301		
Water Temperature Sensor Adapter - 16	mm	BG016B00	\$ 34.95-H	Anne Marie		86
Water Temperature Sensor Adapter - 18	mm	BG018B00	\$ 35.95-H		Yn .	100
Water Temperature Sensor Adapter - 22	mm	756-5521	\$ 40.95-H		4 5	
Water Temperature Sensor Adapter - 26	mm	BG026B00	\$ 44.95-H		200	
Oil Temperature Adapter M12 x P1.5 x 1	5L	756-5532	\$ 10.95-H	(6)		
Oil Temperature Adapter M14 x P1.25 x	15L	756-5533	\$ 10.95-H	EGT Sensor Cla	amn FGT	Weld-on Bushing
Oil Temperature Adapter M14 x P1.5 x 1	5L	BG281415	\$ 10.95-H	Edi Selisoi Cic	iiib E01	Weid-on busining
Oil Temperature Adapter M16 x P1.5 x 1	5L	BG301615	\$ 10.95-H			
Oil Temperature Adapter M18 x P1.5 x 1	5L	BG301815	\$ 10.95-H			
Oil Temperature Adapter M20 x P1.0 x 1	5L	BG302010	\$ 10.95-H			
Oil Temperature Adapter M20 x P1.5 x 1	5L	BG302015	\$ 10.95-H			
EGT Weld-on Bushing		756-5507	\$ 26.95-H		_ Wa	ater Temp Sensor
				BF030125)	Adaptor
DESCRIPTION	SIZE	PART #	RETAIL	SIZE	PART #	RETAIL
EGT Sensor Clamp	40-60 mm		\$ 13.95-H	60-80 mm	756-5506	\$ 13.95-H
Cylinder Head Temp. Sensor (0-250 C) (With JST waterproof connector)	10 mm	K1001R11	\$ 35.95-H	14 mm	K1001R15	\$ 35.95-H
Cylinder Head Temp. Sensor (0-250 C)	10 mm	K1001R10	\$ 29.95-H	14 mm	K1001R14	\$ 29.95-H
Cylinder Head Temp. Sensor (0-150 C)	10 mm	K1000R10	\$ 25.95-H	14 mm	K1000R14	\$ 25.95-H
Temperature Sensor P 1/8 x 28	0-150 C	BF030125	\$ 15.95-H	0-250 C	BF030000	\$ 26.95-H
Temperature Sensor M10 x P 1.0	0-150 C	BF100100	\$ 15.95-H	0-250 C	BF100000	\$ 26.95-H



BF100125

BF120125

BF140125

BF140150

BF160150

BF180150

BF010500

BF010630

BF010600

BF010830

\$ 15.95-H

\$ 15.95-H

\$ 15.95-H

\$ 15.95-H

\$ 15.95-H

\$ 15.95-H

\$ 5.95-H

\$ 5.95-H

\$ 5.95-H

\$ 5.95-H

0-250 C

0-250 C

0-250 C

0-250 C

0-250 C

0-250 C

M5xP0.8x12L

M6xP1.0x19.7L

M8xP1.25x22.5L

M8xP1.25x29L

0-150 C

0-150 C

0-150 C

0-150 C

0-150 C

0-150 C

5/16 x P18 x 18.2L

M6xP1.0x12.6L

M6xP1.0x24L

M8xP1.25x27.5L

Temperature Sensor M10 x P 1.25

Temperature Sensor M12 x P1.5

Temperature Sensor M14 x P1.25

Temperature Sensor M14 x P1.5

Temperature Sensor M16 x P1.5

Temperature Sensor M18 x P1.5

Disc Magnet Screw

Disc Magnet Screw

Disc Magnet Screw

Disc Magnet Screw