


GAUGES

Shindy Daytona Oil Temp Gauge

- Temperature range is 0 - 199 Celsius.
- Large Digital indicator
- Fits most models by replacing stock oil drain plug
- Replacement senders available

TCI PART #	DESCRIPTION	RETAIL
712-4001	Shindy Oil Plug size 12 mm x P1.5	\$199.95-H
712-4002	Shindy Oil Plug size 14 mm x P1.25	\$199.95-H
712-4003	Shindy Oil Plug size 14 mm x P1.5	\$199.95-H
712-4024	Shindy Oil Plug size 16 mm x P1.5	\$188.95-H
712-4025	Shindy Oil Plug size 18 mm x p1.5	\$188.95-H



Shindy Daytona Water Temperature Gauge

712-4000

\$166.95-H

- Compact size digital gauge indicates the actual temperature
- Switchable to F or C
- Velcro mounting makes instant installation on any flat surface
- Body Size: 76 x 36 x 16 mm Window Size: 34 x 15 mm
- Sender included with kit



Koso Temperature Meter with Warning

756-5510

\$119.95-H

- Provides engine Temperature Readings i
- C or F readings
- Temperature with over temperature alert function
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep



Koso Mini LCD Thermometer

756-5520

\$94.95-H

- Provides engine Temperature Readings
- C or F readings
- Back light
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep



Koso Mini Engine Hour Meter

756-5700

\$71.95-H

- A great tool for the proper maintenance of your engine
- Provides engine running hours
- 2 resettable time logs
- Measures 61.5 Wide x 33.7 High x 15.6 mm Deep



DIGITAL AND ANALOG PERFORMANCE GAUGES

GAUGES

Koso RX-IN GP Style Speedometer 756-5600 (Black Face) or 756-5601 (White Face) \$419.95-H \$419.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/ B)
- Tachometer
- Shift Light
- Water Temperature
- Oil Temperature
- Fuel Gauge - displayed in 10 levels
- 5 Indicator Lights /3 Warning lights
- 24 Hour Clock
- Measures: 151.8 Wide x 81.5 High x 41.5 mm Deep



Koso RX-2 GP Style Speedometer Special Order BA010001 \$454.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/ B)
- Tachometer
- Shift Light
- Water and Oil Temperatures
- Fuel Gauge - displayed in 10 levels
- 5 Indicator Lights/3 Warning lights
- 24 Hour Clock
- Back light can be changed to 7 different colors
- Measures: 180.15 Wide x 105 High x 38 mm Deep



Koso RX-2N GP Style Speedometer Special Order BA015B10 (0-10,000 rpm) \$479.95-H
BA015B20 (0-20,000 rpm) \$479.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/ B)
- Tachometer
- Shift Light
- Water and Oil Temperatures
- Fuel Gauge - displayed in 10 levels
- 5 Indicator Lights /5 Warning lights
- 24 Hour Clock
- Choose from 0-100,000 or 0-20,000 RPM styles
- Measures: 135.7 Wide x 100.7 High x 41 mm Deep



Koso XR-SR Multi-Function Speedometer Special Order BB017B00 \$239.95-H

- Speedometer
- Odometer
- Trip Meter (Trip A/ B)
- Tachometer
- Water Temperature
- Fuel Gauge - displayed in 10 levels
- 5 Indicator Lights /3 Warning Lights
- Measures: 116.3 Wide x 72.4 High x 32.3 mm Deep



GAUGES

DIGITAL AND ANALOG PERFORMANCE GAUGES

Koso DB-01R Speedometer

Special Order BA018B00 \$204.95-H

The NEW DB series was designed for both Dirt and Enduro Bikes. A simple and compact unit with bar tachometer, odometer trip tach and fuel gauge. This unit will also fit nicely on a street fighter, sport bike or your ATV.

- Speedometer km/h / mph alternative
- Odometer plus Trip Odometer
- Tachometer
- Fuel Gauge
- 4 indicator lights (flash, high beam, oil pressure and neutral) Trip odometer
- Measures 35 Deep x 120 Long x 45 mm High
- Fuel Gauge
- 4 indicator lights (flash, high beam, oil pressure and neutral)



Koso XR-SA Speedometer

756-5515 \$146.95-H

Digital Micro liquid speedometer is easy to read and to use. Fits on most motorcycles, ATV's and scooters. Works well in in the severest conditions.

- Speedometer km/h
- Odometer
- Trip Meter
- Measures 28.07 Deep x 77.21 Long x 68.61 mm High



Koso XR-SA Speedometer

Special Order BB002B25 \$152.95-H

Digital Micro liquid speedometer is easy to read and to use. Back lit making it easy to read at night.


- Speedometer km/h
- Odometer
- Trip Meter
- Turn Signal, head Beam Lights and Oil Pressure Indicator Lights
- Measures 28.85 Deep x 82.28 Long x 83.1 mm High



Koso Universal Digital Speedometer

756-5602 (64mm/69mm face) \$182.95-H
Special Order BB552B70 (55mm/61mm face) \$182.95-H

- Speedometer
- Odometer
- Trip Meter
- Fuel Gauge
- Blue back Light
- 64 mm TCI Part # 756-5602
- 55 mm Special Order BB552B70



Koso DL-02S Digital Speedometer

Special Order BA555B10 \$204.95-H

- Speedometer
- Odometer
- Trip Meter
- Measures: Diameter 55 mm (Face Diameter 64.8 mm) x 48.4 mm Deep
- Blue back Light
- 55 / 64.8 mm face



DIGITAL AND ANALOG PERFORMANCE GAUGES

GAUGES

Koso DB-02R Digital LCD Meter

Special Order BA022W10

\$287.95-H

Designed specifically for street or race bike needs

Koso DB-02 Digital LCD Meter

Special Order BA022W00

\$266.95-H

Designed specifically for off-road machines that don't use a 12 volt battery

- Speedometer
- Odometer
- Trip Meter
- 3 Stage RPM Shift Light
- Inner Battery Levels
- Speed and Temperature Alarms
- Hour Meter
- Measures 108.7 Wide x 66.7 High x 22.7 mm Deep



Koso Plug-In Indicator Kit


Special Order BA022000

\$47.95-H

Special Order Indicator Lights

\$ 4.95-H

- Developed for the DB-02 & DB-02R gauges
- Allows user to build and design according to individual needs
- Measures: 141.5 Wide x 72.4 High x 18.4 mm Deep



Koso G2 Revolution Meter

756-5624

\$239.95-H

- Tachometer
- Shift Indicator Light
- Volt Meter
- 24 Hour Clock
- Oil and Water Temperatures
- Air/Fuel Ratio - optional needs optional O² Sensor
- 1 Indicator Lights /2 Warning Lights
- Measures: 87.2 Wide x 43.6 High x 20.3 mm Deep



Koso RX2-NR GP Style

Special Order BA015000

\$239.95-H

This is the perfect race gauge! The 80 mm needle, driven by a stepper motor is easy to read at high speeds.

- Tachometer
- Programmable Shift Light
- Temperature Display and Alarm
- Max RPM record
- Measures 135.7 Wide x 100.7 Long x 52 mm High



GAUGES

Koso DL-02R Digital Tachometer Special Order BA555B11 \$204.95-H

- Tachometer
- Water and Oil Temperatures
- Measures: Diameter 55 mm (Face Diameter 64.8 mm) x 48.4 mm Deep
- 24 Hour Clock
- Blue back light



Koso GP Style Universal Tachometer 756-5622 \$137.95-H

- 0 - 15,000 RPM
- Rev Indicator Light
- Fits on Carburetor and EFI Models
- Illuminated needle



Shindy Daytona Digital Tachometer 712-4050 \$166.95-H

- Compact size digital gauge indicates up to 19,990 RPM
- Universal to both 2 and 4 strokes, and single to 8 cylinders
- Memorizes the highest RPM/clock function
- Body size: 76 x 36 x 16 mm Window size: 34 x 15 mm



Koso Wideband Air/Fuel Ratio Meter 756-5630 \$407.95-H

- Air/Fuel Ratio information
- Warning function will tell if your engine is running too lean or too rich
- Optional O Adaptor available for 2-stroke engines (756-5631)
- Measures 99.5 Wide x 42 High by 22.5 mm Deep



Koso Narrow Band Air/Fuel Ratio Meter 756-5635 \$239.95-H

This back lit air/fuel ratio gauge was designed to provide critical information to help get more power out of your 4-stroke engine and to be able to precisely tune your engine.

- Air/Fuel Ratio information
- Measures : Diameter 55 mm (Face Diameter 61 mm) and 57 mm deep



DIGITAL AND ANALOG PERFORMANCE GAUGES

GAUGES

Koso Gear Indicator

756-5540

\$165.95-H

- Gear Indicator with Shift Light
- Indicates gear selected from Neutral up to 6 gears
- Programmable shift light
- Displays: N, 1, 2, 3, 4, 5, 6
- Measures: 50 High x 24 mm deep (Face 43 mm high)



Applications

Make	Model	Year
Aprila	Mille Factory	2004
Aprila	Mille & Futura	01-02
Aprila	Falco SL1000	2003
Benelli	Tornado	01-03
BMW	F650C/GS & R1150R	All
Buell	Cyclone & X89R Firebolt	All
Ducati	749/996/998/999	All
Harley Davidson	Sportster	1999 & 2006
Harley Davidson	Softail	1999+
Harley Davidson	V-Rod	all
MV Agusta	MV F4S Late	all
MV Agusta	F4 1000R	2006
Triumph	Daytona 600	03-04
Triumph	Sprint RS/RT Models	all
Triumph	Tiger	2005
Triumph	Daytona 955i	99-03
Triumph	Sprint ST 1050	2004
Triumph	Speed Triple	2003
Triumph	Sprint SM1050	2006
Triumph	Tiger 1050	2007
Honda	Hornet 600	all
Honda	CBR600 FX/Y	99-00
Honda	CBR600 F1/S	01-02
Honda	CBR600RR	03-07
Honda	Firestorm & Varadero	all
Honda	VFR750	some 94-97
Honda	VFR800	up to 2000
Honda	VFR800 V Tec	02-07
Honda	Fireblade injected	up to 2005
Honda	CBR1000RR Blackbird car	all
Honda	CBR1100RR Blackbird inj	all
Honda	CB1300-F3	2003+
Honda	SM1300 Pan European	2002+
Honda	VTX1800	all
Kawasaki	ZX6R & ZX636 (J Model and on)	all
Kawasaki	ER-6n	06-07
Kawasaki	Z750	04-07
Kawasaki	ZX9R (C Model and on)	all
Kawasaki	ZX10	04-07
Kawasaki	Z1000	03-07
Kawasaki	ZX12R	all

Make	Model	Year
Suzuki	GSX600	most
Suzuki	GSF600	most
Suzuki	GSXR 600 inj	all
Suzuki	DL650 V-Storm	all
Suzuki	SV650	all
Suzuki	SV650S	up to 2002
Suzuki	GSX750F	99-00
Suzuki	GSXR750W	all
Suzuki	DL1000 V-Storm	all
Suzuki	GSXR1000 inj	all
Suzuki	SV1000	up to 2004
Suzuki	TL1000R	all
Suzuki	GSX1300R	all
Suzuki	GSX1400	all
Suzuki	VL1500	04-05
Yamaha	FZ6-N	04-07
Yamaha	FZ1	06-07
Yamaha	Fazer 600	2000/2003
Yamaha	Fazer 1000	00*05
Yamaha	R6	98-05
Yamaha	R6R	06-07
Yamaha	R1	99-01/04-07
Yamaha	FJR1300/ABS	01-06
Yamaha	Warrior	
Yamaha	MT01	06-07



Dealers

Order on-line, check stock and current pricing at
www.transcanimports.com




GAUGES

Koso Dual EGT with RPM & Water Temperature

Koso's **NEW** dual EGT with RPM and Water Temperature allows you to precisely tune your engine preventing engine damage. The settable warnings and maximum recall functions for both EGT's RPM and water temperature are easy to use and show you vital engine information. The color change and back lit screen makes it very easy to view warnings. This too can save your engine from expensive repairs!

- Measures 124 mm. W x 58.5 mm H x 2 mm D
- Engine Temperature Display Range 100°C-1100°C
- Engine Temp Over Heat Warning Range 200°C-1000°C
- Water Temperature Range 0 to 200 C
- RPM Range 0 to 15000 RPM
- AC/DC12V



Settable warning changes color to alert you



PART #	DESCRIPTION	RETAIL
756-5535	Dual EGT Meter with Standard EGT Sensor	\$479.95-H
756-5536	Dual EGT Meter with Fast Response EGT Sensor	\$521.95-H

Koso Exhaust, Gas and Temperature Meters

Koso digital high precision exhaust temperature gauges provide precious information on your engine, allowing you to tune your engine more precisely. If it is too lean the exhaust temperature is hotter and if it is too rich, the exhaust temperature is cooler.

- Digital LCM Meter with Blue LED Back Light
- Engine Temp Over Heat Warning (Flashing Amber Light)
- DC12V Only
- Easy Programming
- Peak recall showing the highest temperature
- Range 100°C-1200°C
- Easy Wiring
- Kit includes: gauge, sensors, clamp, wiring, mounting bracket and instructions



Independent settable warning for each side. Color change to alert you




DESCRIPTION	TCI PART#	RETAIL
Single EGT Meter with Standard EGT Sensor	756-5500	\$262.95-H
Single EGT Meter with Fast Response EGT Sensor	756-5509	\$287.95-H
Dual EGT Meter with Standard EGT Sensor	756-5530	\$399.95-H
Dual EGT Meter with Fast Response EGT Sensor	756-5531	\$449.95-H



How to Install EGT Probes

The exhaust temperature gauge is powered by a thermocouple probe mounted in the exhaust pipe.

- 1 pipe per cylinder (1 Probe per cylinder) - Mount probe 10 - 12" from piston.
- 2 into 1 (2 Probes) - Install the 2 probes in the "Y" as close to the junction as possible.
- 2 into 1 (1 Probe) - Install the probe in the pipe 2 inches beyond the coupler.



What do "Exhaust Temperature Readings" Mean?	
800 - 1100° F	Too Rich
1100 - 1300° F	Good Mixture
1300° F	Too Lean

DIGITAL AND ANALOG PERFORMANCE GAUGES

KOSO GAUGE ACCESSORIES

Koso Accessories are special order items

DESCRIPTION	PART #	RETAIL
AC/DC Converter	BL000010	\$ 47.95-H
O ² Adapter for 2-Stroke Engine (Fits on Wide Band Air/Fuel Ratio Gauge)	756-5631	\$ 47.95-H
Bosch Oxygen Sensor (Fits on Wide Band Air/Fuel Ratio Gauge)	756-5632	\$119.95-H
Oxygen Sensor (Fits Narrow Band Air Fuel Ratio Gauge)	28-BOS2004	\$ 74.95-H
Water Temp. Sensor (Fits Dual EGT w/RPM & Water Temp.)	BF550023	\$ 35.95-H
Standard EGT Sensor	756-5504	\$ 95.95-H
Fast Response EGT Sensor	756-5505	\$119.95-H
Water Temperature Sensor Adapter - 14mm	BG014B00	\$ 32.95-H
Water Temperature Sensor Adapter - 16mm	BG016B00	\$ 34.95-H
Water Temperature Sensor Adapter - 18mm	BG018B00	\$ 35.95-H
Water Temperature Sensor Adapter - 22mm	756-5521	\$ 40.95-H
Water Temperature Sensor Adapter - 26mm	BG026B00	\$ 44.95-H
Oil Temperature Adapter M12 x P1.5 x 15L	756-5532	\$ 10.95-H
Oil Temperature Adapter M14 x P1.25 x 15L	756-5533	\$ 10.95-H
Oil Temperature Adapter M14 x P1.5 x 15L	BG281415	\$ 10.95-H
Oil Temperature Adapter M16 x P1.5 x 15L	BG301615	\$ 10.95-H
Oil Temperature Adapter M18 x P1.5 x 15L	BG301815	\$ 10.95-H
Oil Temperature Adapter M20 x P1.0 x 15L	BG302010	\$ 10.95-H
Oil Temperature Adapter M20 x P1.5 x 15L	BG302015	\$ 10.95-H
EGT Weld-on Bushing	756-5507	\$ 26.95-H




O² Adapter



Bosch Oxygen Sensor



Fast Response EGT Sensor



Std EGT Sensor



EGT Sensor Clamp



EGT Weld-on Bushing



BF030125



Water Temp Sensor Adaptor

DESCRIPTION	SIZE	PART #	RETAIL
EGT Sensor Clamp	40-60 mm	756-5503	\$ 13.95-H
Cylinder Head Temp. Sensor (0-250 C) (With JST waterproof connector)	10 mm	K1001R11	\$ 35.95-H
Cylinder Head Temp. Sensor (0-250 C)	10 mm	K1001R10	\$ 29.95-H
Cylinder Head Temp. Sensor (0-150 C)	10 mm	K1000R10	\$ 25.95-H
Temperature Sensor P 1/8 x 28	0-150 C	BF030125	\$ 15.95-H
Temperature Sensor M10 x P 1.0	0-150 C	BF100100	\$ 15.95-H
Temperature Sensor M10 x P 1.25	0-150 C	BF100125	\$ 15.95-H
Temperature Sensor M12 x P1.5	0-150 C	BF120125	\$ 15.95-H
Temperature Sensor M14 x P1.25	0-150 C	BF140125	\$ 15.95-H
Temperature Sensor M14 x P1.5	0-150 C	BF140150	\$ 15.95-H
Temperature Sensor M16 x P1.5	0-150 C	BF160150	\$ 15.95-H
Temperature Sensor M18 x P1.5	0-150 C	BF180150	\$ 15.95-H
Disc Magnet Screw	5/16 x P18 x 18.2L	BF010500	\$ 5.95-H
Disc Magnet Screw	M6xP1.0x12.6L	BF010630	\$ 5.95-H
Disc Magnet Screw	M6xP1.0x24L	BF010600	\$ 5.95-H
Disc Magnet Screw	M8xP1.25x27.5L	BF010830	\$ 5.95-H

SIZE	PART #	RETAIL
60-80 mm	756-5506	\$ 13.95-H
14 mm	K1001R15	\$ 35.95-H
14 mm	K1001R14	\$ 29.95-H
14 mm	K1000R14	\$ 25.95-H
0-250 C	BF030000	\$ 26.95-H
0-250 C	BF100000	\$ 26.95-H
0-250 C	BF100001	\$ 26.95-H
0-250 C	BF120000	\$ 26.95-H
0-250 C	BF140000	\$ 26.95-H
0-250 C	BF140001	\$ 26.95-H
0-250 C	BF160000	\$ 26.95-H
0-250 C	BF180000	\$ 26.95-H
M5xP0.8x12L	BF010510	\$ 5.95-H
M6xP1.0x19.7L	BF010611	\$ 11.95-H
M8xP1.25x22.5L	BF010820	\$ 5.95-H
M8xP1.25x29L	BF010800	\$ 5.95-H





TEMPERATURE GAUGES

Twin 3" Cylinder head

756-2130

\$149.95-F

- If you have a twin cylinder engine with separate pipes, or want to monitor each cylinder on your two-into-one exhaust, the twin gauge has two separate needles combined in one unit. The standard 3" model is designed to be mounted in the console or dash panel.

Optional LIGHT KIT (if Required) 756-5009 x 2



Triple 3" Exhaust - Chrome

756-3031

\$249.95-F

- What do you do if you have a three cylinder engine and want to check all exhausts at once? The Triple Gauge solves your problem with its three-into-one design combined in a 3" housing.
- Chrome Bullet Case



Note: Senders and Light Kits must be purchased separately

PARTS FOR WESTACH

Optional Light Kit

756-5009

\$9.25-H

- The light kit requires 12 volts DC
- Single & triple take one kit.
- Twins need two kits.



756-5009

Patch Cords

756-5007

\$11.95-H

- Patch cords add two feet to either exhaust or cylinder temperature senders.



756-5007

Low Power Adapter Kit

756-9011

\$39.95-H

The low power adapter kit is required to operate the Hour Meter kit on small engines that do not have a DC source.



756-5006

Westach Cylinder Head Sender

756-5006

\$31.50-H

- 18mm Spark Plug Sender

SENDERS/PROBES

EGT Exhaust Sender

- EGT Technologies has taken the technology from these high performance vehicles and use it to build top quality, time tested sensors for your snowmobile.
- The Stinger series and the Bullet series both come with a proper connector to mate with your current instrument.

DESCRIPTION	STYLE	PART#	RETAIL
Standard Koso EGT Sender	Stinger	756-5504	\$95.95-H
Fast Response Koso EGT Sender	Clamp-on Bullet	756-5505	\$119.95-H
Westach EGT Sender	Stinger	756-4010	\$99.95-H
Digitron 1 (Plastic Connector)	Clamp-on Bullet	756-4020	\$99.95-H
Pyro 2000 EGT Sender	Stinger	756-4051	\$99.95-H
Aaen Heavy Duty Exhaust Sender	Clamp-on	756-5004	\$79.95-H



756-5504



756-5505



756-4010



756-4020



756-5004

AAEN GAUGES

Aaen Battery Charge Kit

544-P10641

\$99.95-H

Your EFI is dependent on good voltage to function properly. If the voltage drops, the standard charging circuit will not be able to supply enough charge to keep the voltage up. The "Supercharge Kit" consists of an electronic box that senses low battery voltage, and then supplies additional charge form the separate accessory circuit.



THE PODD

MODEL	# OF HOLES	HOLE SIZE	TCI #	RETAIL
A/C Prowler EXT '90-92	2	2"	756-7003	\$30.90-H
A/C ZRT 600/800, '95-'98, Thundercat '96-98, Powder Extreme '98	3	2"	756-7002	\$54.95-H
A/C ZR '93,EXT '94-97,Wildcat '95-96,Powder Special '95-97	2	2"	756-7001	\$54.95-H
Pol Indy's Original Style Hood	3	2"	756-7007	\$54.95-H
Pol '96-97 Storm, XcR, 600SP, 970 Ultra Special, Ultra Touring	3	2"	756-7017	\$55.75-H
Pol '97-99 With Larger Speedo & Tach	2	2"	756-7018	\$55.75-H
Pol '97-99 With Larger Speedo & Tach	3	2"	756-7019	\$55.75-H
Yam Exciter & Vmax 4	1	2"	756-7011	\$48.50-H
Yam Exciter & Vmax 4	1	3"	756-7012	\$55.30-H
Yam Vmax '97-00	2	2"	756-7020	\$59.90-H
Yam Vmax '97-00	3	2"	756-7021	\$59.90-H
Yam Vmax 500/600/800 '92-96, Vmax 4 750/800 '92-97	2	2"	756-7016	\$47.50-H
Bullet Case - Handlebar Mounting	1	2"	756-6002	\$25.95-H



756-7001



756-7011



756-7003



756-7016



756-7017



756-7018



756-7019



756-6002/4