

This system is the first and only ATV plow system that uses a Patent Pending two part mount

Quick Mount System: (Patent Pending)

- Mounting Plates and Quick Mount do not use U-bolts. No loss of ground clearance from protruding bolts when plow is removed.
- Quick Mount - No pins to lose or holes to line up.
- 5/8" Mounting Points
- Before trail riding you can simply remove the universal tube frame mount by loosening the four bolts and sliding it off.



Installing the Mounting System on a Quad




Part A, the mounting plate, for this system has the benefit of no loss of ground clearance or any hanging parts to catch or bend. Also, as an added bonus, the mounting plate also doubles as a heavy-duty skid plate.




Part B, the Universal tube frame mount, is attached to the mounting plate with four carriage bolts. Easy to install or remove within a few minutes.

Attaching the Plow onto Mounting System



To attach plow to the ATV you simply roll your ATV over the Plow Frame and line up the main mount attaching rod with the slot in the Quick Latch Brackets of the main frame. Then continue to roll the ATV into the slot until the ear seats itself on the main mount rod




Now swing up The Quick Latch spring loaded latches and your plow is attached. No pins to lose or hole to line up.

Here is what you need to order...


1. Blade

2. Plow Tube Runner



3. Optional Hand Lift - for Std Mounts Only

4. Mount Plate see applications carts Pages 525 to 49



AMERICAN MANUFACTURING

AMERICAN MANUFACTURING QUICK MOUNT SYSTEM - WHAT TO ORDER

1. Plow Blade - choose from:

A. Standard or Country Plow Blades:

The American Eagle has a five position adjustable blade angle with up to 26-1/2° of angle. There is also adjustable blade pitch stops for maximum blade adjustment. It also features a solid 5/8" diameter blade positioning pin (largest in the industry). It comes standard with hardened 3/4" thick Ductile steel blade skids and 1/4" thick mounting brackets. The tube frame is constructed of high-tensile 1-1/2" square steel tubing and has 1/4" steel construction at all critical mounting points.

- Blades are 12 gauge high alloy steel blend which is 40% stronger by weight than other blades
- 3" wide and 1/4" thick, 2 sided wear bar
- 3/4" Thick Blade Skids, thickest in the industry

OR


B. V-Plow Blade

The new V-Force Plow is not rolled it is formed adding increased strength. Simple practical design.


- Built out of 11 gauge steel.
- 4 different height positions to accommodate over size tires.
- Quick lock pins allows consumer to convert from standard straight position to V-position in 30 seconds.
- Standard 6" rubber center seal snow deflector on top.
- Bottom center wear bar formed to provide closure.
- Black Powder Coat finish.



DESCRIPTION	COLOR	TCI PART #	RETAIL
Standard 50"	Black	675-2910	\$249.95-H
Standard 50"	Yellow	675-2911	\$249.95-H
Standard 60"	Black	675-2920	\$309.95-H
Standard 60"	Yellow	675-2921	\$309.95-H
Standard 66"	Black	675-2927	\$359.95-H
Standard 66"	Yellow	675-2928	\$359.95-H
Standard 72"	Black	675-2922	\$399.95-H
Country 50"	Black	675-2915	\$289.95-H
Country 50"	Yellow	675-2916	\$289.95-H
Country 60"	Black	675-2925	\$409.95-H
Country 60"	Yellow	675-2926	\$409.95-H
Standard V-Plow 66"	Black	675-2929	\$599.95-H



Standard Blade
675-2928



Country Blade
675-2926



V-Plow Blade
675-2929

AMERICAN MANUFACTURING

2. PLOW MOUNT - choose from:

A. Standard Quick Mount Plate

ATV Standard Mounts - Retail \$ 99.95-H

UTV Standard Mounts - Retail \$159.95-H

American Manufacturing's ATV Plow Attaching System is the first and only ATV/UTV plow that uses a two part mount. The model specific Mounting plate mounts to the push tube with a quick latch bracket system that requires no lining p of pins.

Just roll machine on and lock down!

- Flat plate stays on wheeler during the summer acting as a skid plate
- No loss in ground clearance
- Grade 5 carriage bolts
- Made of 11 gauge steel
- Latch bracket has no pins to line up

OR

B. Eagle Plows Generation II Front Mount Quick Mount System - Retail \$99.95-H

The new front plow mount system hooks up and disconnects in seconds, making it one of the easiest plow mount hook-ups around. Simply lift your push tubes up and roll your ATV into the mount and swing the quick latches in place. Hook your winch cable to the push tubes and you are ready to go.

- One piece front mount that easily bolts on.
- Made from heavy duty 7 gauge steel.
- Hook up points are 5/8" round rod and use the same proven quick latch system as the American Manufacturing Standard Quick Mount System.
- Push tubes are built out of 1 1/2" square 11 gauge tubing (the heaviest in the industry).
- The mount part is made of 1/4" steel.




3. Push Tube - One of the following Push Tubes is required to complete your system

A. ATV Standard Mount - Use Push Tube TCI# 675-2906 - Retail \$284.95-H


B. UTV Standard Standard Mounts - Use Push Tube TCI# 675-2805 - Retail \$349.95-H

C. Generation II Quick Mount Plate - Use Plow Tube Runner 675-3906 - Retail \$299.95-H or

D. Extended Push Tube for ATV Generation II Quick Mount Plates 675-3908 - Retail \$329.95-H



2. Plow Mount



1. Blade

3. Push Tube

AMERICAN MANUFACTURING MOUNT APPLICATIONS

Year	Model	Standard Mount	Gen II Frt Mount
ARCTIC CAT			
98-05	250, 300	675-2010	
02-04	300, 375	675-2010	
2012	350	675-2012	
08-09	366*	675-2012	
02-04	400i, 400 ACT, 400 Auto, 400	675-2010	
13-14	400 TRV	675-2010	675-3950
96-01	400 / 454 4x4	675-2010	
2012	425i	675-2012	
10-12	450 / TRV	675-2010	675-3950
96-02	500 / 500i	675-2010	
00-02	500 Auto	675-2020	
03-14	500 / 500 TRV	675-2010	675-3950
06-14	500 XT		675-3950
09-11	550 XT / 550 TRV	675-2010	675-3950
12-14	550 XT / 550 TRV	675-2010	
04-05	650 / 650 TRV	675-2010	
06-11	650	675-2010	675-3950
07-14	700 / TRV / TBX	675-2010	675-3950
06-14	700 Mud Pro/Diesel	675-2010	
09-14	1000 / TRV	675-2011	
09-14	1000 XT		675-3950
09-14	Prowler 550 XT	675-2860	
06-09	Prowler 650 H1	675-2860	
08-14	Prowler 700 / HDX / XTX	675-2860	
10-14	Prowler XTX 1000	675-2860	
CAN/AM BOMBARDIER			
99-05	Trax	675-2105	
02-05	Quest	675-2105	
03-05	Outlander 330 / 400	675-2110	
06-12	Outlander 400	675-2111	
13-14	Outlander 400 (OEM parts required)	675-2111	
2012	Outlander 400 / 500 / 650 / 800 Max	675-2111	675-3911
06-12	Outlander XT's 400, 500, 600		675-3911
06-11	V-Twin 500 / 600 / 650 / 800	675-2111	
06-11	Outlander 800 XT		675-3911
06-12	Outlander 800 XT Max		675-3911
07-09	Renegade 800	675-2111	
11-14	Commander 800R / 800R-XT	675-2811	
11-14	Commander 1000 / 1000X / 1000XT	675-2811	
HONDA			
88-00	TRX 300	675-2215	
00-07	Rancher 350 / 400	675-2210	
07-13	Rancher 420	675-2230	675-3926
97-06	Recon	675-2220	
95-04	Foreman 400 / 450	675-2210	
98-04	TRX 450 Rubicon		675-3924
05-11	Foreman 500 S / ES / FPE	675-2225	675-3925
12-14	Foreman 500 S / ES / FPE	675-2236	
01-04	Rubicon 500	675-2205	
05-14	Rubicon 500	675-2205	675-3925
03-14	Rincon 650, 680	675-2205	675-3905
09-14	Big Red 675 UTV	675-2815	
KAWASAKI			
2005-	250 Bayou	675-2335	
89-03	300 Bayou	675-2320	
99-02	300 Prairie	675-2325	
02-12	360 Prairie	675-2315	
97-02	400 Prairie	675-2325	
02-04	650 Prairie	675-2315	
05-12	650 Brute Force	675-2315	
06-11	650i Brute Force	675-2330	
2011-	650 Brute Force 4x4i		675-3931
04-06	700 Prairie	675-2315	
05-07	750 Brute Force	675-2330	
08-11	750 Brute Force	675-2330	675-3931
12-14	750i Brute Force (w/power steering)	675-2330	675-3931

Year	Model	Standard Mount	Gen II Front Mount
KAWASAKI			
01-08	Mule 3000 Series	675-2820	
05-14	Mule 610 UTV	675-2840	
09-14	Mule 4010	675-2821	
08-14	Teryx RUV	675-2842	
POLARIS			
99-01	Diesel	675-2405	
05-08	Ranger and Rangers XP (all cc's)	675-2850	
05-09	Sportsman Twin (all cc's)		675-3939
2006	Hawkeye	675-2425	
04-05	ATP 330	675-2410	
03-06	330 Magnum	675-2410	
08-10	330 Sportsman	675-2425	
01-07	400 Sportsman	675-2405	
2005	400 Sportsman	675-2405	675-3938
08-10	400 Sportsman	675-2425	
11-14	400 Sportsman	675-2405	
96-02	400, 500 Explorer (Shaft)	675-2410	
2005	450 Sportsman	675-2405	
2006	450 Sportsman	675-2405	675-3938
04-05	ATP 500	675-2410	
96-97	500 Sportsman	675-2410	
98-04	500 Sportsman	675-2405	
05-10	500 Sportsman	675-2405	675-3938
11-14	500 Sportsman	675-2405	
1992	500 Sportsman 6 x 6	675-2410	
08-09	500 Sportsman Touring	675-2410	
2012	500 Sportsman Touring	675-2405	
07-09	Sportsman 500 X2		675-3938
2006	500 X2	675-2425	
07-08	500 X2	675-2412	
11-14	550 Sportsman Touring	675-2414	675-3940
09-14	550 Sportsman / XP	675-2414	675-3940
10-12	550 X2 Sportsman	675-2414	675-3940
13-14	550 X2 Sportsman		675-3940
11-12	550 / 550 EPS / 550 Sportsman	675-2414	
12-14	570 RZR	675-2852	
02-07	600 / 700 Sportsman	675-2410	
2008	700 X2	675-2412	
08-14	800 RZR	675-2852	
10-14	800 RZR Four Seat	675-2852	
05-10	800 Sportsman	675-2410	
11-14	800 Sportsman	675-2405	
08-09	800 Sportsman Touring	675-2410	
2007	800 X2	675-2412	
2009	Sportsman 800 X2	675-2410	675-3938
2012	800 Sportsman 6 x 6	675-2405	
13-14	Scrambler XP850	675-2414	
10-14	850 Sportsman Touring	675-2414	675-3940
2011	850 Sportsman X2	675-2414	675-3938
09-14	850 Sportsman XP	675-2414	675-3940
08-09	Ranger Crew	675-2850	
10-11	Ranger Crew	675-2851	
09-14	Ranger XP 800 Full Size	675-2851	
SUZUKI			
99-02	LTF 250 F	675-2525	
99-02	LTF 300 King Quad	675-2525	
08-14	King Quad 400	675-2520	
07-09	King Quad 450	675-2530	675-3930
98-02	LTF 500 Quad Runner	675-2520	
09-14	King Quad 500	675-2530	675-3930
02-06	Vinson 500	675-2520	675-3910
2007	Vinson 500	675-2010	675-3910
04-06	Twin Peaks 700	675-2315	
2005	King Quad 700	675-2530	
06-07	King Quad 700	675-2530	675-3930
08-14	King Quad 750	675-2530	675-3930
02-07	Eiger	675-2520	
2005	QUV UTV	675-2820	

AMERICAN MANUFACTURING MOUNT APPLICATIONS

Year	Model	Standard ATV	Gen II Mount
JOHN DEERE			
04-06	Buck, Ext	675-2105	
04-06	Trail Buck	675-2105	
04-14	Gator HPX	675-2830	
07-10	Gator XUV	675-2830	
YAMAHA			
05-06	Bruin 250	675-2620	
Thru-05	Wolverine 350	675-2620	
04-06	Bruin 350	675-2615	
03-12	Grizzly 350 , 350i		675-3916
07-14	Grizzly 350	675-2615	675-3916
94-98	Kodiak 400	675-2630	
1999	Kodiak 400	675-2620	
00-02	Kodiak 400	675-2615	
03-04	Kodiak 400	675-2615	375-3916
05-06	Kodiak 400	675-2615	
05-07	Kodiak 400i / Grizzly 400i		675-3916
97-11	Big Bear 400	675-2620	

Year	Model	Standard ATV	Gen II Mount
YAMAHA			
07-09	Big Bear 400i	675-2640	
03-06	Kodiak 450	675-2615	675-3916
07-12	Grizzly 450	675-2615	675-3916
13-14	Grizzly 450 (w/power steering)	675-2615	675-3916
07-11	Grizzly 450i		675-3916
06-09	Rhino 450	675-2835	
06-09	Wolverine 450 4 X 4	675-2615	
09-12	Grizzly 550	675-2615	675-3915
13-14	Grizzly 550		675-3915
98-01	Grizzly 600	675-2625	
02-08	Grizzly 660	675-2615	675-3914
04-08	Rhino 660	675-2835	
07-12	Grizzly 700	675-2615	675-3915
13-14	Grizzly 700		675-3915
06-09	Rhino 700	675-2835	
11-13	Rhino 700	675-2835	

AMERICAN MANUFACTURING ACCESSORIES

Universal Manual Hand Lift: (Patent Pending)



675-2900

\$179.95-H

The Universal Manual Lift allows the blade to be quickly raised or lowered with the easiest operating effort in the industry. Fully adjustable lift handle can be positioned to offer maximum operator comfort.

Only works with Standard Mount System

The Universal Manual Lift System is mounted to the plow when removed so that there is nothing to get in the way while enjoying your ATV



ETS - Eagle Electric Turn System

675-2935

\$456.95-H

The Eagle ETS (Electric Turn System) has arrived!!!! This turn system has surpassed the industry expectations! Custom designed for the EAGLE PLOW only. The EAGLE ETS comes standard with selenoid, rocker turn switch, all wiring instructions with detailed instructional manual.

- Attaches directly to any Eagle Plow System
- Turns plow up to 26 degree angle in either direction with the push of a switch, even while under load
- Powerful 2000 lb electric meter with a hardened triple planetary green system
- Quick power plug for fast and easy hook-up



Yamaha Receiver Hitch

675-5711

\$70.95-H

- Fits Yamaha Big Bear 400i '07-09, the Grizzly 350 '07-09, the '07 Grizzly 400 and 450 and the '06 Kodiak 4500i and 450i.
- Constructed from heavy-grade steel.
- Powder coated black.
- Accepts 1 1/4" draw bar.
- Provide 75 lb tongue weight capacity.
- Include all mounting hardware and instructions.



AMERICAN MANUFACTURING ACCESSORIES

Pair of Plow Markers

675-2950

\$ 28.95-H

Provides increased visibility while plowing snow



675-2950

ATV Remote Blade Position Kit

675-2938

\$ 89.95-H

Designed to reposition the blade while remaining on your machine. Simply pull the spring loaded lever, mounted on your handlebar.

Down Pressure Unit

675-2940

\$129.95-H

Applies 100 lbs of down force. Must be used with winch lift system. Requires 17-20' of distance from fairlead to plow swivel.



675-2938

Plow Side Shield

675-2941 Left Side

\$ 74.95-H

675-2942 Right Side

\$ 74.95-H

675-2943 Country Plow Side Shield

\$ PTF

Skid, Bracket & Hardware Kit

675-2987

\$ 39.95-H

Skid & Hardware Only (NO bracket)

675-2989

\$ 29.95-H

Skid Replacement Hardware Only

675-2986

\$ 14.95-H

Spring and Eye Bolt (1)

675-2990

\$ 29.95-H

Skid Bracket Only

675-2988

\$ 29.95-H

Spring & Eye Bolt Kit

675-2990

\$ 29.95-H

Wear Bar

50" - 675-2970

\$ 29.95-H

60" - 675-2975

\$ 38.95-H

66" - 675-2978

\$ PTF

72" - 675-2980

\$ 43.95-H



675-2940

Rubber Flap

50" - 675-2945

\$ 39.95-H

60" - 675-2946

\$ 49.95-H

66" - 675-2949

\$ 49.95-H

72" - 675-2947

\$ PTF



Rubber Flap



675-2987



675-2990



Wear Bar



675-2986



CMP WINCH MOUNTS

- Designed to fit each model ATV.
- Includes Roller Fairlead.
- Hardware and instructions included with each unit.
- Powder coated for durable finish.

ONLY \$99.95-H!

MODEL	WINCH MNT
Arctic Cat	
250 Bear Cat 4x4 2001	672-1595
300 Bear Cat 4x4 98-01	672-1595
400 Bear Cat 4x4 98-01	672-1595
454 Bear Cat 4x4 96-01	672-1595
500 Bear Cat, Auto 4x4 98-01	672-1595
Bombardier	
Traxter 500 4x4 99-01	672-1520
Honda	
TRX 300 2x4/4x4 90-92	672-1588
TRX 400 4x4 95-03	672-1558
TRX 450 S/ES 98-04	672-1558
TRX 500 Rubicon 00-04	672-1559
Kawasaki	
KLF 300 Bayou 88-95	672-1575
KVF 400 Prairie 4x4 97-98	672-1577
KLF300 4x4 89-01	672-1530
KVF300 Prairie 99-01	672-1571

MODEL	WINCH MNT
Suzuki	
LT 4WD, LTF250 89-97	672-1554
LT4WD/LTF250 98-00	672-1553
LTF 250 99-00	672-1551
LTF 250 01	672-1562
LTF280X King Quad 98-00	672-1553
LTF300 99-00	672-1551
LTF300 01-02	672-1562
LTA 500 Quad Master 00-01	672-1557
LTF 500 Quad Runner 2001	672-1557
LTF 500 Quad Runner 98-00	672-1556
Yamaha	
Big Bear 350 4x4 97-98	672-1568
YFM 350 Big Bear 4x4 97-99	672-1569
YFM 350 Big Bear 94-96	672-1560
YFM 350 Big Bear SE 97	672-1563
YFM 400 Kodiak 93-98	672-1563
YFM 400 Kodiak 99	672-1561
YFM 600 Grizzly 98-01	672-1541



WARN ATV PLOW SYSTEM REPLACEMENT PARTS

DESCRIPTION	PART#	RETAIL
Blade Mount Pin & Clip	689-35136	\$ 3.75-H
Plow AG Adapter	689-62344	\$54.95-H
Wear Strip 60"	689-62601	\$49.95-H
Warn Wire Rope Terminal	690-16461	\$ 5.45-H
Warn Electrical Boot	690-21841	\$ 2.95-H

Warn Plow Electric Actuator

689-39400

\$239.95-H

A handlebar mounted limiting switch eliminates the possibility of damage to the ATV, plow or Actuator and is built to survive rain, cold, mud and crud and still perform with OEM switch gear.
The Warn Actuator is an easy to install kit that fits all Warn plows. Each kit includes a handlebar switch, wiring harness and all necessary hardware. Designed to lift and hold up to 150 pounds. Amp draw is 5-7 amps (20 amps peak).

In addition to an actuator, an Actuator Pulley Bracket design to fit your ATV must be ordered from the chart below .

Model	Year	Mtg Plate	Lift Kit	Actuator Bracket
ARCTIC CAT				
Bear Cat 454/4x4	96-98			689-60126
500 Auto 4x4	00-01	689-60940		689-60126
BOMBARDIER				
Traxter	00-02			689-60126
Traxter	99	689-39610		689-60126
HONDA				
Rubicon 500 4x4	01-03	689-61611	689-39513	689-61604
Rancher 350/ES 4x4				689-60107
Forman 450 S 4x4	00-03		689-39513	689-60107
Forman 400 4x4	96-03	689-37851	689-39513	689-60107
4Trax 300 4x4	93-00		689-39513	689-60107
KAWASAKI				
Prairie KVF 400C 4x4 2x4	99-03	689-37838	689-37026	689-60105
Prairie KVF 300A 4x4 2x4	99-03	689-37838	689-37026	689-60105
Prairie KVF 400 4x4 2x4	97-98	689-37838	689-37026	
Prairie KVF V-Twin 4x4	01-03			689-60126
Bayou KLF 400 4x4	93-99		689-39705	
Bayou KLF 300C 4x4	89-02		689-39705	

Model	Year	Mtg Plate	Lift Kit	Actuator Bracket
POLARIS				
Big Boss 6x6 400 L	93-99			689-60107
Sportsman 400 4x4	96-97			
Magnum 500/325 4x4	2002	689-64580		
Magnum 425	93-98			689-60107
SUZUKI				
Quad Master 500 4x4	00-02		689-39607	689-60126
Quad Runner 500 4x4	98-02		689-39607	689-60126
King Quad 4x4	93-02			689-60126
YAMAHA				
Grizzly 4x4	2002		689-63043	
Grizzly 4x4	99-01	689-39553		689-60118
Grizzly 4x4	98			689-60117
Kodiak 400 2x4 4x4	00-02		689-60120	689-61628
Kodiak 400 4x4	99			689-60113
Big Bear Profesional 4x4	00-01		689-60120	689-60113
Kodiak, Big Bear SE 4x4	96-98			689-60113
Big Bear 2x4 4x4	00-03	689-60124	689-60120	
Big Bear 2x4 4x4	97-99			689-60113
Wolverine 4x4	95-03	689-38526		

WARN WINCH MOUNTS

Warn builds a durable, long lasting mounting system for nearly every ATV on the trail. To optimize the performance of your Warn winch, each system is custom designed to fit a specific ATV model. It's not one style fits all. They're laser cut, robot welded and CNC bent for precise fitment. Plus, you get all the necessary hardware for easy installation.

MODEL	YEAR	TCI MOUNT #	RETAIL
Arctic Cat			
Bearcat 4x4, 454	96-99	690-35048	\$69.95-J
Arctic Cat 500 4x4	98-01	690-35048	\$69.95-J
500 AM	00-01	690-35048	\$69.95-J
Bombardier			
Traxter 2x4 4x4 XL	99-03	690-60004	\$69.95-J
Quest 500-4x4 /XL	01-03	690-60004	\$69.95-J
QUEST650 4x4/XL/XT	01-03	690-60004	\$69.95-J
Kawasaki			
TRX 300 2x4	86-87	690-W21552	\$39.95-J
300 2x4	88-92	690-K400	\$39.95-J
300 4x4	89-92	690-K401	\$29.95-J
300 Bayou 4x4	89-02	690-28880	\$69.95-J
300 Prairie 2x4 / 4x4	99-03	690-39308	\$69.95-J
400 Bayou 4x4	93-03	690-29201	\$99.95-J
400 Prairie (a)4x4	99-03	690-39555	\$69.95-J
400 Prairie (a)2x4 / 4x4	97-03	690-36285	\$76.95-J

MODEL	YEAR	TCI MOUNT #	RETAIL
Polaris			
350L 4x6	89-92	690-P302	\$32.95-J
Boss 250 2x4, 4x4	87-88	690-P300	\$32.95-J
Xpress 300 (a)	93-96	690-32625	\$76.95-J
Xpress 300 (a)	97-02	690-37809	\$67.95-J
Suzuki			
King Quad 300	02-03	690-61472	\$69.95-J
Quadrunner F250F 4x4	02	690-61472	\$69.95-J
King Quad 300 4x4	99-01	690-39425	\$69.95-J
LT500	98-99	690-37812	\$69.95-J
King Quad 300 (a)	99-00	690-39425	\$69.95-J
Quad Master 500 4x4 LT-A/F500F	99-01	690-37812	\$69.95-J
Quad Master 500 4x4 LT-F500F	99-01	690-37812	\$69.95-J
LT230 (Not QuadSport)	All	690-W21532	\$56.95-J
Yamaha			
Big Bear 350 4x4		690-Y200	\$39.95-J
Grizzly 600	98-01	690-36693	\$54.95-J
Kodiak 400 4x4	93-95	690-29203	\$59.95-J
Kodiak 400 4x4	96-98	690-32659	\$59.95-J
Kodiak 400 4x4 AM	99	690-39103	\$69.95-J
Kodiak 400 4x4 AM	00-02	690-60170	\$39.95-J
Wolverine	97-03	690-38581	\$69.95-J

* These are net priced items - no further discounts



WARN WINCH ACCESSORIES & PARTS

ATV Remote for A2000 / A2500

690-34708

\$169.95-H

Weather resistant remote control with 6' of lead.
Comes in a 2500 lb winch kit.

