

RK DRIVE CHAIN

ON ROAD CHAINS

RK ZXW Premium High Performance - XW Seals

ZXW Series Chains are the strongest, longest-lasting premium quality XW-Ring equipped chain available on the market today! ZXW is ideal for high-speed, high-horsepower performance applications.



RK GXW Series Chains - XW Seals

RK's GXW series chains are the top of the line extreme performance chains. XW-ring chains are the BEST high-speed, extreme heat performance chains available today. GXW chains provide up to 10 times longer wearlife compared to standard chains.



RK XSO Series Chains - RX Seals

Affordable, long lasting performance RX sealed chain. XSO series offer less torsional friction and increased performance. XSO chains provide up to 7 times longer wearlife compared to standard chains.



RK SO Series Chains - O Seals

RK's traditional round "O" ring chain is a convenient blend of performance and affordability. 520SO chains are suitable for low to mid-range CC motorcycles that came from the factory with sealed chains.



OFF ROAD CHAINS

RK MXZ4 Heavy Duty MX Race Chain

MXZ4 is one of the lightest motocross chains available on the market today. Made for the professional motocross racer, MXZ4 is the next generation of motocross racing chains featuring Chromoly steel construction and seamless rollers and bushings.



RK MXU Sealed MX Chain

Combines both longevity and performance. MXU is one of the lightest sealed-ring motocross chains available on the market today. MXU features Ultra-thin UW-Seals perfect for bikes with case clearance issues.



RK EXW Sealed ATV/Off-Road Chain

EXW is specifically designed for ATV/Off-Road vehicles and is the best high-speed, extreme heat, off-road performance chain available. EXW chains feature XW-Ring seals to better survive the abrasive conditions that exist in hostile off-road conditions.



RK MALAYSIA

RKM Heavy-Duty Chain

Heavy Duty, non-sealed motorcycle chain for small CC motorcycles that did not come from the factory with a sealed chain. When choosing RKM chains, please make sure the chain you choose has a suitable CC rating for the CC's of your motorcycle.



RKM Standard Chain

Economically priced, non-sealed motorcycle chain for small CC motorcycles that did not come from the factory with a sealed chain. When choosing RKM chains, please make sure the chain you choose has a suitable CC rating for the CC's of your motorcycle.




RK DRIVE CHAIN




Non "O" Ring vs Basic O'Ring

- A properly lubricated, Heavy Duty racing non-O'Ring chain will perform efficiently as long as there is a "lubricating oil boundary layer" between critical bearing surfaces. However, once the boundary layer dissipates from high speed running, lack of maintenance, or simply over time, the inner bearing surfaces will overheat, kink, cause severe drag, and ultimately fail. RK O'Ring chains prevent this from happening by continuously lubricating and protecting critical internal bearing surfaces.
- The standard RK O'Ring has a flat contact patch that holds the lubrication in place. The result is a smooth transfer of power - quietly, safely and efficiently - with absolutely no O'Ring drag, plus the benefit of three times the wear life of a standard non O'Ring chain.




REMEMBER: If your motorcycle came from the factory with an O'Ring chain, it should always be replaced with an O'Ring chain.



RX" - Ring Design and Features

- RK's "RX-ring" chains feature an X-ring shaped seal. Viewed in cross-section, the "X-ring" has two lubrication pools and seal points versus the single seal point/pool design of a regular o-ring chain. "RX-ring" technology offers less torsional friction, increased high-stress performance, and a 30% longer wear life compared to standard o-ring chains. RK's new "RX-ring" chains offer tremendous value, plus true quality and performance for all but the most demanding high performance applications.


RX RING CUTAWAY



"XW"-Ring Design and Features

- The leading edge "XW"-Ring is the ultimate high speed, extreme heat performance chain. The XW-Ring is made of an advanced Nitrile Butadiene composite and is equipped with three contact lips and two convex outer stabilizers. This means three lubrication pools to protect against high speed abrasion, extreme heat build up, torsional flex and the loss of lubricant under these extreme conditions. The Nitrile Butadiene composite is oil and contaminant resistant, and the "XW" design is compression and distortion resistant to provide the ultimate in efficiency and performance. The XW-Ring goes the distance to fully eliminate the risk of seal failure and provides the user with a 50% longer wear life than the basic O'Ring chain; plus a 20% increase over other competitive "X"-Ring type chains.

XW RING CUTAWAY



RK DRIVE CHAIN

2018 RK CHAIN APPLICATIONS															
CHAIN	NATURAL	GOLD	COLOR	SEAL	STREET	OFF-ROAD	MX	RACE	ATV	TENSILE** (lbs)	MAX HORSE POWER	Fatigue (lbs)	WEAR LIFE	WEIGHT* (lbs)	MAX CHAIN WIDTH *** (mm)
STRONGEST ON THE STREET															
520ZXW	-	✓	✓	XW	1200					9,450	200 HP	2181	3800	3.92	20.8
525ZXW	-	✓	✓	XW	1300					10,430	220 HP	2650	4100	4.56	23.4
530ZXW	-	✓	✓	XW	1400					11,200	220 HP	2650	4200	4.89	25.4
STRONG & DURABLE HIGH PERFORMANCE STREET & OFF ROAD															
520GXW	✓	✓	✓	XW	1200	750		1200		8,700	200 HP	2180	3750	3.70	20.8
525GXW	✓	✓	✓	XW	1300	800		1300		8,900	200 HP	2200	3900	4.13	22.9
530GXW	✓	✓	✓	XW	1400	900		1400		9,900	205 HP	2650	4050	4.65	24.5
LIGHT WEIGHT HIGH PERFORMANCE STREET & OFF ROAD															
428XSO	✓	✓	-	RX	400	350				5,280	60 HP	1530	2700	2.65	22.3
520XSO	✓	✓	✓	RX	750	750			750	8,300	80 HP	2180	3500	3.44	21.7
525XSO	✓	✓	-	RX	900	750				8,400	150 HP	2200	3700	4.13	22.9
530XSOZ1	✓	✓	✓	RX	1000	750				9,000	150 HP	2430	3900	4.36	24.5
ECONOMICAL SEALED STREET															
520SO	✓	-	-	O	400					6,900	60 HP	1710	2400	3.39	21.7
OFF ROAD / ATV RACE SPECIFIC															
520EXW	✓	✓	-	XW		750		750	750	7,700	70 HP	1930	3300	3.70	22.0
OFF ROAD / ENDURO RACE SPECIFIC															
520MXU	-	✓	-	UW		500	500	500		8,000	70 HP	1930	3200	3.04	19.1
PRO MX / SX RACE SPECIFIC - MXZ4 Series comes with Hard chrome Coating pin with Extended wear life															
420MXZ4	-	✓	-	-		150	150	150		5,400	40 HP	970	450	1.83	17.8
428MXZ4	-	✓	-	-		150	150	150		6,100	40 HP	1460	450	2.21	20.1
520MXZ4	✓	✓	✓	-		500	500	500		8,000	70 HP	2180	450	3.02	18.8
WEEKEND WARRIOR MX / SX															
420MXZ	✓	✓	-	-		150	150	150		4,980	30 HP	880	200	1.73	17.1
428MXZ	✓	✓	-	-		150	150	150		5,800	30 HP	1215	200	2.09	18.9
HEAVY DUTY															
M415H	✓	-	-	-	125	80				4,100	50 HP	970	200	1.59	14.6
M420H	✓	-	-	-	125	90				4,100	15 HP	970	200	1.79	16.9
M428H	✓	-	-	-	200	125				5,400	15 HP	1215	200	2.22	20.3
M520H	✓	-	-	-	400	250				7,700	30 HP	1930	200	3.51	19.7
M525H	✓	-	-	-	500					7,700	40 HP	1930	200	3.73	21.3
M530H	✓	-	-	-	500					7,700	40 HP	1930	200	4.17	22.9
530KS	✓	-	-	-	400					7,100	60 HP	1930	200	3.75	21.9
STANDARD															
M420	✓	-	-	-	125	90				4,000	10 HP	970	100	1.65	16.2
M428	✓	-	-	-	150	125				4,500	12 HP	970	100	1.85	18.9
M520	✓	-	-	-	250	250				6,800	20 HP	1460	100	3.28	18.5
M525	✓	-	-	-	400					6,800	30 HP	1460	100	3.51	19.9
M530	✓	-	-	-	400					6,800	30 HP	1460	100	3.73	21.7

RK recommends using a chain model with the maximum amount of displacement and horsepower ratings based on motorcycle's original equipped chain size.
 * = LBS/100 Links
 ** = LBS/FT
 ***= Need a wider amount of space than the maximum chain width in order to install the chain.



RK DRIVE CHAIN

All chains come complete with master link.
Links are sold individually.

415 Malaysia Standard Chain Link

PART #	DESCRIPTION	CLIP/RIVET
225-415	415 Connecting Link	Clip

415 Malaysia Heavy Duty Chain

• Tensile Strength: 4100 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-415H	415H Connecting Link	Clip
225-415H-110	415H x 110 Links	Clip



420 Malaysia RK Chain

Standard Chain

• Tensile Strength 4100 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-420	420 Connecting Link	Clip
225-420-120	420 x 120 Links	Clip
225-420-134	420 x 134 Links	Clip




420 MXZ4 - Extra Heavy Duty Motocross Racing Chain

• Tensile Strength 5400 lbs/ft.


• Wearlife Index 300

PART #	DESCRIPTION	CLIP/RIVET
225-420MXZ	420MXZ Connecting Link	Clip
225-420MXZ-120	420MXZ x 120 Links	Clip
225-420MXZ-134	420MXZ x 134 Links	Clip



• GOLD Inner and Outer Plates

225-GB420MXZ	GB420MXZ Gold Connecting Link	Clip
225-GB420MXZ-120	GB420MXZ x 120 Links Gold	Clip
225-GB420MXZ-126	GB420MXZ x 136 Links Gold	Clip



420 SO Chain

SO O'Ring Chain

• Tensile Strength: 4420 lbs/ft.

• Wearlife Index: 400

PART #	DESCRIPTION	CLIP/RIVET
225-420SO	420SO Connecting Link	Clip
225-420SO-136	420SO x 136 Links	Clip



428 Malaysia Standard Chain

• Tensile Strength 4300 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-428	428 Connecting Link	Clip
225-428-124	428 x 124 Links	Clip
225-428-134	428 x 134 Links	Clip



428 Malaysia Heavy Duty Chain

• Tensile Strength 4620 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-428H	428H Connecting Link	Clip
225-428H-110	428H x 110 Links	Clip
225-428H-120	428H x 120 Links	Clip
225-428H-134	428H x 134 Links	Clip





428 MXZ4 - Extra Heavy Duty Motocross Chain

- Tensile Strength 6100 lbs/ft

PART #	DESCRIPTION	CLIP/RIVET
225-428MXZ	420MXZ Connecting Link	Clip
225-428MXZ-122	428MXZ x 122 Links	Clip
225-428MXZ-126	428MXZ x 126 Links	Clip
225-428MXZ-134	428MXZ x 134 Links	Clip

- GOLD Inner and Outer Plates

225-GB428MXZ	GB428MXZ Gold Connecting Link	Clip
225-GB428MXZ-122	GB428MXZ x 122 Links Gold	Clip
225-GB428MXZ-126	GB428MXZ x 126 Links Gold	Clip



428 SO Chain Clip

PART #	DESCRIPTION	CLIP/RIVET
225-428SO	428SO Connecting Link	Clip

520 Malaysia Standard Chain - not recommended for off-road use

- Tensile Strength: 6600 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520	520 Connecting Link	Clip
225-520-120	520 x 120 Links	Clip



520 Malaysia Heavy Duty Chain

- Tensile Strength: 7700 lbs/ft.

225-520H	520H Connecting Link	Clip
225-520H-120	520H x 120 Links	Clip



520 EXW Sealed ATV/Off-Road Chain

- Tensile Strength: 7700 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520EXW	520EXW Connecting Link	Clip
225-520EXW-110	520EXW x 110 Links	Clip
225-520EXW-120	520EXW x 120 Links	Clip
225-520EXW-130	520EXW x 130 Links	Clip
• GOLD Inner and Outer Plates		
225-GB520EXW-120	520EXW x 120 Links Gold	Clip
225-GB520EXW-130	520EXW x 130 Links Gold	Clip



520 GXW Series Chains - XW Seals

- Tensile Strength 8800 lbs/ft.


PART #	DESCRIPTION	CLIP/RIVET
225-520SM	520SM Connecting Link	Clip
225-520SMO-R	520SMO Connecting Link	Rivet
225-520GXW	520GXW Connecting Link	Rivet
225-520GXW-120	520GXW x 120 links	Rivet
225-4987	520GXW x 120 links Black Scale	Rivet
• GOLD Inner and Outer Plates		
225-GB520GXW-120	GB520GXW x 120 Links Gold	Rivet



520 MXU Sealed MX Chain

- Tensile Strength 8000 lbs/ft.
- UW seals have lubrication retaining grooves

PART #	DESCRIPTION	CLIP/RIVET
225-4477	520MXU x 120 links Green	Clip
• GOLD Inner and Outer Plates		
225-GB520MXU	GB520MXU Connecting Link Gold	Clip
2250GB520MXU-114	GB520MXU x 114 Links Gold	Clip
225-GB520MXU-120	GB520MXU x 120 Links Gold	Clip





RK DRIVE CHAIN

All chains come complete with master link.

Links are sold individually.

520 MXZ4 Heavy Duty MX Race Chain

• Tensile Strength: 8000 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520MXZ	520 Connecting Link	Clip
225-520MXZ-120	520MXZ4 x 120 Links	Clip
225-520MXZ-130	520MXZ4 x 130 Links	Clip
• GOLD Inner and Outer Plates		
225-GB520MXZ	GB520 Connecting Link Gold	Clip
225-GB520MXZ-116	GB520MXZ4 x 116 Links Gold	Clip
225-GB520MXZ-120	GB520MXZ4 x 120 Links Gold	Clip



520 SO Series Chains - O Seals

• Tensile Strength: 6900 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520SO	520SO Connecting Link	Clip
225-520SO-090	520SO x 90 Links	Clip
225-520SO-110	520SO x 110 Links	Clip
225-520SO-120	520SO x 120 Links	Clip



520 XSO Series Chains - RX Seals

• Tensile Strength: 7700 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520XSO	520XSO Connecting Link	Clip
225-520XSO-R	520XSO Connecting Link	Rivet
225-520XSO-090	520XSO x 090 Links	Rivet
225-520XSO-110	520XSO x 110 Links	Rivet
225-520XSO-114	520XSO x 114 Links	Rivet
225-520XSO-120	520XSO x 120 Links	Rivet
225-520XSO-130	520XSO x 130 Links	Rivet
• GOLD Inner and Outer Plates		
225-GB520XSO	520XSO Connecting Link Gold	Clip
225-GB520XSO-110	520XSO x 110 Links Gold	Rivet
225-GB520XSO-114	520XSO x 114 Links Gold	Rivet
225-GB520XSO-120	520XSO x 120 Links Gold	Rivet



520 ZXW PREMIUM HIGH PERFORMANCE

• Tensile Strength 9450 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-520ZXW-120	520ZXW x 120 links	Rivet



520 Discontinued Chains and Links

PART #	DESCRIPTION	CLIP/RIVET
225-520KZ	520KZ6 Dirt Bike Connecting Link	Clip
225-520KZ-120	520KZ6-120 links Dirt Bike Chain	Clip
• GOLD Inner and Outer Plates		
225-GB520KZ	GB520KZ6 Connecting Link Gold	Clip
225-GB520KZ-120	GB520KZ6x 120 Links Gold	Clip





All chains come complete with master link.

Links are sold individually.

525 Malaysia Standard Chain - not recommended for off-road use

• Tensile Strength: 6600 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-525	525 Connecting Link	Clip
225-525-120	525 x 120 Links	Clip



525 Malaysia HD Chain

• Tensile Strength: 7700 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-525H	525H Connecting Link	Clip
225-525H-120	525H x 120 Links	Rivet



525 GXW Series Chains - XW Seals

• Tensile Strength: 9300 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-525GXW	525GXW Connecting Link	Rivet
225-525GXW-120	525GXW x 120 links	Rivet
225-525GXW-130	525GXW x 130 links	Rivet

• GOLD Inner and Outer Plates

252-GB525GXW-120	GB525GXW x 120 links Gold	Rivet
------------------	---------------------------	-------



525 XSO Series Chains - RX Seals

• Tensile Strength 8400 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-525XSO	525XSO Connecting Link	Clip
225-525XSO-R	525XSO Connecting Link	Rivet
225-525XSO-110	525XSO x 110 Links	Rivet
225-525XSO-120	525XSO x 120 Links	Rivet
225-525XSO-122	525XSO x 122 Links	Rivet
225-525XSO-130	525XSO x 130 Links	Rivet

• GOLD Inner and Outer Plates

225-GB525XSO	GB525XSO Connecting Link Gold	Clip
225-GB525XSO-120	GB525XSO x 120 Links Gold	Clip



525 ZXW PREMIUM HIGH PERFORMANCE

• Tensile Strength 10,430 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-525ZXW-120	525ZXW x 120 links	Rivet



530 Malaysia Standard Chain

• Tensile Strength 6600 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-530	530 Connecting Link	Clip
225-530-120	530 x 120 Links	Clip



Heavy Duty Chain

• Tensile Strength 6800 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-530H	530H Connecting Link	Clip
225-530H-120	530H x 120 Links	Clip






RK DRIVE CHAIN

All chains come complete with master link.
Links are sold individually.

530 GXW Series Chains - XW Seals

- Tensile Strength: 10,000 lbs/ft.
- Wearlife Index 1000

225-530GXW	530GXW Connecting Link	Rivet
225-530GXW-110	530GXW x 110 Links	Rivet
225-530GXW-120	530GXW x 120 Links	Rivet
• GOLD Inner and Outer Plates		
225-GB530GXW-110	GB530GXW x 120 links Gold	Rivet



530 XSOZ1 Series Chains - RX Seals

- Tensile Strength 9000 lbs/ft.

CONNECTING LINK

CLIP/RIVET

- Fits Pre 2007 Chains

225-530XSO-C2	(fits pre 2007 chains)	Clip
225-530XSOZR		Rivet

- Fits 2007 and Newer Chains

225-530XSO-C1		Clip
225-530XSO-R		Rivet

PART #	DESCRIPTION	CLIP/RIVET
225-530XSO-106	530XSO x 106 Links	Rivet
225-530XSO-110	530XSO x 110 Links	Rivet
225-530XSO-114	530XSO x 114 Links	Rivet
225-530XSO-120	530XSO x 120 Links	Rivet

- GOLD Inner and Outer Plates


225-GB530XSO	GB530XSO Connecting Link - Gold	Rivet
225-GB530XSO-120	GB530XSO x 120 Links Gold	Rivet



530 KS Street Chain

- Tensile Strength: 8000 lbs/ft.

225-530KS	530KS Connecting Link	Clip
225-530KS-120	530KS x 120 Links	Clip



532 GSV Premium XW-Ring Chain

- Tensile Strength: 9200 lbs/ft.

PART #	DESCRIPTION	CLIP/RIVET
225-532GSV-R	532GSV Connecting Link	Rivet
225-532GSV-110	532GSV x 110 Links	Clip
225-532GSV-114	532GSV x 114 Links	Clip





RK DRIVE CHAIN

630 - Connecting links

PART #	DESCRIPTION	CLIP/RIVET
225-630SO	630SO Connecting Link	Clip
225-630SO-R	630SO Connecting Link	Rivet
225-630GSV	630GSV Connecting Link	Clip



632 GSV Premium XW-Ring Chain

PART #	DESCRIPTION	CLIP/RIVET
225-632GSV-094	632GSV x 120 links	Rivet



EK CHAIN & CONNECTING LINKS



Chain	Tensile (lbs)	Max cc/hp	Wear Life Index
520	7400	250 cc	100
520SR	7700	350 cc	200
520SRO	7400	100 cc	800
530	7400	350cc	100

CHAIN

PART #	DESCRIPTION	SPORT/GRADE
228-520SR-090	520SR x 90 Links	non-sealed Heavy Duty

Connecting Link

Sport Series

PART #	DESCRIPTION	SPORT/GRADE
228-520SR	520SR Clip	Heavy Duty
228-520SROZ	520ROZ Clip	O-Ring
228-530	530 Clip	non-sealed
228-530SR	530SR Clip	Heavy Duty
228-530SROZ	530SROZ Clip	O-Ring
228-630SRO	630SRO Clip	O-Ring
228-630SRO-R	630SRO Rivet	O-Ring

Super Sport Series

PART #	DESCRIPTION	SPORT/GRADE
228-520MRD	520MR Gold Clip	Heavy Duty
228-530MVX	530MVX Clip	Heavy Duty O-Ring
228-530MVX-R	530MVX Rivet	Heavy Duty O-Ring
228-630MS	630MS Clip	Heavy Duty
228-630MS-R	630MS Rivet	Heavy Duty

TYC CHAINS

- **Premium Grade** - High quality at an excellent price. Chains feature thicker side plates for greater strength and longer life.
- **O-Ring** - Bullet proof performance for all O-Ring applications.

PART #	DESCRIPTION	P X W
227-428H	Premium 428 Connecting Link	
227-525H	Premium 525 Connecting Link	
227-525H-122	Premium 525 Chain x 122 Link	5/8" x 1/4"
227-530H	Premium 530 Connecting Link	





SPROCKET GEAR RATIO CHART

	9	10	11	12	13	14	15	16	17	18	19	20
30	3.33	3.00	2.73	2.50	2.31	2.14	2.00	1.88	1.76	1.67	1.58	1.50
31	3.44	3.10	2.82	2.58	2.38	2.21	2.07	1.94	1.82	1.72	1.63	1.55
32	3.56	3.20	2.91	2.67	2.46	2.29	2.13	2.00	1.88	1.78	1.68	1.60
33	3.67	3.30	3.00	2.75	2.54	2.36	2.20	2.06	1.94	1.83	1.74	1.65
34	3.78	3.40	3.09	2.83	2.62	2.43	2.27	2.13	2.00	1.89	1.79	1.70
35	3.89	3.50	3.18	2.92	2.69	2.50	2.33	2.19	2.06	1.94	1.84	1.75
36	4.00	3.60	3.27	3.00	2.77	2.57	2.40	2.25	2.12	2.00	1.89	1.80
37	4.11	3.70	3.36	3.08	2.85	2.64	2.47	2.31	2.18	2.06	1.95	1.85
38	4.22	3.80	3.45	3.17	2.92	2.71	2.53	2.38	2.24	2.11	2.00	1.90
39	4.33	3.90	3.55	3.25	3.00	2.79	2.60	2.44	2.29	2.17	2.05	1.95
40	4.44	4.00	3.64	3.33	3.08	2.86	2.67	2.50	2.35	2.22	2.11	2.00
41	4.56	4.10	3.73	3.42	3.15	2.93	2.73	2.56	2.41	2.28	2.16	2.05
42	4.67	4.20	3.82	3.50	3.23	3.00	2.80	2.63	2.47	2.33	2.21	2.10
43	4.78	4.30	3.91	3.58	3.31	3.07	2.87	2.69	2.53	2.39	2.26	2.15
44	4.89	4.40	4.00	3.67	3.38	3.14	2.93	2.75	2.59	2.44	2.32	2.20
45	5.00	4.50	4.09	3.75	3.46	3.21	3.00	2.81	2.65	2.50	2.37	2.25
46	5.11	4.60	4.18	3.83	3.54	3.29	3.07	2.88	2.71	2.56	2.42	2.30
47	5.22	4.70	4.27	3.92	3.62	3.36	3.13	2.94	2.76	2.61	2.47	2.35
48	5.33	4.80	4.36	4.00	3.69	3.43	3.20	3.00	2.82	2.67	2.53	2.40
49	5.44	4.90	4.45	4.08	3.77	3.50	3.27	3.06	2.88	2.72	2.58	2.45
50	5.56	5.00	4.55	4.17	3.85	3.57	3.33	3.13	2.94	2.78	2.63	2.50
51	5.67	5.10	4.64	4.25	3.92	3.64	3.40	3.19	3.00	2.83	2.68	2.55
52	5.78	5.20	4.73	4.33	4.00	3.71	3.47	3.25	3.06	2.89	2.74	2.60
53	5.89	5.30	4.82	4.42	4.08	3.79	3.53	3.31	3.12	2.94	2.79	2.65
54	6.00	5.40	4.91	4.50	4.15	3.86	3.60	3.38	3.18	3.00	2.84	2.70
55	6.11	5.50	5.00	4.58	4.23	3.93	3.67	3.44	3.24	3.06	2.89	2.75
56	6.22	5.60	5.09	4.67	4.31	4.00	3.73	3.50	3.29	3.11	2.95	2.80
57	6.33	5.70	5.18	4.75	4.38	4.07	3.80	3.56	3.35	3.17	3.00	2.85
58	6.44	5.80	5.27	4.83	4.46	4.14	3.87	3.63	3.41	3.22	3.05	2.90
59	6.56	5.90	5.36	4.92	4.54	4.21	3.93	3.69	3.47	3.28	3.11	2.95
60	6.67	6.00	5.45	5.00	4.62	4.29	4.00	3.75	3.53	3.33	3.16	3.00



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
ACTION									
ALL MODELS	97-98	11/	235-363	22-72	N/A	N/A	420	235-601	9-14
APRILIA									
RS 250 (JT Sprocket)	95-98							236-436	14
RS 50 REPLICIA	99-04	12/47	235-947	38-70	N/A	N/A	420	235-629	11-15
RS 250	99-04	14/42	235-943	38-74	N/A	N/A	520	235-504	11-17
RXV, SXV 550 SUPERMOTO	06-07	46	235-2942	38-74	N/A	N/A	520		
PEGASO 650	99-04	16/47	235-138	38-74	N/A	N/A	520-110	235-621	15-17
SL 1000 FALCO	99-03	16/41	235-948	32-66	N/A	N/A	525-108	235-623	15-17
RSV MILLE, R, SP	99-07	16/42	235-948	32-66	N/A	N/A	525-108	235-623	15-17
RSV MILLE, R, SP *520CONV.	99-07	16/42	235-9488	32-66	N/A	N/A	520-108	235-623X	15-17
RST 1000 FUTURA	01-04	16/42	235-949	41-66	N/A	N/A	525	235-623	15-17
1000 TUONO	01-05	17/42	235-948	32-66	N/A	N/A	525-108	235-623	15-17
EVT 1000 CAPONARD	02-07	17/42			N/A	N/A	525	235-623	15-17
ARCTIC CAT									
50/90	-	-	235-2935	25-72	N/A	N/A	520	235-638	12-15
DVX 400	04-07	14/40	235-484	28-71	N/A	N/A	520-96	235-638	12-15
ATK									
50 MX	99-00	11/44	235-975	32-72	N/A	N/A	415	235-601	9-14
ALL MODELS THRU	1993	-	235-269	44-74	235-269S	50/52/54	520	235-580	14-16
ALL (EXCEPT 250,260L)	94-95	-	235-231	38-74	N/A	N/A	520	235-580	14-16
250, 260L	1995	-	235-231	38-74	N/A	N/A	520	235-580L	14-16
250, 260L	96-02	-	235-452	38-74	235-452S	47,49-52	520	235-580L	14-16
250,406 AIR 2 STK	1996	-	235-231	38-74	N/A	N/A	520	235-580	14-16
600 DT	1999	15/46	235-976	28-74	N/A	-	520-116	235-580	14-16
350,490,500,605	96-02	-	235-452	38-74	235-452S	47,49-52	520	235-580	14-16
BENELLI									
BENELLI	-	-	235-187Z	28-71	N/A	N/A	530	235-535	14-17
BETA									
TR-34,33,34R	-	-	235-121Z	39-74	N/A	N/A	520	N/A	-
ZERO	-	-	235-120Z	34-74	N/A	N/A	520	N/A	-
BIMOTA									
DB4	-	15/	SPEC	-	N/A	N/A	520	235-637	15
BMW									
F650 GS	97-04	16/47	235-138	38-74	N/A	N/A	520	235-621	15-17
BOMBARDIER									
DS 50/90	2002	-	235-2924	22-70	N/A	N/A	420		
DS 90 4 STROKE	2002	50	235-2927	22-70	N/A	N/A	428		
DS 650	00-07	16/40	235-2913	35-41*	N/A	N/A	530-110	235-618	15-17
* LARGER THAN 41 TEETH REQUIRES REMOVAL OF CHAIN GUARD									
FIREBOLT	-	-	235-2932Z	SPEC	N/A	N/A	SPEC	N/A	-
BUELL									
XB-9		SPEC	235-2932Z	SPEC	N/A	N/A	SPEC	N/A	-
BUELL	94-01	-	235-2904Z	28-71	N/A	N/A	530	235-582**	19-22
BUELL * 520 CONV.	94-01	-	235-2904Z	28-71	N/A	N/A	520	235-582X	19-22
**USE HD PART # 12050 SEAL AND 33334-85 SPACER ORDER FROM HARLEY DIRECT									
CAGIVA									
125 MITO	2000	-	235-913	24-74	N/A	N/A	520		
125 ID 5.285	1984	-	235-287	38-74	235-287S	47-53	520	235-502XX	10-15
125,200 ID 4.332	1984	-	235-186Z	34-74	N/A	N/A	520	235-502XX	10-15
125 WMX ID 6.114	85-88	-	235-110Z	42-74	N/A	N/A	520	235-502XX	10-15
250 ID 4.332	1984	-	235-186Z	34-74	N/A	N/A	520	N/A	-
250 ID 5.285	1984	-	235-287	38-74	235-287S	47-53	520	N/A	-
250 WMX, ID 6.114	1988	-	235-110Z	42-74	N/A	N/A	520	235-513H	11-17
500 ID 5.839	85-86	-	235-111Z	41-74	N/A	N/A	520	N/A	-
650 ALAZZURRA	-	-	235-187Z	SPEC	N/A	N/A	SPEC	N/A	-
900 ELEFANT	94-95	-	235-942Z	39-71	N/A	N/A	530	N/A	-
900 GRAND CANYON	2000	-	235-2916	39-66	N/A	N/A	525	N/A	-
CAN AM									
125,175,250 ID 2.628	PRE 80	-	235-140Z	30-74	N/A	N/A	520	235-518X	11-15
370 ID 2.628	PRE 80	-	235-140Z	30-74	N/A	N/A	520	-	-
125,175,250,350 ID 6.563	80-82	-	235-116	44-74	235-116S	46	520	235-518X	11-15
125,175,200,250	83-87	-	235-118	44-74	235-118S	46	520	235-518X	11-15
400,500	80-82	-	235-117	44-71	N/A	-	530	-	-
350,400,500,560	84-87	-	235-118	44-74	235-118S	46	520	235-608	18



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
CANNONDALE									
MOTORCYCLES	01-03	-	235-425	39-74	235-425S	45/48-51/53	520	235-641	13
ATV	01-03	-	235-437	36-74	235-437S	36-39/41	520	235-641	13
CCM									
ES,DS	97-98	15/48	235-232	39-74	235-232S	43/50	520-118	235-580	14-16
CZ									
250,360,400	SINCE 70	-	235-251Z	48-74	N/A	-	520	N/A	-
125	91-93	-	235-171Z	37-74	N/A	-	520	N/A	-
COBRA									
50 NO CUSH DRIVE	1995	-	235-2687Z	22-72	N/A	-	420	N/A	-
50 NO CUSH 415 CHAIN	96-97	-	235-927	28-72	N/A	-	415	235-600	9-14
50 NO CUSH 420 CHAIN	96-97	-	235-928Z	22-72	N/A	-	420	N/A	-
50 NO CUSH	1998	13/40	235-928Z	22-72	N/A	-	420	235-501	12-17
50 KING (CUSH DRIVE)	-	-	235-931	30-72	N/A	-	420	235-501	12-17
DERBI									
GPR 50	2003	-	235-980	42-52	N/A	-	420	235-501	12-17
75, 100 SENDA R	2002	-	235-2919	40-72	N/A	-	420	235-500	12-17
DUCATI									
250,450 SINGLE	SPEC	-	235-188Z	SPEC	N/A	-	SPEC	-	-
750, 900 F-1,750GT,860 GT	1986	-	235-1897Z	SPEC	N/A	-	SPEC	-	-
600 M	1994	15/38	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
600 M	95-98	15/43	235-179	32-74	235-179S	37/39	520-102	235-593	14-16
600 M	99-01	15/46	235-179	32-74	235-179S	37/39	520-102	235-593	14-16
600SS	1994	15/36	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
600SS	95-99	15/41	235-179	32-74	235-179S	37/39	520-100	235-593	14-16
M620 S, IE	02-04	15/44	235-179	32-74	235-179S	37/39	520-106	235-593	14-16
620 SPORT	02-05	15/39	235-179	32-74	235-179S	37/39	520-106	235-593	14-16
748/916 520 (Requires carrier)	94-02	14/38	235-365**	36-42	N/A	-	520-94	235-593	14-16
**748/916 DUCATI CARRIER	94-02	14/38	CARRIER	-	-	-	520-94	-	-
748/916 525 (Requires carrier)	94-02	14/38	235-366**	36-42	N/A	-	525-94	235-602	14-16
**748/916 DUCATI CARRIER	94-02	14/38	CARRIER	-	-	-	525-94	-	-
749	03-05	14/39	235-369	34-66	N/A	-	525-96	235-634	14-15
750 M	96-98	15/38	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
750 M	99-03	15/41	235-179	32-74	235-179S	37/39	520-100	235-625	15
750 SS	91-99	15/37	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
750 SS	00-02	15/40	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
800 SPORT	03-04	15/39	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
M800 IE	03-04	15/42	235-179	32-74	235-179S	37/39	520-102	235-593	14-16
750, 906 PASO. SPORT	87-90	15/38	235-187Z	SPEC	N/A	-	520-105	235-624	14-15
851,888	90-94	15/38/39	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
900 SS	89-92	15/37/39	235-179	32-74	235-179S	37/39	520-96/98	235-593	14-16
900 SS	93-02	15/40	235-179	32-74	235-179S	37/39	520-98	235-593	14-16
900 M	94-01	15/39	235-179	32-74	235-179S	37/39	520-98	235-622	14-15
900 M	2002	15/40	235-179	32-74	235-179S	37/39	520-98	235-622	14-15
900 ELEFANT	94-95	SPEC	235-942Z	39-71	N/A	-	SPEC	N/A	-
907 IE, PASO	90-93	15/40	235-179	32-74	235-179S	37/39	520-108	N/A	-
ST2, ST4, 944	98-05	15/38	235-361	32-66	235-361S	39-42	525-102	235-602	14-16
S4R MONSTER	2004	2004	235-366/365	36-42	N/A	-	525-104	235-602	14-16
900 S4 MONSTER	01-05	-	235-361	32-66	235-361S	39-42	525	235-602	14-16
ST 3 992	04-05	15/42	235-361	32-66	235-361S	39-42	525-102	235-634	14-15
996R,998 *520 (Requires carrier)	94-04	-	235-365**	36-42	N/A	-	520-94	235-634X	14-15
**996R,998 CARRIER	94-04	-	CARRIER	-	N/A	-	520-94	-	-
996R,998 *525 (Requires carrier)	94-04	-	235-366**	36-42	N/A	-	525-94	235-634/602	14-15
**996R,998 CARRIER	94-04	-	CARRIER	-	N/A	-	525-94	-	-
999	03-05	15/36	235-369	34-66	N/A	-	525-96	235-634	14-15
1000 DS, SS	03-05	15/38	235-361	32-66	235-361S	39-42	525-96	235-634	14-15
M 1000 IE	03-05	15/39	235-361	32-66	235-361S	39-42	525-100	235-634	14-15
1000 MULTISTRADA	03-05	15/42	235-361	32-66	235-361S	39-42	525-110	235-634	14-15
ETON									
ETON	-	/36	235-2922	28-70	N/A	-	420	235-639	12-18
90 VIPER	2003	-	235-2926	24-74	N/A	-	520	235-529X	11-14/16
FANTIC									
ID 5.348	-	-	235-113Z	35-74	N/A	-	520	N/A	-
243,303 ID 5.340	-	-	235-119Z	35-74	N/A	-	520	N/A	-



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL			CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	SIZE	FRONT STEEL PART #	TOOTH RANGE	
GAS GAS										
ALL EXCEPT BELOW	90-00	-	235-941	30-74	N/A	-	520	N/A	-	
125,200,250,300,400	93-05	13/	235-178	38-74	235-178S	48/50	520	235-597	12-13	
SHERCO ENDURO 4 STK	05-06	-	235-178	38-74	235-178S	48/50	-	-	-	
PAMPERA 280	2001	-	235-978	33-74	N/A	-	520	N/A	-	
300 ATV	2003	-	235-979	35-74	N/A	-	520	N/A	-	
450	05-06	-	-	-	N/A	-	520	235-597	13	
HARLEY DAVIDSON										
SPORTSTER RING	N/A	-	-	-	235-901S	51/54	530	N/A	-	
BIG TWIN/ SPORSTER	N/A	-	-	-	235-902S	46/49/51	530	N/A	-	
BIG TWIN	36-79	-	-	-	-	-	530	235-575	22-26	
BIG TWIN 4 SPEED	80-85	-	-	-	-	-	530	235-576	22-24	
SPORTSTER EARLY	54-79	-	-	-	-	-	530	235-577	19-23	
SPORTSTER LATE	79-84	-	-	-	-	-	530	235-578	21-23	
SPORTSTER LATE	84-85	-	-	-	-	-	530	235-579	19-23	
SPORTSTER	86-90	-	235-906	28-71	235-906S	44/46/48/50	530	235-579	19-23	
SPORTSTER	91-99	-	235-906	28-71	235-906S	44/46/48/50	530	235-582	19-22	
SPORTSTER	91-99	-	235-906Z	28-74	N/A	-	520	235-582X	19-22	
SPORTSTER	2000	-	235-2917	SPEC	N/A	-	530	-	-	
HONDA										
C-100,102,110	64-69	12/40	235-122	30-72	N/A	-	420	235-500	12-18	
MB-5	1982	13/43	235-123	32-72	235-123S	47	420-106	235-500	12-18	
MR-50	74-75	12/43	235-175	28-72	N/A	-	420	235-500	12-18	
QA 50 MINI	70-75	15/27	235-946	24-72	N/A	-	420-78	235-609	15	
Z-50	74-99	-	235-1900	26-72	235-1900S	37	420-76	235-500	12-18	
XR-50	00-07	14/37	235-820	30-70	N/A	-	420-78	235-545	13-16	
CRF-50	04-07	14/37	235-820	30-70	N/A	-	420-78	235-545	13-16	
ZB-50R	1988	15/37	235-402	35-72	235-402S	36/44/46	420-76	235-500	12-18	
NS-50	1990	14/43	235-123	32-72	235-123S	47	420-118	235-500	12-18	
NSR-50	-	-	235-816	26-72	N/A	-	420-76	235-500	12-18	
CR 60 R	83-84	14/45	235-422	34-72	235-422S	46/47/49	420-104	235-500	12-18	
S-65 TRAIL	68-69	13/43	235-122	30-72	235-422S	46/47/49	420	235-500	12-18	
ATC-70	73-81	14/35	235-402	35-72	235-402S	36/44/46	420-72	235-500	12-18	
ATC-70	82-85	14/36	235-402	35-72	235-402S	36/44/46	420-72	N/A	-	
CT-70	69-82,91-94	-	235-402	35-72	235-402S	36/44/46	420-86	235-500	12-18	
CL, SL-70	72-80	-	235-402	35-72	235-402S	36/44/46	420-102	235-500	12-18	
C-70	80-83	14/36	235-122	30-72	N/A	-	420-96	235-500	12-18	
TRX-70	86-87	13/36	235-402	35-72	235-402S	36/44/46	420-94	235-500	12-18	
XR-70	97-99	15/36	235-422	34-72	235-422S	46/47/49	420-86	235-500	12-18	
XR-70	00-03	15/36	235-422	34-72	235-422S	46/47/49	420-86	235-545	13-16	
CRF-70	04-07	15/36	235-422	34-72	235-422S	46/47/49	420-86	235-545	13-16	
XR-75	73-78	14/44/46	235-402	35-72	235-402S	36/44/46	420-100	235-500	12-18	
CR-80 R	80-81	14/47	235-123	32-72	235-123S	47	420-112	235-500	12-18	
CR-80 R	82-84	-	235-422	34-72	235-422S	46/47/49	420-114	235-500	12-18	
CR-80 R	85-95	15/49	235-434	40-72	235-434S	49	420-114	235-500	12-18	
CR-80 R STD 420	85-06	15/49	235-434	40-72	235-434S	49	420-116	235-545	13-16	
CR-80 R 4 28 CONV	85-06	15/49	235-4344	40-70	N/A	-	428-116	235-545X	14-19	
CR-80 RB BIG WHEEL	86-02	15/55	235-434	40-72	235-434S	49	420-124	235-545	13-16	
CR-80 R EXPERT		15/55	235-434	40-72	235-434S	49	420-126	235-545	13-16	
CR-85	03-07	15/49	235-434	40-72	235-434S	49	420-116	235-545	13-16	
CR-85 R EXPERT	03-07	15/55	235-434	40-72	235-434S	49	420-124	235-545	13-16	
CR 85 R EXPERT 428 CONV	03-07	15/55	235-4344	40-70	N/A	-	428-124	235-545X	14-19	
XL-80	80-85	15/37	235-402	35-72	235-402S	36/44/46	420-96	235-500	12-18	
XR-80	79-84	14/46	235-402	35-72	235-402S	36/44/46	420-100	235-500	12-18	
XR-80R 85-88,&	90-03	14/46	235-422	34-72	235-422S	46/44/46	420-110	235-500	12-18	
CRF-80	04-07	14/46	235-422	34-72	235-422S	46/44/46	420-110	235-500	12-18	
ATC-90	74-78	15/49	235-199	42-70	235-199S	49/52	428-86	N/A	-	
CT-200	64-69	15/40	235-200	28-70	235-200S	45	428	235-502	10-19	
C-200, CL-90	68-69	-	235-1200	28-70	N/A	-	428	235-502	10-19	
CT-90	68-79	-	235-200	28-70	235-200S	45	428-104	N/A	-	
SL-90	68-69	14/45	235-1200	28-70	N/A	-	428	235-502	10-19	
ST-90	73-75	15/45	235-128	32-70	235-128S	40/49/52	428-104	235-5022	12-17	
EZ-90 CUB	91-92	35/	235-807	32-70	N/A	-	428-100	235-529	12-16	
EZ-90 CUB	93-96		235-807	32-70	N/A	-	428-110	N/A	-	
TRX-90	93-06	13/50	235-813	40-70	235-813S	48/50	428-98	235-500X	13-17	
TRX-90 (JT Sprocket)	93-99				236-1355	50				



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
HONDA (cont)									
TRX-90	2007	13/50	235-813	40-70	235-813S	48/50	428-98	N/A	-
CB, CL 100	68-73	14/40	235-128	32-70	235-128S	40/49/52	428-104	235-502	10-19
SL-100	69-72	14	235-128	32-70	235-128S	40/49/52	428-110	235-502	10-19
XL-100	74-76	14/49	235-128	32-70	235-128S	40/49/52	428-110	235-502	10-19
XL-100	77-78	-	235-405	34-70	235-405S	35/50/58	428-112	235-502	10-19
XL-100	79-80	15/45	235-405	34-70	235-405S	35/50/58	428-118	235-500X	13-17
XL-100	81-85	15/42	235-414	36-70	235-414S	50	428-108	235-500X	13-17
XR-100	81-84	14/50	235-414	36-70	235-414S	50	428-112	235-500X	13-17
XR-100 R	85-03	14/50	235-435	34-70	235-435S	50	428-118	235-500X	13-17
CRF-100	04-07	14/50	235-435	34-70	235-435S	50	428-118	235-500X	13-17
ATC-110	78-83	15/49	235-199	42-70	235-199S	49/52	428-86	N/A	-
ATC-110	84-85	15/49	235-431	32-70	235-431S	49	428-92	N/A	-
CT-110	1980	15/45	235-414	36-70	235-414S	50	428-104	235-502	10-19
CT-110	81-86	45/	235-414	36-70	235-414S	50	428-104	N/A	-
ATC-125 M	84-85	-	235-431	32-70	235-431S	49	428-92	N/A	-
ATC-125 M	86-87	12/48	235-431	32-70	235-431S	49	428-92	235-611	12
CB-125S	73-85	15/35	235-128	32-70	235-128S	40/49/52	428-102	235-529	12-16
CL-125	73-74	15/42	235-128	32-70	235-128S	40/49/52	428-104	235-502	10-19
CR-125 M *1974 BH 21/64	74-78	14/49	235-401	34-70	N/A	-	428-122	235-5022	12-17
CR-125 M	79-81	13/51	235-409	45-74	235-409S	50/51	520-110	235-529X	11-14
CR-125	1982	13/51	235-421	42-74	235-421S	51/54	520-112	235-529X	11-14
CR-125	83-85	13/51	235-425	39-74	235-425S	45/48-51/53	520-114	235-537	11-14
CR-125	86-96	13/51	235-425	39-74	235-425S	45/48-51/53	520-114	235-551	12-14
CR-125 428 CHAIN	86-96	-	235-425Z	39-70	N/A	-	428	235-551X	14-19
CR-125	1997	12/49	235-425	39-74	235-425S	45/48-51/53	520-112	235-595	12-15
CR-125 R	98-07	13/51/52/53	235-425	39-74	235-425S	45/48-51/53	520-116	235-595	12-15
CR-125 R 428 CHAIN	98-07	16/64	235-425Z	39-70	N/A	-	428	-	-
MT-125	74-76	15/44	235-128	32-70	235-128S	40/49/52	428-118	235-5022	12-17
MT-125 R	77-78	-	235-419	30-72	-	-	415	-	-
NX-125	88-89	15/	235-801	33-70	235-801S	56	428-130	235-529	12-16
RS-125	92-98	-	235-814	28-72	N/A	-	415	N/A	-
SL-125	71-73	15/49	235-128	32-70	235-128S	40/49/52	428-110	235-529	12-16
TL-125	73-76	15/60	235-128	32-70	235-128S	40/49/52	428-120	235-502	10-19
TRX-125	85-86	50/	235-431	32-70	235-431S	49	428-92	-	-
TRX-125	87-88	12/48	235-444	45-70	235-444S	48/50	428-94	-	-
TRX-125 (UT Sprocket)	85-88				236-1355	48/50			
XL-125	74-80	15/52	235-128	32-70	235-128S	40/49/52	428-118	235-5022	12-17
XL-125S	79-84	14/56	235-405	34-70	235-405S	35/50/58	428-124	235-529	12-16
XL-125	85-86	14/56	235-405	34-70	235-405S	35/50/58	428-124	235-529	12-16
CA-95	64-66	12/36	235-1250	32-70	N/A	-	428	235-502	10-19
CRF-150F	03-07	13/48	235-425	39-74	235-425S	45/48-51/53	520-112	235-568	12-15
CRF-150F 428 CONV***	03-07	-	235-425S	39-74	N/A	-	428	235-568X	12-16
*** RECOMMEND 16/60 FOR CLEARANCE 61 TOO LARGE									
CRF-150R	2007	-	235-434	40-72	235-434S	38/49	420	235-651	13-16
CRF-150R 428 CONV***	2007	-	235-4344	40-70	N/A	N/A	428	N/A	-
CB, CL 160	66-69	-	235-128	32-70	235-128S	40/49/52	428	235-502	10-19
CB, SL 175	69-72	-	235-128	32-70	235-128S	40/49/52	428-112	235-5022	12-17
CL-175	68-72	-	235-128	32-70	235-128S	40/49/52	428-116	235-5022	12-17
CL-175	1973	14/38	235-258	34-74	N/A	-	520-94	235-5022X	11-15
MR-175	75-77	15/43	235-401	34-70	N/A	-	428-118	235-5022	12-17
XL-175	73-75	14/38	235-258	34-74	N/A	-	520-94	235-5022X	11-15
XL-175	76-78	14/42	235-248	34-74	235-248S	50	520-94	235-5022X	11-15
ATC-185	1980	11/47	235-415	38-71	235-415S	47	520-90	235-5299	10-15
ATC-185S * NON CUSH DRIVE	81-82	11/41	235-418	28-71	235-418S	41/42	520-82	235-5299	10-15
ATC-185S * NON CUSH DRIVE	1983	11/41	235-417	28-74	235-417S	41/42/44	520-82	235-5299	10-15
CM-185	78-79	15/35	235-405	34-70	235-405S	35/50/58	428-112	235-529	12-16
XL-185S	79-83	14/50	235-405	34-70	235-405S	35/50/58	428-120	235-529	12-16
XR-185	1979	15/58	235-405	34-70	235-405S	35/50/58	428-126	235-529	12-16
ATC-200	80-82	10/47	235-415	38-71	235-415S	47	520-90	235-5299	10-15
ATC-200	1983	11/47	235-430	34-74	235-430S	47	520-90	235-5299	10-15
ATC-200 E BIG RED	1982	11/47	235-415	38-71	235-415S	47	520-90	235-5299	10-15
ATC-200 E BIG RED	1983	11/47	235-430	34-74	235-430S	47	520-90	235-5299	10-15
ATC-200 M	84-85	11/47	235-430	34-74	235-430S	47	520-92	235-5299	10-15
ATC-200S/TRX 200 1988	84-86	11/43	235-417	28-74	235-417S	41/42/44	520-84	235-5299	10-15
ATC-200X	83-85	12/40	235-429	28-74	235-429S	40	520-88	235-540	11-14



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
HONDA (con't)									
ATC-200X(32-35 AVAIL. LL ONLY)	86-87	13/38	235-438	34-74	N/A	-	520-86	235-534	11-16
CB, CL 200	74-76	15/	235-258	34-74	N/A	-	520	235-5022X	11-15
CM-200 TWINSTAR	80-82	15/35	235-405	34-70	235-405S	35/50/58	428-112	235-529	12-16
TLR-200 REFLEX	86-87	13/44	235-441	28-74	N/A	-	520-96	235-529X	11-14
TR-200 FAT CAT	86-87	13/39	235-442	32-74	235-442S	39	520-100	235-560	12-14
TRX-200 FOURTRAX	86-97	12/42	235-805	33-74	235-805S	42	520-88	235-547	12
XL-200 R	83-84	13/45	235-129	28-74	235-129S	50	520-104	235-529X	11-14
XR-200	80-84	13/50	235-413	30-66	235-413S	50	520-102	235-529X	11-14
XR-200 R	81-83	13/50	235-129	28-74	235-129S	50	520-106	235-529X	11-14
XR-200 R	84-02	13/47	235-426	37-74	235-426S	41/42/47-53	520-108	235-529X	11-14
CRF 230F	03-07	13/50	235-425	39-74	235-425S	45/48-51/53	520-110	235-568	12-15
CRF 230F 428 CONV	03-07	15/16/60	235-425S	39-74	N/A	-	428	235-568X	12-16
ATC 250 R	81-82	13/44	235-417	28-74	235-417S	41/42/44	520-84	235-534	11-16
ATC 250 R(33-35 AVAIL LL ONLY)	83-84	13/42	235-427	34-74	235-427S	42	520-90	235-534	11-16
ATC 250 R	1985	13/39	235-433	33-74	235-433S	39	520-96	235-531	12-15
ATC 250 R(33-35 LAVAIL. LL ONLY)	1986	13/39	235-437	36-74	235-437S	36-39/41	520-96	235-534	11-16
CB 250 NIGHTHAWK	91-97,99-05	14/33	235-812	32-66	235-812S	33	520-106	235-540	11-14
CM 250 C	82-83	14/32	235-423	32-66	N/A	-	520-104	235-529X	11-14
CMX 250 REBEL	85-87& 96-06	14/33	235-439	30-74	235-439S	33	520-108	235-540	11-14
CR 250 M	73-74	14/48	235-244	34-74	N/A	-	520-104	235-5022X	11-15
CR 250 M-1 steel only	75-76	14/	N/A	-	235-247S	45-50	520-104	235-5022X	11-15
CR 250	78-80	14/49	235-407	48-74	235-407S	49	520-110	235-531	12-15
CR 250	1981	14/54	235-416	45-74	235-416S	54	520-114	235-531	12-15
CR 250	82-83	14/54	235-421	42-74	235-421S	51/54	520-114	235-531	12-15
CR 250	84-85	14/51	235-425	39-74	235-425S	45/48-51/53	520-114	235-531	12-15
CR 250	86-87	14/53	235-425	39-74	235-425S	45/48-51/53	520-114	235-552	13-15
CR 250 R	88-91	14/51	235-425	39-74	235-425S	45/48-51/53	520-116	235-567	12-16
CR 250 R	92-96	13/49	235-425	39-74	235-425S	45/48-51/53	520-114	235-567	12-16
CR 250 R	97-02	13/50	235-425	39-74	235-425S	45/48-51/53	520-114	235-567	12-16
CR 250 R	03-07	13/48	235-425	39-74	235-425S	45/48-51/53	520-114	235-567	12-16
CRF 250 R	04-07	13/51	235-425	39-74	235-425S	45/48-51/53	520	235-644	12-14
CRF 250 X	04-07	14/53	235-425	39-74	235-425S	45/48-51/53	520-92/96	235-644	12-14
MT 250	74-76	14/47	235-244	34-74	N/A	-	520-106	235-5022X	11-15
NSR 250	-	-	235-817	30-74	N/A	-	520	N/A	-
RS 250	2001	-	235-822	32-74	N/A	-	520	N/A	-
RS 250	93-98	-	235-818	32-74	N/A	-	520	N/A	-
TRX 250 R(33-35 AVAIL. LL ONLY)	86-92	13/39	235-437	36-74	235-437S	36-39/41	520-92/96	235-534	11-16
TRX 250 R(33-35 AVAIL. LL ONLY)	87-92	13/38	235-437	36-74	235-437S	36-39/41	520-86	235-534	11-16
NX 250	88-90	13/41	235-406	38-74	235-406S	41/42/47-53	520-102	235-561	12-14
CB 250 NIGHTHAWK	2007								
CMX 250 REBEL	2007								
CRF 230 F	2007								
MR-250 steel only	1976	14/	N/A	-	235-247S	45-50	520-104	235-5022X	11-15
TL 250 (MUST USE CARRIER)	-	14/57	235-450	34-71	N/A	-	428	235-616	14
TL 250 CARRIER									
VTR 250 INTERCEPTOR	1988	45/	235-406	38-74	235-406S	41/42/47-53	520-104	N/A	-
VTR 250 INTERCEPTOR	89-90	51/	235-808	45-70	N/A	-	428-128	N/A	-
XL-250	72-76	15/48	235-244	34-74	N/A	-	520-102	235-503	12-17
XL 250 S	78-81	14/53	235-406	38-74	235-406S	41/42/47-53	520-102	235-503	12-17
XL 250 (JT Sprocket)	78-81				236-245	53			
XL 250 R	82-83	14/47	235-406	38-74	235-406S	41/42/47-53	520-102	235-5033	12-16
XL 250 R	84-87	13/40	235-432	36-74	235-432S	40	520-102	235-540	11-14
XR 250	79-80	14/53	235-406	38-74	235-406S	41/42/47-53	520-102	235-503	12-17
XR 250 R	81-82	14/53	235-406	38-74	235-406S	41/42/47-53	520-106	235-503	12-17
XR 250 (JT Sprocket)	82-83				236-245	53			
XR 250 R	84-85	13/50	235-426	37-74	235-426S	41/42/47-53	520-108	235-540	11-14
XR 250 R	84-85	13/50	235-426	37-74	235-426S	41/42/47-53	520-108	235-540	11-14
XR 250 R	86-87	13/48	235-426	37-74	235-426S	41/42/47-53	520-108	235-540	11-14
XR 250 R	88-89	13/48	235-426	37-74	235-426S	41/42/47-53	520-108	235-568	12-15
XR 250 R	90-95	13/48	235-803	38-74	235-803S	45/48	520-108	235-568	12-15
XR 250 R	96-06	13/48	235-425	39-74	235-425S	45/48-51/53	520-108	235-585	12-15
XR 250 L	91-96	13/40	235-809	36-74	235-809S	40	520-104	235-568	12-15
TRX 300 EX(33-35 AVAIL ' LL' ONLY)	93-07	13/38	235-437	36-74	235-437S	36/37/38/39/41	520-86	235-560	12-14
CA-77	66-69	13/38	235-127Z	28-74	N/A	-	520	N/A	-
CB-77	66-69	15/30	235-126	28-71	N/A	-	530	235-506	13-18



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
HONDA (cont)									
ATC 350 X(33-35 AVAIL. LL ONLY)	1985	13/40	235-436	34-74	235-436S	40	520-90	235-534	11-16
ATC 350 X(33-35 AVAIL. LL ONLY)	1986	13/40	235-440	34-74	235-440S	40	520-90	235-534	11-16
CB 350 G TWIN	68-73	16/36	235-181	30-71	235-181S	36	530-94	235-517	15-18
CB 350 F	73-74	16/38	235-181	30-71	235-181S	36	530-96	235-517	15-18
CL 350	68-73	16/38	235-181	30-71	235-181S	36	530-96	235-517	15-18
SL 350	1970	16/40	235-181	30-71	235-181S	36	530	235-517	15-18
SL 350	1971	16/40	235-213	30-74	N/A	-	520	235-503	12-17
SL 350	72-73	16/42	235-176	30-74	N/A	-	520	235-503	12-17
XL 350	74-78	15/45	235-257	36-71	N/A	-	530	235-507	12-15
XL 350	84-85	14/40	235-426	37-74	235-426S	41/42/47-53	520-102	235-558	13-14
XR 350 R	83-84	14/42	235-426	37-74	235-426S	41/42/47-53	520-104	235-558	13-14
XR 350 R	1985	14/42	235-426	37-74	235-426S	41/42/47-53	520-106	235-546	13-15
CB, CJ, CL 360	73-77	16/34	235-181	30-71	235-181S	36	530-98	235-517	15-18
CB 400 F	75-77	16/38	235-181	30-71	235-181S	36	530-96	235-517	15-18
CB 400 T-1	1978	16/37	235-404	30-71	235-404S	37	530-100	235-517	15-18
CB 400 F, CB-1	89-90	15/41	235-443	32-66	N/A	-	525-104	235-574	15
CM 400 A,C,E,T	80-81	16/35	235-404	30-71	235-404S	37	530-102	235-517	15-18
TRX 400 EX	99-04	15/38	235-437	36-74	235-437S	36-39/41	520-94	235-587	13-16
TRX 400 EX, 450 EX	05-07	14/39	235-437	36-74	235-437S	36-39/41	520-94	235-564	13-15
TRX 450 R	04-07	14/38	235-437	36-74	235-437S	36-39/41	520-94	-	-
VF400 FD (JT Sprocket)	83-86				236-1334	46			
XR 400 R	96-06	15/45	235-425	39-74	235-425S	45/48-51/53	520-108	235-587	13-16
CB, CL 450	68-74	16/35	235-157	30-71	N/A	-	530-92	235-517	15-18
CB 450 S, C NH	82-83	85-86	17/36	235-424	32-71	235-424S	44/45	530-106	235-517
CB 450 T	1982	17/34	235-404	30-71	235-404S	37	530-102	235-517	15-18
CM 450 A	1983	17/34	235-424	32-71	235-424S	44/45	530-102	235-517	15-18
CM 450 A-82, C, E	82-83	17/34	235-404	30-71	235-404S	37	530-102	235-517	15-18
CB 450 T	82-83	17/34	235-404	30-71	235-404S	37	530-102	235-517	15-18
CMX 450 REBEL	86-87		235-443	32-66	N/A	-	525-112	N/A	-
TRX 450 R (33-35 AVAIL LL)	04-FIRST 05	15/38	235-437	33-74	235-437S	36-39/41	520	235-564	13-15
TRX 450 R	2006	13/38	235-437	36-74	235-437S	36-39/41	520-94	235-567	13-16
CRF 450 R,X	02-07	13/48/50	235-425	39-74	235-425S	45/48-51/53	520-114	235-567	13-16
CRF 450X	05-07	13/51	235-425	39-74	235-425S	45/48-51/53	520-114	235-567	13-16
CR 450 R	1981	14/54	235-416	45-74	235-416S	54	520-116	235-531	12-15
CR 480 R	82-83	14/54	235-421	42-74	235-421S	51/54	520-118	235-531	12-15
CB 500 FOUR	71-73	17/34	235-245	33-71	235-245S	34	530-98	235-517	15-18
CB 500 T	74-77	17/33	235-185	30-71	N/A	-	530-100	235-517	15-18
CR 500 R	84-85	14/51	235-425	39-74	235-425S	45/48-51/53	520-116	235-531	12-15
CR 500 R	86-87	14/51	235-425	39-74	235-425S	45/48-51/53	520-116	235-552	13-15
CR 500 R	88-91	14/51	235-425	39-74	235-425S	45/48-51/53	520-116	235-567	12-16
CR 500 R	92-02	14/49	235-425	39-74	235-425S	45/48-51/53	520-116	235-171	12-16
FT 500 ASCOT	82-83	15/42	235-424	32-71	235-424S	44/45	530-110	235-517	15-18
GB 500	89-90	-	235-443	32-66	N/A	-	525-108	N/A	-
XL 500	79-82		235-406	38-74	235-406S	45/48-51/53	520-100	235-5033	12-16
XR 500	79-82	14/48	235-406	38-74	235-406S	45/48-51/53	520-104	235-5033	12-16
XR 500 R	83-84	14/48	235-426	37-74	235-426S	41,47-53	520-108	235-5033	12-16
VF 500 MAGNA	84-86	15	235-424	32-71	235-424S	44/45	530-108	235-548	15
VF 500 INTERCEPTOR	84-86	15/43	235-424	32-71	235-424S	44/45	530-108	235-548	15
CB 550	74-78	17	235-245	33-71	235-245S	34	530-100	235-517	15-18
599	04-06	15/42	235-815	37-68	235-815S	37-40/43	525-112	235-596	14-16
CB600 Hornet (JT Sprocket)	98							236-1371	15
CBR 600 F	87-90	15/44	235-445	38-71	235-445S	44	530-110	235-565	13-16
CBR 600 F2, F3	91-96	15/43	235-810	37-71	235-810S	43/45	530-108	235-565	13-16
CBR 600 520 CONV	91-96	15/43	235-8100	37-74	N/A	-	520-108	235-565X	12-16
CBR 600 F3	97-98	15/43	235-815	37-68	235-815S	37-40/43	525-108	235-596	14-16
CBR 600 520 CONV	97-98	15/43	235-8155	37-74	N/A	-	520-108	235-596X	14-16
CBR600 FV.FW (JT Sprocket)	97-98							236-1371	15
CBR 600 F4	99-00	16/45	235-815	37-68	235-815S	37-40/43	525-108	235-592	13-17
CBR 600 520 CONV	99-00	16/45	235-8155	37-74	N/A	-	520-108	235-592X	14-17
CBR 600 F4I	01-06	16/46	235-821	37-68	N/A	-	525-120	235-592	13-17
CBR 600 F4I 520 CONV	01-06	16/46	235-8211	37-74	N/A	-	520-120	235-592X	14-17
CBR 600 RR	03-06	16/43	235-821	37-68	N/A	-	525-112	235-592	13-17
CBR 600 RR	03-06	16/43	235-8211	37-74	N/A	-	520-112	235-592X	11-17
CBR 600 RR	2007								
XL 600 R	83-88	43/	235-406	38-74	235-406S	45/48-51/53	520-104	235-5033	12-16



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
HONDA (con't)									
XR 600	85-87	14/48	235-426	37-74	235-426S	41/42/47-53	520-110	235-5033	12-16
XR 600 R	88-90	14/50	235-447	38-74	235-447S	48	520-112	235-5033	12-16
XR 600 R	91-01	14/48	235-803	38-74	235-803S	45/48	520-110	235-564	13-15
XL 600 V TRANSALP	89-90	15/47	235-802	38-66	N/A	-	525-118	235-591	14-16
VLX 600 SHADOW DLX	89,93-06	16/44	235-448	32-66	235-448S	41/42/44-47	525-120	235-591	14-16
VLX 600 SHADOW	2007								
VT 600 SHADOW	1988	44/	235-448	32-66	235-448S	41/42/44-47	525-112	N/A	-
CB 650 C	79-81	16/39	235-408	32-71	235-408S	39/43/46	530-104	235-517	15-18
CB 650 SC	1982	17/38	235-408	32-71	235-408S	39/43/46	530-88	235-517	15-18
NT 650 HAWK	88-91	16/44	235-449	40-66	N/A	-	525-112	235-591	14-17
NT 650 520 CONV	88-91	16/44	235-4499	40-74	N/A	-	520-112	235-591X	14-16
NX 650	1988	15/45	235-447	38-74	235-447S	48	520-108	235-5033	12-16
NX 650	1989	15/45	235-447	38-74	235-447S	48	520-108	235-564	13-15
XR 650 R	00-07	14/48	235-911	39-74	235-911S	48	520-110	235-617	13-17
XR 650 L	93-07	15/45	235-803	38-74	235-803S	45/48	520-110	235-564	13-15
VF 700 INTERCEPTOR	84-86	16/	235-411	32-71	235-411S	42/44/46	530-110	235-541	12-18
VFR 700	1987	16/45	235-446	38-71	235-446S	42/44/46	530-110	235-541	12-18
CB 750 A	70-76	17/48	235-209	32-71	235-209S	48	530-104	235-517	15-18
CB 750 A	77-78	15/41	235-403	30-52	235-403S	41	630-88	235-517X	14-15
CB 750 C	80-81	43/	235-412	32-71	235-412S	39/43/46	530-106	N/A	-
CB 750 F	75-76	18/48	235-209	32-71	235-209S	48	530-102	235-517	15-18
CB 750 F	77-78	14/43	235-403	30-52	235-403S	41	630-88	235-522	14-15
CB 750 F (JT Sprocket)	1977							236-333	41
CB 750 F	1979	38/	235-410	30-52	N/A	-	630-90	N/A	-
CB 750 F	80-82	18/46	235-411	32-71	235-411S	42/44/46	530-108	235-541	12-18
CB750F (JT Sprocket)	80-82				236-1334	46			
CB 750 K	70-76	17/48	235-209	32-71	235-209S	48	530-100	235-517	15-18
CB 750 K	77-78	15/41	235-403	30-52	235-403S	41	630-88	235-517X	14-15
CB 750 K (JT Sprocket)	1977							236-333	41
CB 750 K	1979	41/	235-403	30-52	235-403S	41	630-90	N/A	-
CB 750 K	80-82	18/46	235-412	32-71	235-412S	39/43/46	530-108	235-541	12-18
CB 750 L	1979	38/	235-403	30-52	235-403S	41	630-90	N/A	-
CB 750 L	80-81	46/	235-411	32-71	235-411S	42/44/46	530	235-541	12-18
CB 750 NIGHTHAWK	91-03	15/38	235-811	32-66	235-811S	37/38/39	525-110	235-594	14-16
CB 750 SC NIGHTHAWK	82-83	18/43	235-411	32-71	235-411S	42/44/46	530-106	235-541	12-18
CB750SC Nighthawk (JT Sprocket)	82				236-1334	46			
VF 750 INTERCEPTOR	83-86	-	235-411	32-71	235-411S	42/44/46	530-110	235-541	12-18
VF 750 MAGNA	94-04	16/40	235-446	38-71	235-446S	42/44/46	530-118	235-583	13-17
RC 30 VFR 750 R	1990	-	235-804	38-66	N/A	-	525-106	N/A	-
RC 45	1994	-	235-804	38-66	N/A	-	525-106	N/A	-
VFR 750 F	90-97	16/43	235-806	42-71	235-806S	43/45	530-112	235-583	13-17
VFR 750 F 520 CONV	90-97	43/	235-8066	42-74	N/A	-	520-112	235-583X	15-17
VT 750 SHADOW SPIRIT	98-06	42/41	235-815	37-66	235-815S	37-40/43	525	235-599	16-17
VT 750 SHADOW ACE	98-06	41/	235-815	37-66	235-815S	37-40/43	525	235-599	16-17
VT 750	2007								
VFR 800	98-01	17/43	235-806	42-71	235-806S	43/45	530-120	235-541	12-18
VFR 800	02-06	17/43	235-824	42-71	N/A	-	530-120	235-541	12-18
CB 900 F	81-82	17/44	235-411	32-71	235-411S	42/44/46	530-106	235-541	12-18
CBR 900 RR	93-95	16/43	235-810	37-71	235-810S	43/45	530-108	235-583	13-17
CBR 900 RR 520 CONV	93-95	16/43	235-8100	37-74	N/A	-	520-118	235-583X	15-17
CBR 900 RR	96-99	16/43	235-815	37-66	235-815S	37-40/43	525-108	235-592	14-17
CBR 900 RR 520 CONV	96-99	16/43	235-8155	37-74	N/A	-	520-108	235-592X	14-17
919	02-06	16/43	235-823	37-72	N/A	-	530-108	235-583	13-17
919	2007								
CBR 929 RR	00-03	16/43	235-819	40-71	235-819S	40/41/43-45	530-108	235-583	13-17
CBR 929 520 CONV	00-03	16/43	235-8199	37-74	N/A	-	520-108	235-583X	15-17
CBR 954 RR	02-03	16/43	235-819	40-71	235-819S	40/41/43-45	530-108	235-583	13-16
CBR 954 520 CONV	02-03	16/42	235-8199	37-74	N/A	-	520-108	235-583X	15-17
CBR 1000 RR	04-06	16/41	235-819	40-71	235-819S	40/41/43-45	530-114	235-583	13-17
CBR 1000 RR 520 CONV	04-06	16/41	235-8199	40-71	N/A	-	530-114	235-583X	15-17
CBR 1000 RR	2007								
CBR 1000 HURRICANE	87-88	17/43	235-446	38-71	235-446S	42/44/46	530-114	235-541	12-18
CBR 1000 HURRICANE	90-96	17/42	235-446	38-71	235-446S	42/44/46	530-114	235-541	12-18
CBX 1000	1979	35/	235-410	30-52	N/A	-	630-84	N/A	-



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
HONDA (con't)									
VF 1000 F. R INTERCEPTOR	1984	17/43	235-411	32-71	235-411S	42/44/46	530-110	235-541	12-18
VF 1000 F. R INTERCEPTOR	85-86	17/44	235-411	32-71	235-411S	42/44/46	530-110	235-541	12-18
VTR 1000 F	98-06	16/41	235-810	37-71	235-810S	43/45	530-120	235-583	16-17
VTR 1000 520 CONV	98-06	16/41	235-8100	37-74	N/A	-	520-120	235-583X	15-17
RC 51 RVT 1000	00-06	16/40	235-819	40-71	235-819S	40/41/43-45	530-108	235-583	16-17
RC 51 520 CONV	00-06	16/40	235-8199	37-74	N/A	-	520-108	235-583X	15-17
CB 1000	94-95	17/42	235-446	38-71	235-446S	42/44/46	530-116	235-541	12-18
CBX 1050	80-82	18/42	235-411	32-71	235-411S	42/44/46		235-620	18
CB-1100 F	1983	17/42	235-411	32-71	235-411S	42/44/46	530-104	235-541	12-18
CBR 1100 XX	97-06	17/45	235-810	37-71	235-810S	43/45	530-110	235-541	12-18
ST 1300	2007								
HUSABERG									
350,400,499,501,600	90-99	15/	235-174	34-74	N/A	-	520	235-538	10-16
400,470,501,550,650	00-03		235-2914	38-74	N/A	-	520	235-538	10-16
HUSQVARNA									
MODELS 8MM BH	THRU 85		235-189	45-74	235-189S	52-54/56	520	N/A	-
MODELS 6MM BH	THRU 79		235-191	45-74	235-191S	56	520	N/A	-
CR 50 HUSKY BOY	1998	14/42	235-915	32-72	N/A	-	415	235-601	9-14
CR 50 PRO/ JR 4 BH	01-02		235-912	24-72	N/A	-	415	N/A	-
50 5 BH	01-02		235-977	28-70	N/A	-	415	N/A	-
125 NOT DISHED	76-87		235-189	45-74	235-189S	52-54/56	520	235-523	10-17
125 (NOT WRK-125)	1988		235-110Z	42-74	N/A	-	520	235-502XX	10-15
ALL (NOT 125)	THRU 79		235-189	45-74	235-189S	52-54/56	520	235-523	10-17
ALL (NOT 125)	80-85		235-189	45-74	235-189S	52-54/56	520	235-538	10-16
ALL (NOT 125)	86-88		235-190	45-74	235-190S	52-54/56	520	235-538	10-16
125 WMX,WXC,WXE	90-96		235-178	38-74	235-178S	48/50	520	235-502XX	10-15
125 CR,WR	98-05		235-178	38-74	235-178S	48/50	520-116	235-642	13
250 CR	00-02		235-178	38-74	235-178S	48/50	520-116	235-538H	10-16
250/260/360 (NOT CR)	90-02		235-178	38-74	235-178S	48/50	520	235-513H	11-17
350/410/610 4 STK	90-01		235-178	38-74	235-178S	48/50	520	235-538H	10-16
250/360 TE,WR	00-02		235-178	38-74	235-178S	48/50	520-116	235-513H	11-17
410/610 TE,TC	99-01	14/52	235-178	38-74	235-178S	48/50	520-116	235-538H	10-16
250/400/450/570 TC,TE	01-02	14/52	235-178	38-74	235-178S	48/50	520	235-538H	10-16
400/570 SM R	01-02	14/48	235-178	38-74	235-178S	48/50	520	235-538H	10-16
TE 450 DUAL SPORT	2006	44	235-178	38-74	235-178S	48/50	520	N/A	-
ILLUSION									
RA, ST	94-95	-	235-906	28-71	235-906S	44/46/48	530	N/A	-
ITALJET									
50 4 BH 1.560 ID	94-95	-	235-2687Z	28-71	N/A	-	SPEC	N/A	-
50 4 BH 1.565 ID	94-95	-	235-927	28-72	N/A	-	415	235-601	9-14
KAWASAKI									
AR 50	1983	43/	235-152	30-72	N/A	-	420-114	N/A	-
KDX 50	03-06	13/28	235-485	24-72	N/A	-	420	235-512	11-16
KFX 50	03-04	10/37							
KX 60	83-04	13/44	235-288	38-72	235-288S	44/49	420-104	235-501	12-17
KX 65	00-02	13/46	235-707	39-72	N/A	-	420-108	235-501	12-17
KX 65	03-07	13/47	235-707	39-72	N/A	-	420-110	235-501	12-17
AR 80	1983	-	235-154	30-72	N/A	-	420-114	N/A	-
KD 80 M	80-88	14/	235-254	28-70	235-254S	42	428-98	235-502K	12-19
KD 80 X	88-90	34/	235-701	28-72	N/A	-	420-102	N/A	-
KDX 80	80-83	14/50	235-282	41-72	235-282S	50	420-112	235-501	12-17
KDX 80	84-88	14/48	235-288	38-72	235-288S	44/49	420-120	235-501	12-17
KFX 80	03-06	10/22	235-471	22-74	235-471S	22	520-36	235-502XS	10-15
KX 80	79-80	14/48	235-282	41-72	235-282S	50	420-112	235-501	12-17
KX 80	81-82	14/50	235-282	41-72	235-282S	50	420-120	235-501	12-17
KX 80	83-85	14/	235-288	38-72	235-288S	44/49	420-118	235-501	12-17
KX 80	86-97	13/49/48	235-294	38-72	235-294S	49/54	420-120/126	235-501	12-17
KX 80	98-05	14/50	235-294	38-72	235-294S	49/54	420-126	235-501	12-17
KX 80 BIG WHEEL	86-87	13/55	235-294	38-72	235-294S	49/54	420-126	235-501	12-17
KX 80 BIG WHEEL	87-90	13/54	235-294	38-72	235-294S	49/54	420-126	235-501	12-17
KX 80 BIG WHEEL	91-97	13/54	235-294	38-72	235-294S	49/54	420-126	235-501	12-17
KX 80 BIG WHEEL	98-02	13/51	235-294	38-72	235-294S	49/54	420-126	235-501	12-17
KX 80 428 CONV	86-00		235-2944	38-70	N/A	-	428	235-511	13-19



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
KAWASAKI (con't)									
G-3,4,5	70-75	14/42	235-254	28-70	235-254S	42	428-106	235-502K	12-19
KD 100 M	76-79	14/36	235-254	28-70	235-254S	42	428-96	235-502K	12-19
KE 100	76-81	15/42	235-254	28-70	235-254S	42	428	235-502K	12-19
KE 100	82-02	15/40	235-254	28-70	235-254S	42	428	235-502K	12-19
KX 100	95-00	13/54	235-294	38-72	235-294S	49/54	420-124	235-501	12-17
KX 100	01-03	13/49	235-294	38-72	235-294S	49/54	420-124	235-501	12-17
KX 100	04-07	13/51	235-294	38-72	235-294S	49/54	420-124	235-501	12-17
KX 100	428 CONV	95-07	235-2944	38-70	N/A	-	428	235-511	13-19
KLX 110	02-06	14/33	235-951	28-70	N/A	-	420-86	235-636	13-16
KLX 110	2007	14/33	N/A	-	N/A	-	420-86	235-636	13-16
KLF 110 MOJAVE	87-88	12/50	235-177	28-70	N/A	-	428-100	N/A	-
KLT 110 STEEL ONLY	84-86	12/50	N/A	-	235-199S	49/52	428-100	N/A	-
C2-120	67-69	-	235-254	28-70	235-254S	42	428	235-502K	12-19
F6 125	71-73	14/55	235-218	38-70	N/A	-	428-118	235-502K	12-19
KD 125	75-79	14/50	235-240	30-70	235-240S	40/50	428-118	235-502K	12-19
KE 125	76-83	14/50	235-240	30-70	235-240S	40/50	428-118	235-502K	12-19
BN 125 ELIMINATOR	00-04	15/46	235-300	30-70	N/A	-	428-132	235-502	12-19
KS, KX 125	74-76	14/	235-240	30-70	235-240S	40/50	428	235-502K	12-19
KX 125	77-79	14/	235-281	47-70	N/A	-	428-132	235-502K	12-19
KX 125	80-81	12/	235-283	38-74	235-283S	47-52	520-118	235-502X	10-15
KX 125	82-83	-	235-287	38-74	235-287S	47-53	520-114	235-502X	10-15
KX 125	1984	12/50	235-283	38-74	235-283S	47-52	520-112	235-502X	10-15
KX 125	85-93	12/47/48/49	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	85-87	12/47	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	1988	12/48	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	1989	12/47	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	90-91	12/48	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	92-93	12/49	235-287	38-74	235-287S	47-53	520-112	235-502X	10-15
KX 125	94-95	12/49	235-287	38-74	235-287S	47-53	520-112	235-584	10-15
KX 125	96-98	13/50	235-287	38-74	235-287S	47-53	520-112	235-584	10-15
KX 125	1999	12/48	235-287	38-74	235-287S	47-53	520-112	235-584	10-15
KX 125	00-02	12/49	235-287	38-74	235-287S	47-53	520-110	235-584	10-15
KX 125	03-05	13/51	235-287	38-74	235-287S	47-53	520-110	235-584	10-15
KX 125	2006	13/51	235-287	38-74	235-287S	47-53	520-112	235-584	10-15
KX 125	428 CONV	94-03	235-287Z	SPEC	N/A	-	428	235-584X	14-19
KLX 125	03-06	13/51	235-204	41-70	N/A	-	428-122	235-550	13-16
KLX 125 L	03-06	13/57	235-204	41-70	N/A	-	428-130	235-550	13-16
F7 175	71-75	14/50	235-218	38-70	N/A	-	428-114	235-502K	12-19
KD, KE 175 B	76-79	14/48	235-240	30-70	235-240S	40/50	428-120	235-502K	12-19
KE 175	80-83	14/44	235-284	42-70	N/A	-	428-116	235-502K	12-19
KDX 175	80-82	12/52	235-283	38-74	235-283S	47-52	520-118	235-502X	10-15
KDX 200	1983	13/48	235-283	38-74	235-283S	47-52	520-112	235-502X	10-15
KDX 200	84-85	13/48	235-283	38-74	235-283S	47-52	520-112	235-513	11-19
KDX 200	86-90	13/48	235-287	38-74	235-287S	47-52	520-110	235-513	11-19
KDX 200	91-02	13/47	235-287	38-74	235-287S	47-52	520-110	235-513	11-19
KDX 200	03-06	13/47	235-287	38-74	235-287S	47-52	520-108	235-513	11-19
KLT 200	81-82	13/50	235-285	28-74	N/A	-	520-98	235-513	11-19
KLT 200	83-84	13/50	235-290	28-74	N/A	-	520-98	235-524	12-16
KZ 200	78-79	15/40	235-279	30-74	N/A	-	520-98	235-524	12-16
KDX 220	97-06	13/47	235-287	38-74	235-287S	47-52	520-108	235-513	11-19
EL 250 B-2,3, E-1,2	88-90,91-92	14/44	235-298	33-74	235-298S	42/45	520-114	235-562	13-14
EX 250 NINJA 250 R	86-87	14/42	235-298	33-74	235-298S	42/45	520-106	235-562	13-14
EX 250 NINJA 250 R	88-06	14/45	235-298	33-74	235-298S	42/45	520-106	235-562	13-14
250-F	71-75	45/	235-225	30-66	N/A	-	520-106	235-508	12-17
KDX 250	80-82	-	235-280	45-74	235-280S	50	520-118	235-526	11-16
KDX 250	83-84	14/50	235-283	38-74	235-283S	47-52	520-116	235-526	11-16
KDX 250	91-95	14/48	235-287	38-74	235-287S	47-52	520-112	235-526	11-16
KE 250	77-79	14/39	235-278	30-74	N/A	-	520-98	235-513	11-19
KH 250 A-5	1976	14/48	235-236	30-66	N/A	-	525-108	235-508	12-17
KH 250 A-6	1977	48/	235-225	30-66	N/A	-	525	N/A	-
KL 250	77-79	14/40	235-278	30-74	N/A	-	520-96	235-513	11-19
KL 250 A-3, C	80-83	14/40	235-286	36-74	235-286S	44	520-96	235-524	12-16
KL 250 SUPER SHERPA	00-03	14/43	235-283	38-74	235-283S	47-52	520-102	235-513	11-19
KLR 250	85-04	15/44	235-286	36-74	235-286S	44	520-104	235-504K	11-17
KLT 250	82-85	13/50	235-290	28-55	N/A	-	520-98	235-524	12-16



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
KAWASAKI (con't)									
KLX 250	79-80	14/46	235-283	38-74	235-283S	47-52	520-108	235-524	12-16
KLX 250	93-96	14/50	235-287	38-74	235-287S	47-52	520-110	235-524	12-16
KLX 250	2006	14/52	235-283	38-74	235-283S	47-52	520-106	235-514XK	13-17
KSF 250 MOJAVE	87-04	12/43	235-297	28-74	235-297S	43	520-90	235-5044	11-17
KX 250	THRU 74	48/	235-272	30-74	N/A	-	520	N/A	-
KX 250	75-76	48/	235-273	30-74	N/A	-	520-104	N/A	-
KX 250	77-81	14/	235-280	45-74	235-280S	50	520-114	235-526	11-16
KX 250	1982	14/48	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	83-84	14/50	235-283	38-74	235-283S	47-52	520-114	235-526	11-16
KX 250	1985	14/50	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	1986	14/48	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	87-89	14/47	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	90-91	14/48	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	92-93	14/49	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	94-96	14/49	235-287	38-74	235-287S	47-52	520-112	235-526	11-16
KX 250	1997	13/49	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	1998	13/48	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 250	99-01	13/48	235-287	38-74	235-287S	47-52	520-114	235-504	11-15
KX 250	2002	13/49	235-287	38-74	235-287S	47-52	520-114	235-504	11-15
KX 250	03-04	13/48	235-287	38-74	235-287S	47-52	520-114	235-504	11-15
KX 250	05-07	13/51	235-287	38-74	235-287S	47-52	520-116	235-504	11-15
KX 250 F	04-05	13/48	235-287	38-74	235-287S	47-52	520-114	-	-
KX 250 F	06-07	13/48	235-287	38-74	235-287S	47-52	520-114	235-649	12-15
KXF 250 4 STROKE	2004	13/48/51	235-287	38-74	235-287S	47-52	520-114	235-645	12-14
KXF 250 TECATE 4	87-88	13/39	235-250	34-74	N/A	-	520-96	235-524	12-16
KXT 250 TECATE 3	83-85	13/42	235-289	30-74	235-289S	36/38/42	520-98	235-526	11-16
KXT 250 TECATE 3WH	86-87	13/37	235-295	32-74	235-295S	37	520-94	235-526	11-16
KZ 250 D LTD	80-81	15/37	235-279	30-74	N/A	-	520-102	235-524	12-16
S1 250	73-75	14/48	235-236	30-66	N/A	-	525-104	235-508	12-17
KEF 300 LAKOTA SPORT	95-03	12/43	235-297	28-74	235-297S	43	520-100	235-5044	11-17
KLX 300 R	97-02	14/50	235-287	38-74	235-287S	47-52	520-110	235-524	12-16
KLX 300 R	03-07	14/50	235-287	38-74	235-287S	47-52	520-110	235-504	11-15
KZ 305 A-1,2	81-82	15/33	235-271	28-71	235-271S	45	530-98	235-532	14-16
350 A,S	66-73	41/	235-271	28-71	235-271S	45	530-98	N/A	-
350 F-6/9 ENDURO	72-75	14/	235-225	30-66	N/A	-	525-92	235-508	12-17
KDX 400 A-1,2	79-80	15/48,15/50	235-280	45-74	235-280S	50	520-112	235-513K	11-17
KX 400	75-76	46	235-273	30-74	N/A	-	520-106	N/A	-
KZ 400 LTD	74-81	15/45	235-271	28-71	235-271S	45	530-100	235-515	14-17
KZ 400 LTD (JT Sprocket)	74-81							236-509	15
KFX 400	03-06	14/40	235-484	28-74	235-484S	36-41	520-96	235-638	12-15
KLX 400	2003	14/47	235-452	38-74	235-452S	47/49-52	520-112	235-536	10-16
KLX 400 SR	2003	15/44	235-452	38-74	235-452S	47/49-52	520-112	235-536	10-16
KDX 420 B-1	1981	15/50	235-280	45-74	235-280S	50	520-120	235-526	11-16
KX 420 A-1,2	80-81	80-81	235-280	45-74	235-280S	50	520-118	235-526	11-16
KZ 440 LTD	80-83	15/45	235-271	28-71	235-271S	45	530-104	235-515	14-17
KZ 440 LTD (JT Sprocket)	80-83							236-509	15
KDX 450 A-1	1982	15/50	235-280	45-74	235-280S	50	520-120	235-526	11-16
KX 450	THRU 74	43	235-272	30-74	N/A	-	520-102	N/A	-
KX 450 F	06-07	13/50	235-287	38-74	235-287S	47-52	520-114	235-649	12-15
EX 500 NINJA 500 R	87-93	16/42	235-298	33-74	235-298S	42/45	520-104	235-504K	11-17
EX 500 NINJA 500 R	93-06	16/41	235-298	33-74	235-298S	42/45	520-104	235-504K	11-17
H1 500 MACH 2,3	71-76	41/45	235-197	28-71	235-197S	42	530-106	N/A	-
KH 500 A-8	1976	45	235-197	28-71	235-197S	42	530-106	N/A	-
EN 500 VULCAN LTD	96-06	16/42	235-4788	36-74	N/A	-	520-110	235-504K	11-17
KX 500	1983	14/43	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 500	1984	15/46	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 500	1985	14/43	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 500	1986	14/48	235-287	38-74	235-287S	47-52	520	235-526	11-16
KX 500	1987	14/47	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 500	1988	15/47	235-287	38-74	235-287S	47-52	520-114	235-526	11-16
KX 500	87-04	14/47	235-287	38-74	235-287S	47-52	520-114	235-151526	11-16
KZ 550 C,D,H GPZ, LTD	80-83	16/38	235-275	28-71	235-275S	38/41/42/45	530-104	235-532	14-16
KZ 550 A-1,2,3,4	80-84	16/40	235-197	28-71	235-197S	42	530-100	235-532	14-16
ZR 550 ZEPHYR	90-93	16/41	235-298	33-74	235-298S	42/45	520-108	235-504K	11-17
ZX 550 A-1,2,3 GPZ	84-86	16/38	235-289	30-74	235-289S	36/38/42	520-104	235-504K	11-17

To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
KAWASAKI (con't)									
KLR 600	84-86	15/43	235-291	36-74	N/A	-	520-104	235-504K	11-17
ZX 600 C NINJA	85-97	15/39	235-293	35-71	235-293S	39	530-104	235-532	14-16
ZX 600 D (NOT R MODEL)	90-93	16/45	235-702	35-71	235-702S	39/40/42/45/48	530-110	235-514	11-18
ZX 600 E (NOT R MODEL)	93-05	16/48	235-702	35-71	235-702S	39/40/42/45/48	530-112	235-514	11-18
ZZR 600	03-04	16/48	235-702	35-71	235-702S	39/40/42/45/48	530-112	235-514	11-18
ZZR 600	05-06	15/40	235-706	28-66	235-706S	40-46	525-108	235-603	14-16
ZX 6 R STD 525 CHAIN	95-97	15/40	235-705	35-66	235-705S	38-42	525-108	235-5722	14-16
ZX 6 R 520 CONV	95-97	15/40	235-7055	35-74	N/A	-	520-108	235-514XZ	13-17
ZX 6 R STD 525 CHAIN	98-02	15/40	235-706	28-66	235-706S	40-46	525-108	235-603	14-16
ZX 6 R 520 CONV	98-02	15/40	235-7066	28-74	N/A	-	520-108	235-603X	14-16
ZX 6R (JT Sprocket)	1998					236-1489	40		
ZX 6 R	03-04	15/40	235-7066	28-74	N/A	-	520-108	235-603X	14-16
ZX 6 RR	03-05	15/40	235-706	28-66	235-706S	40-46	525-108	235-603	14-16
ZX 6 R	05-07	15/43	235-7066	28-74	N/A	-	520	235-603X	14-16
ZX 6 R	05-07	15/43	235-706	28-66	235-706S	40-46	525	235-603	14-16
ZX 636	03-04	15/39	235-706	28-66	235-706S	40-46	525	235-603	14-16
ZX 636	2005	15/43	235-706	28-66	235-706S	40-46	525	235-603	14-16
ZX 636 520 CHAIN	03-05	-	235-7066	28-74	N/A	-	520	235-603X	14-16
ZX 650 R NINJA	2006	15/46	235-7066	28-74	N/A	-	520	235-514X	
KL 650 B TENGAI	90-91	43	235-217	36-74	235-217S	43/45	520-112	N/A	-
KLR 650 A-1,2,3	87-89	15/43	235-217	36-74	235-217S	43/45	520-106	2358-504K	11-17
KLR 650 A-12	90-07	15/43	235-217	36-74	235-217S	43/45	520-106	235-613	14-16
KLX 650 C-1 STREET	93-96	15/43	235-217	36-74	235-217S	43/45	520-112	235-514XK	13-17
KLX 650 R DIRT	93-96	14/49	235-287	38-74	235-287S	47-52	520-110	235-514XK	13-17
KZ 650 C,D,LTD,SR	77-80	16/	235-275	28-71	235-275S	38/41/42/45	530-102	235-514	11-18
KZ 650 B,E,F	77-80	16/	235-197	28-71	235-197S	42	530-102	235-514	11-18
KZ 650 H-1,2,3 CSR	81-83	13/33	235-276	30-52	235-276S	32/33/35/38/41	630-84	235-521	12-16
KZ 650 H-1,2,3 CSR (JT Sprocket)	81-83							236-521	15
W 650	00-01	15/39	235-705	35-66	235-705S	38-42	525-104	235-572	14-17
KZ 700 A-1	1984	13/33	235-276	30-52	235-276S	32/33/35/38/41	630-88	235-521	12-16
KZ 700 A-1 (JT Sprocket)	1984							236-521	15
ZX 750 E TURBO	84-85	15/46	235-276	30-52	235-276S	32/33/35/38/41	630-98	235-521	12-16
ZX 750 E TURBO (JT Sprocket)	84-85							236-521	15
H-2 MACH IV	72-75	47	235-246	34-71	N/A	-	530-120	N/A	-
KZ 750 E-1,2,3	80-83	13/33	235-276	30-52	235-276S	32/33/35/38/41	630-84	235-521	12-16
KZ 750 E-1,2,3 (JT Sprocket)	80-83							236-521	15
KZ 750 CSR M-1	1982	16/38	235-275	28-71	235-275S	38/41/42/45	530-106	235-514	11-18
KZ 750 G-1 B-1,2,3,4	76-80	16/38	235-275	28-71	235-275S	38/41/42/45	530-106	235-514	11-18
KZ 750 GPZ R-1	1982	13/33	235-276	30-52	235-276S	32/33/35/38/41	630-88	235-521	12-16
KZ 750 GPZ R-1 (JT Sprocket)	1982							236-521	15
KZ 750 H. L LTD	80-83	13	235-276	30-52	235-276S	32/33/35/38/41	630-88	235-521	12-16
KZ 750 H. L LTD (JT Sprocket)	80-83							236-521	15
ZR 750 C-1 ZEPHYR	91-92	15/39	235-705	35-66	235-705S	38-42	525-106	235-572	14-17
ZX 750 A GPZ	83-85	38	235-276	30-52	235-276S	32/33/35/38/41	630-94	N/A	-
ZX 750 NINJA	87-90	16/47	235-292	40-71	235-292S	45/47/50	530-110	235-514	11-18
ZX 750 NINJA (JT Sprocket)	87-90					236-502	45		
ZX 750 ZX 7	1989	16/46	235-702	35-71	235-702S	39/40/42/45/48	530-112	235-514	11-18
ZX 750 ZX-7	1990	16/46	235-704	28-71	235-704S	41/42/44/46	530-112	235-514	11-18
ZX 750 ZX-7, ZX-7R	91-92	16/42	235-704	28-71	235-704S	41/42/44/46	530-110	235-514	11-18
ZX 750 ZX-7, ZX-7R	93-95	16/44	235-704	28-71	235-704S	41/42/44/46	530-110	235-514	11-18
ZX 7 RR	96-97	16/42	235-706	28-66	235-706S	40-46	525-110	235-572	14-17
ZX 750 ZX-7, ZX-7R	96-04	16/42	235-706	28-66	235-706S	40-46	525-110	235-572	14-17
Z 750 S	05-06	15/43	235-7066	28-74	N/A	-	520	N/A	-
ZX 7R 520 CONV	96-04	16/43	235-7066	28-74	N/A	-	520-110	235-514X	11-18
ZR-7	00-04	16/42	235-705	35-66	235-705S	38-42	525-108	235-572	14-17
ZR-7S	02-03	16/38	235-705	35-66	235-705S	38-42	525-108	235-572	14-17
VN 800 VULCAN	95-06	16/42	235-702	35-71	235-702S	39/40/42/45/48	530-114	235-514	11-18
VN 800 VULCAN CLASSIC	96-05	17/42	235-702	35-71	235-702S	39/40/42/45/48	530-114	235-514	11-18
VN 800 VULCAN DRIFTER	99-06	17/40	235-702	35-71	235-702S	39/40/42/45/48	530-114	235-514	11-18
KZ 900 Z-1 A	73-77	15/35	235-270	30-52	235-270S	35	630-92	235-521	12-16
KZ 900 Z-1 A (JT Sprocket)	73-77							236-521	15
KZ-900 LTD	1976	15/35	235-274	32-52	235-274S	35	630-92	235-521	12-16
KZ-900 LTD (JT Sprocket)	1976							236-521	15
ZX-900 A-2 NINJA	84-86	17/50	235-292	40-71	235-292S	45/47/50	530-114	235-557	15-18
ZX-900 A-2 NINJA (JT Sprocket)	84-86					236-502	45		



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
KAWASAKI (con't)									
ZX-9R STD 530 CHAIN	94-96	16/44	235-704	28-71	235-704S	41/42/44/46	530-112	235-514	11-18
ZX-9 R STD 530 CHAIN	97-04	16/41	235-704	28-71	235-704S	41/42/44/46	530-112	235-514	11-18
ZX-9 R 520 CONV	94-01	16	235-7044	28-74	N/A	-	520-112	235-514X	11-18
ZX-9R STD 525 CHAIN	02-03	16/41	235-706	28-66	235-706S	40-46	525-110	235-572S	14-17
ZX-9R 520 CONV	02-03	16/41	235-7066	28-74	N/A	-	520	235-514X	11-18
KZ-1000 Z-1 D,R,B,LTD	77-81	15	235-276	30-52	235-276S	32/33/35/38/41	630-92	235-521	12-16
KZ-1000 Z-1 D,R,B,LTD (JT Sprocket)	77-81							236-521	15
KZ-1000 M,J,K,R CSR	81-91,95-01	15	235-276	30-52	235-276S	32/33/35/38/41	630-98	235-542	14-15
KZ-1000 P	02-03	46	235-704	28-71	235-704S	41/42/44/46	530	235-635	15-17
Z 1000	03-06	16/42	235-706	28-66	235-706S	40-46	525-112	235-572S	14-17
Z 1000	2007								
ZX 10 R	04-06	17/39	235-706	28-66	235-706S	40-46	525-112	235-572S	14-17
ZX 10 R	04-06	17/39	235-7066	28-74	N/A	-	520-112	235-514X	11-18
ZX-1000 NINJA A-1,2 630	86-87	15/41	235-296	34-52	N/A	-	630-94	235-554X	15
ZX-1000 NINJA A-1,2 632	86-87		N/A		235-296S	41	632-94	235-554	15
ZX-1000 ZX-10 NINJA	88-90	17/45	235-292	40-71	235-292S	45/47/50	530-110	235-571X	17
ZX-1000 ZX-10 NINJA (JT Sprocket)	88-90				236-502	45			
ZX-1000 ZX-10 NINJA 532	88-90	17/45	235-703	42-52	N/A	-	532-110	235-571	16-17
KZ-1100 B GPZ	81-82	15	235-276	30-52	235-276S	32/33/35/38/41	630-98	235-542	14-15
ZR-1100	92-95	16/48	235-292	40-71	235-292S	45/47/50	530	235-557	15-18
ZR-1100 (JT Sprocket)	92-95				236-502	45			
ZRX-1100	99-00	17/45	235-292	40-71	235-292S	45/47/50	530	235-607	16-18
ZRX-1100 (JT Sprocket)	99-00				236-502	45			
ZX-1100 A GPZ	83-84	41	235-276	30-52	235-276S	32/33/35/38/41	630-100	N/A	-
GPZ 1100	95-96	45/	235-292	40-71	235-292S	45/47/50	530-112	N/A	-
GPZ-1100 (JT Sprocket)	95-96				236-502	45			
ZX 1100 ZX-11	90-93	17/45	235-292	40-71	235-292S	45/47/50	530-110	235-581	16-17
ZX 1100 ZX-11 (JT Sprocket)	90-01				236-502	45			
ZX 1100 ZX-11	93-01	17/45	235-292	40-71	235-292S	45/47/50	530-110	235-557	15-18
ZX 12 R NINJA	00-05	18/46	235-704	28-71	235-704S	41/42/44/46	530-116	235-557	15-18
ZZR 1200R	02-05	17/	235-704	28-71	235-704S	41/42/44/46	530-110	235-557	15-18
ZRX 1200 STD/LAWSON	01-05	17/42	235-704	28-71	235-704S	41/42/44/46	530-110	235-607	15-18
ZX-14	2006	17/41	235-2940	32-71	N/A	-	530	235-557*	15-18
* USE 607 IF SHOULDER NEEDED									
KTM									
50 415 CHAIN WITH OFF SET	94-95		235-926	33-50	N/A	-	415	235-601	9-14
50 415 CHAIN <u>NO</u> OFF SET	94-96		235-927	28-72	N/A	-	415	235-601	9-14
50 420 CHAIN <u>NO</u> OFF SET	94-96		235-928Z	22-72	N/A	-	420	N/A	-
50 415 CHAIN	97-01		235-924**	42-50	235-924S	42/44/48/50	415	235-601	9-14
** MUST USE 924 CARRIER WITH ALUMINUM ONLY									
50 LC	2001	12/	235-924**	42-50	235-924S	42/44/48/50	415	235-628	10-14
** MUST USE 924 CARRIER WITH ALUMINUM ONLY									
50 ALL	02-04	11/48	235-924**	42-50	235-924S	42/44/48/50	415	235-628	10-14
** MUST USE 924 CARRIER WITH ALUMINUM ONLY									
50 SR PRO	2004	44/	235-954	28-72	N/A	-	415	N/A	-
50 SR PRO 420 CHAIN	2004	44/	235-9544	28-72	N/A	-	420	N/A	-
65 SX 420 STD	98-06	13/44	235-929	38-72	N/A	-	420-118	235-604	11-14
65 SX 420 STD	02-07	14/50	235-929	38-72	N/A	-	420-112	235-604	11-14
65 SX 428 CONV	98-01	13/44	235-9299	38-72	N/A	-	428-118	235-604X	11-14
65 SX 428 CONV	02-06	14/50	235-9299	38-72	N/A	-	428-112	235-604X	11-14
80	86-88	52/	235-255	37-70	N/A	-	428	N/A	-
85 SX	03-07	14/47	235-981	42-70	N/A	-	428-122	N/A	-
105 SX	04-06	14/49	235-981	42-70	N/A	-	428-122		
125 WR, MX 6MM BH	79-81	57/	235-267	44-74	N/A	-	520	235-5399	12-17
125 MX	84-86	16/	235-256	56-70	235-256S	60	428	235-559	16
125 MXC	84-86	-	235-269	44-74	235-269S	50/52/54	520	235-5399	12-17
125 MX,DXC,EXC	87-90	-	235-269	44-74	235-269S	50/52/54	520	235-5399	12-17
125 MX,EXC,SX	91-07	13/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
175 WR, MX 6MM BH	79-81	57	235-267	44-74	N/A	-	520	235-5399	12-17
200 EXC, MXC	98-06	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
200 SX	03-06	14/45	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
200 XC/XC-W	06-07	14/48	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
250 7MM BH	74-79	-	235-266	49-71	N/A	-	530	N/A	-
250 MC, WR, XC, MXC	80-83	-	235-268	49-74	235-268S	52	520	235-5399	12-17
250 WATER COOL	83-84	52	235-269	44-74	235-269S	50/52/54	520	235-5399	12-17



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN SIZE	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE		FRONT STEEL PART #	TOOTH RANGE
KTM (con't)									
250,420,495 ALL MODELS	84-89	-	235-269	44-74	235-269S	50/52/54	520	235-5399	12-17
250,300 ALL MODELS	90-06	-	235-925	38-74	235-925S	40/42/48/50-52	520-116	235-5399	12-17
250 SX	96-07	13/50	235-925	38-74	235-925S	40/42/48/50-52	520-116	235-5399	12-17
250 MXC	98-01	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-116	235-5399	12-17
250 EXC	96-05	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
250 XC/XC-W	06-07	13/50	235-925	38-74	235-925S	40/42/48/50-52	520	235-5399	12-17
250 SXF	05-07	13/48	235-925	38-74	235-925S	40/42/48/50-52	520	235-5399	12-17
300 SX	93-95	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
300 EXC	96-05	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
300 EXC	1995	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
300 MXC	95-05	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-116	235-5399	12-17
300 XC/XC-W	06-07	13/50	235-925	38-74	235-925S	40/42/48/50-52	520	235-5399	12-17
360 EXC	1997	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
360 EXC	1996	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
360 MXC	96-97	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
360 SX	96-97	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
380 EXC/MXC	98-02	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
380 SX	98-02	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
400 DUKE (JT Sprocket)	95-96							236-1902	16
400 EGS-E (JT Sprocket)	96-98							236-1902	15
400 LSE (JT Sprocket)	97-98							236-1902	15
400 MXC/EXC	00-02	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
400	03-07	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
450/525 XC	06-07	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
450 MXC/EXC	03-06	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-114	235-5399	12-17
450 SX	2003	14/50	235-925	38-74	235-925S	40/42/48/50-52	520-114	235-5399	12-17
450 SX	04-07	14/52	235-925	38-74	235-925S	40/42/48/50-52	520-114	235-5399	12-17
520 SX/MXC/EXC	00-02	14/48	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
525 MXC/EXC	03-07	14/48	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
600 LC4 ENDURO (JT Sprocket)	88-93							236-1902	15
600 LC4 MX (JT Sprocket)	89-92							236-1902	15
620 DUKE	97-02	17/38	235-925	38-74	235-925S	40/42/48/50-52	520	235-11790539K	12-17
620 EGS-E (JT Sprocket)	96-98				236-897	40		236-1902	16
620 LC4, EXC	94-95	15/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
620 LC4, EXC	1996	15/48	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
620 LC4, EXC	97-98	15/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
620 LC4 MX (JT Sprocket)	1994							236-1902	15
620 LC4, SX	94-98	15/50	235-925	38-74	235-925S	40/42/48/50-52	520-118	235-5399	12-17
620 LC4 SX Motocross (JT Sprocket)	95-98							236-1902	15
620 LSE (JT Sprocket)	97-98				236-897	40		236-1902	16
620 SC Super Competition (JT Sprocket)	95-98							236-1902	15
640 SUPERMOTO	00-04	17/40	235-2915	38-74	N/A	-	520-118	235-539K	12-17
640 LC4,ADVENTURE,DUKE	99-04	17/42	235-2915	38-74	N/A	-	520	235-539K	12-17
950 ADVENTURE	2004	-	235-2931	38-74	N/A	-	525	235-646	16-18
KYMCO									
50 MONGOOSE	04-06	17/28	235-2924Z	25-72	N/A	-	428	235-529	-
250 MONGOOSE	04-06	14/38	235-971	25-72	N/A	-	520	N/A	-
MZ									
MZ 125	01-04	-	235-2928	36-70	N/A	-	428	N/A	-
1000 MZ	2005	-	235-336	35-71	N/A	-	530	235-583	11-17/19
POLARIS									
PREDATOR 50/90	04-06	-	235-2934	25-72	N/A	-	428	N/A	-
SCRAMBLER 50/90		-	235-2918	24-70	N/A	-	428	N/A	-
SPORTSMAN 90		-	235-2918	24-70	N/A	-	428	N/A	-
PREDATOR 90	2003	-	235-2918	24-70	N/A	-	428	N/A	-
250 4x4(JT Sprocket)	1993				236-1478 (Mid Axle)	42		236-3221 (Center 1)	11
250 6x6 (JT Sprocket)	1993				236-1478 (Mid Axle)	42		236-3221 (C/S 1)	11
PREDATOR 50/90	04-06	-	235-2934	25-72	N/A	-	428	N/A	-
SCRAMBLER 50/90		-	235-2918	24-70	N/A	-	428	N/A	-
SPORTSMAN 90		-	235-2918	24-70	N/A	-	428	N/A	-
PREDATOR 90	2003	-	235-2918	24-70	N/A	-	428	N/A	-
250 4x4(JT Sprocket)	1993				236-1478 (Mid Axle)	42		236-3221 (Center 1)	11



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL			CHAIN SIZE	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	FRONT STEEL PART #		TOOTH RANGE	
POLARIS										
250 6x6 (JT Sprocket)	1993				236-1478 (Mid Axle)	42			236-3221 (C/S 1)	11
250 6x6 (JT Sprocket)	93-94								236-3221 (Center 1)	11
250 BIG BOSS 4x6 (JT Sprocket)	89-92				236-1478	42			236-3221 C/S	13
250 BIG BOSS 6x6 (JT Sprocket)	91-92				236-1478 (Mid Axle)	42			236-3221 (Center 1)	11
CYCLONE 250	1987	13/42	235-106	30-74	235-1065	34/38/42	520-74		235-588	10-15
CYCLONE 250 (JT Sprocket)	1987				236-1478	42			236-3221 C/S	13
SCRAMBLER 250	85-86	13/42	235-106	30-74	235-1065	34/38/42	520-74		235-588	10-15
SCRAMBLER 250 (JT Sprocket)	85-86				236-1478	42			236-3221 C/S	13
TRAIL BLAZER 250	1990	13/42	235-106	30-74	235-1065	34/38/42	520-88		235-588	10-15
TRAIL BLAZER 250 (JT Sprocket)	90/95/96-98				236-1478	42				
TRAIL BLAZER 250 (JT Sprocket)	90-91								236-3221 C/S	13
TRAIL BLAZER 250	1991	13/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
TRAIL BLAZER 250	1992	11/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
TRAIL BLAZER 250	1993	11/38	235-106	30-74	235-1065	34/38/42	520-86		235-588	10-15
TRAIL BLAZER 250 (JT Sprocket)	92-94								236-3221	11
TRAIL BLAZER 250 (JT Sprocket)	1993				236-1478	38				
TRAIL BLAZER 250	1994	11/40	235-106	30-74	235-1065	34/38/42	520-86		235-588	10-15
TRAIL BLAZER 250	95-99	12/42	235-106	30-74	235-1065	34/38/42	520-88		235-588	10-15
TRAIL BOSS 250	85-89	13/42	235-106	30-74	235-1065	34/38/42	520-88		235-588	10-15
TRAIL BOSS 250 (JT Sprocket)	85-89				236-1478	42			236-3221 C/S	13
TRAILBOSS 250	1990	13/38	235-106	30-74	235-1065	34/38/42	520-86		235-588	10-15
TRAIL BOSS 250 (JT Sprocket)	1990				236-1478	38			236-3221 C/S	13
TRAILBOSS 250	91-93	13/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
TRAIL BOSS 250 (JT Sprocket)	91-93								236-3221 C/S	13
TRAILBOSS 250	1994	11/40	235-106	30-74	235-1065	34/38/42	520-86		235-588	10-15
TRAIL BOSS 250 (JT Sprocket)	1994								236-3221	11
TRAIL BOSS 250	95-99	12/42	235-106	30-74	235-1065	34/38/42	520-88		235-588	10-15
TRAIL BOSS 250 (JT Sprocket)	95-99				236-1478	42				
TRAIL BOSS 250 2x4 (JT Sprocket)	86-87				236-1478 (Mid Axle)	42				
TRAIL BOSS 250 4x4 (JT Sprocket)	87-92				236-1478 (Mid Axle)	42			236-3221 (Center 1)	11
300 2x4 (JT Sprocket)	95-96				236-1478	38				
300 4x4 (JT Sprocket)	94-95								236-3221(C/S 1)	13
300 6x6 (JT Sprocket)	1994				236-1478 (Mid Axle)	42			236-3221 (Center 1)(C/S 1)	11
300 XPRESS	96-99	12/38	235-106	30-74	235-1065	34/38/42	520-86		235-588	10-15
300 XPRESS (JT Sprocket)	96-99				236-1478	38				
EXPLORER 300	96-99	13/40	235-106	30-74	235-1065	34/38/42	520-88		235-588	10-15
EXPLORER 300 (JT Sprocket)	96-99								236-3221(C/S 1)	13
350L 6x6 (JT Sprocket)	1993				236-1478 (Mid Axle)	42			236-3221 (Center 1)(C/S 1)	11
TRAILBOSS 350 L	90-93	13/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
TRAILBOSS 350 L (JT Sprocket)	90-93								236-3221(C/S 1)	13
SPORTSMAN 350	1993	12/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
400L 2x4 (JT Sprocket)	94-95								236-3221 C/S	13
400L 4x4 (JT Sprocket)	1994								236-3221 (Center 1)(C/S 1)	13
400L 6x6 (JT Sprocket)	94-98				236-1478 (Mid Axle)	42			236-3221 (Center 1)(C/S 1)	13
SCRAMBLER 400	1995	11/38	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
SCRAMBLER 400 (JT Sprocket)	95-96				236-1478 (Mid Axle)	38				
SCRAMBLER 400 (JT Sprocket)	1996								236-3221 C/S	13
SCRAMBLER 400	96-99	13/38	235-106	30-74	235-1065	34/38/42	520-70		235-588	10-15
SPORTSMAN 400	94-96	13/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
400 Sportsman 4x4 (JT Sprocket)	94-96								236-3221 (Center 1)(C/S 1)	13
EXPLORER 400	1995	13/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
400 Explorer 4x4 (JT Sprocket)	95-98								236-3221 (Center 1)(C/S 1)	13
SPORT 400 L	94-95	12/34	235-106	30-74	235-1065	34/38/42	520-84		235-588	10-15
400L Sport (JT Sprocket)	1996								236-3221 C/S	13



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
POLARIS (cont)									
SPORT 400 L	96-99	12/34	235-106	30-74	235-106S	34/38/42	520-84	235-588	10-15
EXPRESS 400	1996	13/34	235-106	30-74	235-106S	34/38/42	520-84	235-588	10-15
400 Xpress 2x4(JT Sprocket)	1996							236-3221 C/S	13
425 MAGNUM 6x6 (JT Sprocket)	1996				236-1478 (Mid Axle)	42		236-3221 (Center 1)	11
MAGNUM 425	95-98	12/38	235-106	30-74	235-106S	34/38/42	520-86	235-588	10-15
MAGNUM 425 2x4(JT Sprocket)	95-98				236-1478	38			
MAGNUM 425 4x4(JT Sprocket)	95-98				236-1478 (Mid Axle)	38		236-3221 (Center 1)	11
OUTLAW 500	06-07	14/38	N/A	-	N/A	-	520-90	235-643K	12-16
PREDATOR 500 (33-35 LL ONLY)	03-04	14/37	235-2923	36-40	N/A	-	520-94	235-643	13-14
PREDATOR 500 (33-35 LL ONLY)	05-07	14/38	235-2923	36-40	N/A	-	520-94	235-643K	12-16
250,300,350,400*	-	-	235-106	30-74	235-106S	34/38/42	520	235-588	10-15
* ALL REAR WHEEL DRIVE MODELS ONLY									
SUZUKI									
AC,AS, M-12,15	66-70	35	235-154	30-72	N/A	-	420-106	235-512	11-16
ALT, LT-50 D,E,F,G,H	83-87	11/37	235-154	30-72	N/A	-	420-64	235-512	11-16
LT 50	01-04	37	235-483	28-70	N/A	-	420	N/A	-
LTZ 50	05-06	28/70	235-483	28-70	N/A	-	420	N/A	-
GSXR 50	1987	14/37	235-468	28-72	N/A	-	420	235-512	11-16
JR 50	80-02	13/28	235-141	28-72	235-141S	28	420-78	235-512	11-16
JR 50 (JT Sprocket)	83-02				236-1780	28			
JR 50	03-04	13/28	235-485	24-72	N/A	-	420	235-512	11-16
M 31	1968	12/32	235-154	30-72	N/A	-	420	235-512	11-16
MT, TS 50 K,J,R	71-74	12	235-154	30-72	N/A	-	420-112	235-512	11-16
RB 50 H	1987	14/37	235-468	28-72	N/A	-	420-112	235-512	11-16
RM 50	79-80	12/42	235-147	30-72	N/A	-	420-92	235-512	11-16
RM 60	79-83	12	235-147	30-72	N/A	-	420-94	235-512	11-16
RM 60	03-04	13/44	235-288	38-72	235-288S	44/49	420-104	235-501	12-17
TM, TS 75	74-77	15/42	235-154	30-72	N/A	-	420-112	235-512	11-16
RM 65	03-05	13/47	235-707	39-72	N/A	-	420-108	235-501	12-17
JR 80	78-81,85-04		235-142	30-70	235-142S	34	428-96	235-512X	12-14
DS 80	78-79	14/38	235-142	30-70	235-142S	34	428-96	235-512X	12-14
DS 80	80-03	12/34	235-142	30-70	235-142S	34	428-96	235-512X	12-14
K 10, 11, 15	65-68	13	235-154	30-72	N/A	-	420	235-512	11-16
LT 80 QUAD	87-88	12/26	235-467	24-70	235-467S	26	428-44	235-502S	10-19
LT 80 QUAD	89-06	10/22	235-471	22-74	235-471S	22	520-36	235-502XS	10-15
LT 80 Quad (JT Sprocket)	89-06				236-1795	22			
RM 80	77-81		235-146	30-70	N/A	-	428	235-512X	12-14
RM 80	1982	13/52	235-459	38-70	235-459S	44/47/48/50/52	428-116	235-502S	10-19
RM 80	1983	13/50	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-502S	10-19
RM 80	84-85	13/44	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-502S	10-19
RM 80	86-88	14/50	235-466	38-72	235-466S	44/50	420-120	235-501S	12-17
RM 80 (JT Sprocket)	86-88							236-413	13
RM 80	89-01	14/48	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-502S	10-19
RM 85	02-07	14/47	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-502S	10-19
RM 85 L	02-06	-	235-148	38-70	235-148S	44/47/48/50/52	428	235-502S	10-19
TC 90	70-72	14/51/47	235-228	28-70	N/A	-	428-114	N/A	-
TS 90 J-HONCHO R	70-72	14/51	235-228	28-70	N/A	-	428-114	235-502S	10-19
TS 90 J-ROVER	70-72	14/51	235-145	30-70	N/A	-	428	235-502S	10-19
RV 90	72-77	15/47	235-145	30-70	N/A	-	428-125	235-502	12-19
AS 100	1966	13/42	235-145	30-70	N/A	-	428-108	235-502S	12-19
DR 100	83-90	13/42	235-462	40-70	235-462S	42	428-112	235-518	12-16
DR 100 (JT Sprocket)	83-90				236-804	42	428-112		
DR 100 (JT Sprocket)	89-90							236-426	15
DS 100	78-81	14/44	235-233	28-70	235-233S	47/53/60	428-114	235-502S	10-19
RM, TM 100A	74-76	14	235-233	28-70	235-233S	47/53/60	428-128	235-502S	10-19
RM 100 (JT Sprocket)	76-82							236-426	15
RM 100	1977	15/57	235-233	28-70	235-233S	47/53/60	428-132	235-518	12-16
RM 100	1978	15/57	235-151	50-70	235-151S	59	428-132	235-518	12-16
RM 100	79-81	13	235-451	48-70	235-451S	60	428-132	235-518	12-16
RM 100	03-04	13/51	235-294	38-72	235-294S	49/54	420-124	235-501	12-17
SP 100	1983	13/45	235-462	40-70	236-804	42	428-112	235-518	12-16
SP 100 (JT Sprocket)	1983				236-804	42	428-112		
TC 100	74-77		235-233	30-70	235-233S	47/53/60	428-124	N/A	-



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
SUZUKI (con't)									
M, TS 100	73-81	14/47	235-233	30-70	235-233S	47/53/60	428-116	235-502S	10-19
A 100	76-77	13/32	235-145	30-70	N/A	-	428	235-502S	10-19
B, TC 120	67-71	-	235-228	28-70	N/A	-	428	N/A	-
DRZ 110	03-05	14/33	235-951	28-70	N/A	-	420-86	235-636	13-15
DR 125	86-88,94-96	16/53	235-233	28-70	235-233S	47/53/60	428-134	235-550	15-16
DR 125 Z,D,E	82-84	14/47	235-233	28-70	235-233S	47/53/60	428-122	235-518	12-16
DR 125 (JT Sprocket)	80-85							236-426	15
DRZ 125	02-07	13/51	235-204	40-70	N/A	-	428-122	235-550	13-16
DRZ 125 L	02-07	13/57	235-204	40-70	N/A	-	428-130	235-550	13-16
ALT, LT 125 STEEL ONLY	83-87	13/49	N/A	-	235-904S	49	428-90	235-518	12-16
DS 125 N,T,X	79-81	15/44	235-233	28-70	235-233S	47/53/60	428-114	235-502S	10-19
GN 125	82-83,91-97	14/42	235-460	28-70	N/A	-	428-114	235-518	12-16
GN 125 (JT Sprocket)	92-98							236-426	15
RM 125 M	1975	14/60	235-233	28-70	235-233S	47/53/60	428-126	235-502S	10-19
RM 125 A,B	76-77	14/60	235-233	28-70	235-233S	47/53/60	428-132	235-518	12-16
RM 125 C	1978	14/59	235-151	50-70	235-151S	59	428-132	235-518	12-16
RM 125 N	1979	13/60	235-451	48-70	235-451S	60	428-132	235-518	12-16
RM 125 (JT Sprocket)	76-79							236-426	15
RM 125	80-84&86,88-91	12/13/51	235-452	38-74	235-452S	47/49-52	520-118	235-518X	11-15
RM 125 (JT Sprocket)	88-07							236-427	13-14
RM 125	1985	12/49	235-452	38-74	235-452S	47/49-52	520-116	235-518X	11-15
RM 125	1987	12/53	235-452	38-74	235-452S	47/49-52	520-114	235-518X	11-15
RM 125	92-95	12/49	235-452	38-74	235-452S	47/49-52	520-112	235-518X	11-15
RM 125	96-07	12/49/50	235-452	38-74	235-452S	47/49-52	520-114	235-518X	11-15
RV 125	73-74	15/51	235-228	28-70	N/A	-	428-124	235-502S	10-19
RV 125 M	1975	12/40	235-233	28-70	235-233S	47/53/60	428	235-502S	10-19
SP 125 Z, D	82-83	14/47	235-233	28-70	235-233S	47/53/60	428-122	235-518	12-16
SP 125 G,H,J	86-88	16/53	235-233	28-70	235-233S	47/53/60	428-134	235-550	15-16
TC 125	70-71	40	235-228	28-70	N/A	-	428	N/A	-
TC 125	73-77	37	235-227	30-74	235-227S	39/45	520-92	N/A	-
TM 125	73-75	15	235-233	28-70	235-233S	47/53/60	428-124	235-502S	10-19
TS 125 R	1971	50	235-233	28-70	235-233S	47/53/60	428-118	N/A	-
TS 125	72-81	-	235-233	28-70	235-233S	47/53/60	428-124	235-502S	10-19
LT, LTF-160	89-04	11/39	235-464	28-74	235-464S	39/41/42	520-84	235-536	10-16
PE 175	78-79	12/48	235-232	39-74	235-232S	43/50	520-106	235-518X	11-15
PE 175	80-84	12/48	235-457	42-74	N/A	-	520-106	235-518X	11-15
PE 175 (JT Sprocket)	79-84							236-427	13-14
RS 175	80-82	12/46	235-452	38-74	235-452S	47/49-52	520-106	235-518X	11-15
ALT, LT 185 STEEL ONLY	84-87	12/38	N/A	-	235-905S	38	520-72	235-528	10-16
DS 185	77-80	12/39	235-227	30-74	235-227S	39/45	520-102	235-502X	10-15
GT 185	73-77	42	235-201	30-74	N/A	-	520-102	N/A	-
TC 185	75-77	39	235-227	30-74	235-227S	39/45	520-94	N/A	-
TS 185	71-81	12/39	235-227	30-74	235-227S	39/45	520-102	235-502X	10-15
DR,SP 200	86-88	15/45	235-227	30-74	235-227S	39/45	520-112	235-553	13-15
DR 200 S, SE	96-04	15/45	235-227	30-74	235-227S	39/45	520-112	235-589	14-15
DR 200 SE	2007								
T, TC 200	67-68	14	235-160	30-66	N/A	-	525	235-505	12-17
LT 230 E, S	85-93	11/12/41	235-464	28-74	235-464S	39/41/42	520-84	235-536	10-16
DS 250 T	1980	40	235-224	30-66	N/A	-	525-104	N/A	-
DR 250	82-85	13/42	235-155	30-74	235-155S	42	520-104	235-528	10-16
DR 250	90-93	13/49	235-452	38-74	235-452S	47/49-52	520-110	235-536	10-16
DR 250	90-95	13/49	235-232	39-74	235-232S	43/50	520-112	235-536	10-16
DR 250 S STREET	90-95	13/49&14/42	235-232	39-74	235-232S	43/50	520-112	235-536	10-16
DRZ 250	01-06	13/49	235-452	38-74	235-452S	47/49-52	520-112	235-536	10-16
DRZ 250	2007								
GN 250	82-85,88	15/41	235-461	28-74	N/A	-	520-100	235-528	10-16
GS 250	80-81	47	235-456	28-74	N/A	-	520-106	N/A	-
GT 250	73-77	14/41	235-160	30-66	N/A	-	525-96	235-505	12-17
GZ 250	99-04	15/41	235-461	28-74	N/A	-	520-110	235-528	10-16
LT 250 E 4 WH	84-86	11/38	235-463	28-74	235-463S	38/40/42	520-78	235-544	10-12
LT 250 R, S RACER	85-92	12/42	235-464	28-74	235-464S	39/41/42	520-102	235-536	10-16
LT 250 Quad Racer (JT Sprocket)	85-90							236-432	11
Ltz 250 QUADSPORT	04-07								
PE 250	77-79	13/52	235-149	42-74	235-149S	50	520-110	235-516	11-16
PE 250	80-81	13/52	235-453	42-74	N/A	-	520-110	235-516	11-16



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
SUZUKI (con't)									
RG 250 Gamma (JT Sprocket)	83-84							236-436	14
RGV 250 Gamma (JT Sprocket)	86-96							236-436	14
RM 250	76-78	13/50	235-149	42-74	235-149S	50	520-108	235-516	11-16
RM 250	79-80	14/50	235-232	39-74	235-232S	43/50	520-108	235-516	11-16
RM 250	1981	14/50	235-452	38-74	235-452S	47/49-52	520-114	235-11140516	11-16
RM 250	1982	14/49	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	1983	14/50	235-452	38-74	235-452S	47/49-52	520-116	235-536	10-16
RM 250	84-86	14/50	235-458	41-74	235-458S	42/47/49	520-116	235-536	10-16
RM 250	1987	14/50	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	1988	13/50	235-452	38-74	235-452S	47/49-52	520-116	235-536	10-16
RM 250	89-92	13/49	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	93-96	13/49	235-452	38-74	235-452S	47/49-52	520-116	235-536	10-16
RM 250	97-98	13/50	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	99-00	13/48	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	01-03	13/49	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RM 250	04-07	13/50	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RMX 250	89-99	13/50	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-16
RMZ 250	04-06	13/48	235-287	38-74	235-287S	47-52	520-114	235-645	12-14
RMZ 250	2007	12/48	235-452	38-74	235-452S	47/49-52	520-114	235-518X	11-15
RS 250	80-81	13/52	235-232	39-74	235-232S	43/50	520-110	235-516	11-16
SP 250	82-85	15/42	235-155	30-74	235-155S	42	520-102	235-528	10-16
T 250 2, RJ	69-72	15/41	235-160	30-66	N/A	-	525-96	235-505	12-17
TM 250	72-75	15/45	235-224	30-66	N/A	-	525-100	235-505	12-17
TS 250	69-70	15	235-160	30-66	N/A	-	525-98	235-505	12-17
TS 250	71-76	15	235-224	30-66	N/A	-	525-104	235-505	12-17
TS 250	77-81	40	235-224	30-66	N/A	-	525-104	N/A	-
RL 250			235-233*	28-72	N/A	-	428	235-566	14-15
* MUST USE 233 SPACER									
LT 300 E 4WH	87-89	11/41	235-463	28-74	235-463S	38/40/42	520-92	235-516	11-16
T, TC 305	1968	14	235-160	30-66	N/A	-	525	235-505	12-17
T 350	68-72	14/38	235-160	30-66	N/A	-	525	235-505	12-17
DR 350	90-93	14/47	235-452	38-74	235-452S	47/49-52	520-110	235-536	10-15
DR 350	94-99	15/44	235-452	38-74	235-452S	47/49-52	520-110	235-536	10-15
DR 350 S STREET	90-93		235-232	39-74	235-232S	43/50		235-536	10-15
DR 350 S STREET	94-95	15/41	235-232	39-74	235-232S	43/50	520-110	235-536	10-15
DR 350 S,STREET, SE	96-99	15/41	235-452	38-74	235-452S	47/49-52	520-108	235-536	10-15
DR, SP 370	78-79	15/42	235-155	30-74	235-155S	42	520-100	235-528	10-16
RM 370	76-77	13/50	235-149	42-74	235-149S	50	520-108	235-516	11-16
GT 380	73-77	40	235-159	30-71	235-159S	45	530-104	N/A	-
DR 400	1980	16/46	235-232	39-74	235-232S	43/50	520-108	235-528	10-16
DRZ 400 E, DIRT	00-07	14/47	235-452	38-74	235-452S	47/49-52	520-112	235-536	10-15
DRZ 400 STREET	00-07	15/44	235-452	38-74	235-452S	47/49-52	520-114	235-536	10-15
DRZ 400 SM	05-07	15/41	235-452	38-74	235-452S	47/49-52	-	235-536	10-15
LTZ 400 QUAD	03-07	14/40	235-484	28-74	235-484S	36-41	520-96	235-638	12-14
GN 400	80-82	16/37	235-454	28-74	N/A	-	520-98	235-528	10-16
GS 400	77-78	16/45	235-159	30-71	235-159S	45	530-104	235-514	11-18
GSF 400	91-92	14/47	235-477	33-66	N/A	-	525-114	235-614	14
GSF 400	1993	14/46	235-477	33-66	N/A	-	525-114	235-614	14
PE 400	80-81	15/46	235-453	42-74	N/A	-	520-108	235-516	11-16
RM 400	1978	13/50	235-149	42-74	235-149S	50	520-108	235-516	11-16
RM 400	79-80	14/49	235-232	39-74	235-232S	43/50	520-110	235-516	11-16
SP 400	1980	15/42	235-155	30-74	235-155S	42	520-100	235-528	10-16
TM 400	71-75	15/40	235-224	30-66	N/A	-	525-102	235-505	12-17
TS 400	72-76	15/40	235-224	30-66	N/A	-	525-104	235-505	12-17
TS 400	1977	40	235-224	30-66	N/A	-	525-104	N/A	-
GS 425	1979	16/45	235-159	30-71	235-159S	45	530-104	235-514	11-18
GS 450	80-83, 85-88	16	235-159	30-71	235-159S	45	530-108	235-514	11-18
LTR 450	2006	14/36	235-2939	36-74	N/A	-	520-96	235-638	12-14
RMZ 450	2005	14/49	235-452	38-74	235-452S	45/47/49-52	520-114	235-638	12-14
RMZ 450	06-07	14/48	235-452	38-74	235-F25452S	45/47/49-52	520-114	235-638	12-14
RMX 450	2005							235-649	12-15
RM 465	1981	14/49	235-458	41-74	235-458S	42/47/49	520-112	235-516	11-16
RM 465	1982	14/47	235-458	41-74	235-458S	42/47/49	520-112	235-543	12-15
GS 500 F	2005							235-504	11-17
DR 500	81-83	47	235-454	28-74	N/A	-	520-106	235-528	10-16



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
SUZUKI (con't)									
GS 500 E	89-03	16/39	235-474	32-74	235-474S	39	520-110	235-504	11-17
GS 500 E	94-06	16/39	235-474	32-74	235-474S	39	520-110	235-562	13-15
GT 500	75-77	33	235-159	30-71	235-159S	45	530-110	N/A	-
LT 500 R QUAD	87-90	13/42/40	235-463	28-74	235-463S	38/40/42	520-98	235-543	12-15
LT 500 R QUAD (JT Sprocket)	1987				236-182S	42			
RE-500	75-76	14/43	235-150	32-52	N/A	-	630	235-519	14
RG 500 GAMMA	1986	16/40	235-476	28-71	N/A	-	530	235-514	11-18
RM-500	83-84	14/46	235-458	41-74	235-458S	42/47/49	520-116	235-543	12-15
SP 500	81-83	15/46	235-454	28-74	N/A	-	520-106	235-528	10-16
T-500	70-75	33	235-159	30-71	235-159S	45	530-112	N/A	-
GS 550 B,C,N,ET,LZ SPOKE	77-82	15	235-159	30-71	235-159S	45	530-110	235-514	11-18
GS 550 EC,EN,LN,LX,TX,MZ	78-82	15	235-152	30-71	235-152S	42-45 48/50/52	530-112	235-514	11-18
GS 550	83-87	-	235-152	30-71	235-152S	42-45/ 48/50/52	530-112	235-514	11-18
GT 550 #152 MAG #159 SPOKE	71-77	40	235-159	30-71	235-159S	45	530-108	N/A	-
GSF 600 BANDIT	96-03	15	235-465	33-71	235-465S	42-45/47-48	530-112	235-514	11-18
GSX 600 F KATANA	1988	14/46	235-470	28-71	N/A	-	530-112	235-514	11-18
GSX 600 F KATANA	89-91	14/46	235-465	33-71	235-465S	42-45/47-48	530-118	235-514	11-18
GSX 600 F KATANA	92-05	14/45	235-465	33-71	235-465S	42-45/47-48	530-118	235-514	11-18
GSX 600 R WP	92-93	14/44	235-465	33-71	235-465S	42-45/47-48	530-108	235-514	11-18
GSXR 600	97-00	16/45	235-480	36-66	235-480S	45/46	525-108	235-572	14-17
GSXR 600 520 CONV	97-00	16/45	235-4800	36-74	N/A	-	520-108	235-514X	11-18
GSXR 600	01-05	16/46	235-481	37-66	235-481S	42/43/45/46	525	235-572	14-17
GSXR 600 520 CONV	01-05	16/46	235-4811	36-74	N/A	-	520	235-514X	11-18
GSXR 600	04-06	16/45/43	235-481	37-66	N/A	-	525	235-572	14-17
RF 600 R	94-96	14/43	235-465	33-71	235-465S	42-45/47-48	530-108	235-514	11-19
SP 600	1985	42	235-458	41-74	235-458S	42/47/49	520-108	N/A	-
DR 650 S	90-95	16/42	235-458	41-74	235-458S	42/47/49	520-114	235-513Y	11-17
DR 650 SE	96-04	15/42	235-479	41-66	235-479S	42	525-110	235-590	14-15
SV 650S STD 525	99-04	15/44	235-477	33-66	235-477S	44/45	525-108	235-572	14-17
SV 650 STD	99-06	15/45	235-477	33-66	235-477S	44/45	525-110	235-572	14-17
SV 650 S 520 CONV	99-06	15/45	235-4777	33-74	N/A	-	520-110	235-514X	11-18
GR 650 X	1983	38	235-152	30-71	235-152S	43-45/ 48/50/52	530-104	N/A	-
GS 650 E	81-82	15/45	235-152	30-71	235-152S	43-45/ 48/50/52	530-106	235-514	11-19
DL 650 V STROM	04-06	17/42 (05)15/47	235-481	37-66	235-152S	43-45/ 48/50/52	525-116	235-572	14-17
GS 700 E,ES,F	1985	14/45	235-152	30-71	235-152S	43-45/ 48/50/52	530-114	235-514	11-19
GS 750	77-82	15	235-156	30-52	235-156S	42	630-96	235-521	13-16
GS 750 ES, D	1983	14/43	235-152	30-71	235-152S	43-45/ 48/50/52	530-112	235-514	11-19
GS 750 S, T	82-83	15/41	235-156	30-52	235-156S	42	630-96	235-555	15
GSXR 750	86-87	14/42	235-465	33-71	235-465S	42-45/47-48	530-108	235-514	11-19
GSXR 750	88-89	15/45	235-465	33-71	235-465S	42-45/47-48	530-108	235-514	11-19
GSXR 750	90-92	15/43	235-469	30-71	235-469S	43-45/ 48/50/52	530-108	235-514	11-19
GSXR 750 (JT Sprocket)	90-95				236-827	43	530-108		
GSXR 750 (JT Sprocket) 520 CONV	92-95				236-182S	42	520		
GSXR 750	93-95	15/42	235-469	30-71	235-469S	43-45/ 48/50/52	530-108	235-514	11-19
GSXR 750	96-97	16/43	235-478	36-71	235-478S	36-43	530	235-514	11-19
GSXR 750	98-99	16/44	235-480	36-66	235-480S	45/46	525-108	235-572	14-17
GSXR 750 520 CONV	98-99	16/44	235-4800	36-74	N/A	-	520-108	235-514X	11-18
GSXR 750	00-05	17-42	235-481	37-66	235-481S	42/43/45/46	525-110	235-572	14-17
GSXR 750 520 CONV	00-05	17/42	235-4811	37-74	N/A	-	520-110	235-514X	11-18
GSXR 750	04-05	17/42	235-481	37-66	235-481S	42/43/45/46	525-110	235-572	14-17
GSX 750 KATANA	89-06	15/47	235-465	33-71	235-465S	42-45/47-48	530-118	235-514	11-19
GT 750	71-77	-	235-152	30-71	235-152S	43-45/ 48/50/52	530-108	N/A	-
VZ 800 MARAUDER	97-04	15/48	235-465	33-71	235-465S	42-45/47-48	530-116	235-514	11-19
RF 900 532 CHAIN	94-97	15/43	235-472	42-52	N/A	-	532	235-573	13-17
RF 900 530 CHAIN	94-97	15/43	235-469	30-71	235-469S	43-45/ 48/50/52	530	235-514	11-19
RF 900 530 CHAIN (JT Sprocket)	94-97				236-827	43			
DL 1000 V STROM	02-03	17/42	235-481	37-66	235-481S	42/43/45/46	525-112	235-572	14-17
DL 1000 V STROM	04-06	-	235-482	36-71	235-482S	42/43/44	530	235-514	11-19
GS 1000 E.L,S	78-82	15/41	235-156	30-52	235-156S	42	630-96	235-555	15
TL 1000 S	97-03	17/38	235-478	36-71	235-478S	36-43	530-104	235-514	11-19
TL 1000 R	98-03	17/39	235-478	36-71	235-478S	36-43	530-106	235-514	11-19
TL 1000 S,R	97-03	17/39	235-4788	36-74	N/A	-	520-106	235-514X	11-18
GSXR 1000	01-06	17/42	235-482	36-71	235-482S	42/43/44	530-110	235-514	11-19
GSXR 1000 520 CONV	01-06	17/42	235-4811	36-74	N/A	-	520-110	235-514X	11-18



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
SUZUKI (con't)									
GSXR 1000	2007								
SV 1000 S	03-06	17/40	235-482	36-71	235-482S	42/43/44	530-110	235-514	11-19
GSXR 1000	2007								
DL 1000 V STROM	2004	-	235-482	36-71	235-482S	42/43/44	530	235-514	11-19
GS 1100 E,L,S,ES	80-83	15	235-156	30-52	235-156S	42	630-96	235-555	15
GSX 1100 KATANA	88-95	15/52	235-469	30-71	235-469S	43-45/ 48/50/52	530-122	235-514	11-19
GSX 1100 KATANA	88-95	15/52	235-472	42-52	N/A	-	532-122	235-573	13-17
GSXR 1100	86-88	14	235-473	42-52	N/A	-	532-114	235-573	13-17
GSXR 1100	86-88	14	235-465	33-71	235-465S	42-45/47-48	530-114	235-514	11-19
GSXR 1100	86-88	14	235-474	33-71	N/A	-	520	235-514X	11-18
GSXR 1100	89-98	-	235-472	42-52	N/A	-	532-118	235-573	13-17
GSXR 1100	89-98	15/42	235-469	30-71	235-469S	43-45/ 48/50/52	530-118	235-514	11-19
GSXR 1100	89-98	15	235-4722	30-74	N/A	-	520	235-514X	11-18
GSXR 1100 (JT Sprocket)	93-94				236-1825	42	520		
GS 1150 E, ES, E3S	84-86	15	235-156	30-52	235-156S	42	630-102	235-555	15
GSF 1200 BANDIT	97-05	15/45	235-469	30-71	235-469S	43-45 48/50/52	530-114	235-514	11-19
GSXR 1300 HAYABUSA	99-06	17/40	235-478**	36-71	235-478S	36-43	530-112	235-514*	17-19
* Going smaller than 17 teeth causes the chain to run into the swing arm/** Steel recommended if ordering aluminum hard anodize only									
GSXR 1300 HAYBUSABA	99-06	-	235-478Z	30-52	N/A	-	630	235-521	13-16
TRIUMPH									
750 T-140 (4BH)	79-80	47/	235-221	40-71	235-221S	47	530	N/A	-
750 T-140 (6BH)	-	-	235-220	38-71	N/A	-	530	N/A	-
750 T-140 (4BH)	79 1/2-81	-	235-2211	40-71	N/A	-	530	N/A	-
750 T-140 (6BH)	1979	-	235-220	38-71	N/A	-	530	N/A	-
TT 600, 4 SPEED	00-03	15/42	235-2696	36-66	235-2696S	41-44	525-106	235-619	14-16
TT 600 520 CONV	00-03	15/42	235-26966	36-74	N/A	-	520-106	235-619X	14-16
DAYTONA 600	03-04	15/42	235-2696	36-66	235-2696S	41-44	525-106	235-619	14-16
DAYTONA 600 520 CONV	03-04	15/42	235-26966	36-74	N/A	-	520-106	235-619X	14-16
ALL EXCEPT (TT,BON,TIGER,509,595,955)	95-03	-	235-2693	32-71	235-2693S	43	530	235-598	16-18
675 DAYTONA	2006	-	235-2938	36-74	N/A	-	525	235-572	14-17
675 DAYTONA	2006	-	235-29388	22-74	N/A	-	520	235-514X	11-18
BONNEVILLE	01-03	17/43	235-2696	36-66	235-2696S	41-44	525	235-633	15-19
BONNEVILLE AMERICA	02-06	19/42	235-2703	32-66	N/A	-	525	235-633	15-19
SPEEDMASTER	01-03	17/42	235-2696	36-66	235-2696S	41-44	525	235-633	15-19
ALL SINGLE SWINGARMS	97-03	-	235-2695	41-71	235-2695S	43-45	530	235-598	16-18
SPRINT, DAYTONA 955, DOUBLE SWINGARM	2002	-	235-2700	37-71	235-2700S	43	530	235-598	16-18
THRUXTON 900	04-06	19/42	235-2695	32-66	N/A	-	525	235-633	15-19
YAMAHA									
DTLC-50	88-90	13/48	235-153	28-72	235-153S	41/44	420-110	235-501	12-17
RX-50	83-84	12/47	235-153	28-72	235-153S	41/44	420-110	235-512	11-16
TTR 50	2006	12/	235-134	30-72	235-134S	32/45/48			
J,JT,LB, MJ, RXM, YJ-50	68-84	-	235-153	28-72	235-153S	41/44	420	235-512	11-16
YSR 50	87-92	12/44	235-153	28-72	235-153S	41/44	420-100	235-512	11-16
YZ 50	1980	12/45	235-310	28-72	N/A	-	420-90	235-512	11-16
JT 60 1,2	71-72	14/41	235-153	28-72	235-153S	41/44	420-106	235-512	11-16
YZ 60	81-83	42	235-182	28-72	N/A	-	420-98	235-501	12-17
GT 70 M	77-79	14/41	235-153	28-72	235-153S	41/44	420-106	235-512	11-16
BW 80	86-88,90	15/32	235-134	30-72	235-134S	32/45/48	420-90	235-501	12-17
DT 80/ GT-80 (1973-1982)	81-83	14/41	235-153	28-72	235-153S	41/44	420-106	235-512	11-16
MX 80	80-82	14/41	235-153	28-72	235-153S	41/44	420-92	235-512	11-16
PW 80	83-85,91-04	15/32	235-134	30-72	235-134S	32/45/48	420-84	235-501	12-17
TY 80	74-75	12/41	235-153	28-72	235-153S	32/45/48	420-106	235-512	11-16
YG 80	64-69	-	235-234	30-70	235-234S	48/49	428	N/A	-
YZ 80	74-77	14	235-153	28-72	235-153S	32/45/48	420-106	235-512	11-16
YZ 80	78-79	14/51	235-307	37-70	235-307S	51	428-108	235-512X	12-14
YZ 80	1980	14/51	235-309	28-70	235-309S	44/50/55	428-108	235-512X	12-14
YZ 80	81-83	44	235-309	28-70	235-309S	44/50/55	428-110	235-502S	10/12-19
YZ 80	1984	15/46	235-318	42-70	235-318S	46/48	428-114	235-502S	10/12-19
YZ 80	1985	14/48	235-318	42-70	235-318S	46/48	428-112	235-502S	10/12-19
YZ 80	86-92	14/46	235-318	42-70	235-318S	46/48	428-112	235-502S	10/12-19
YZ 80	93-01	14/47	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-502S	10/12-19
YZ 85	02-07	14/47	235-148	38-70	235-148S	44/47/48/50/52	428-118	235-631	13-15
HT-90 1,1B	70-71	13	235-234	30-70	235-234S	48/49	428-106	235-502S	10/12-19
TTR 90	00-06	14/35	235-134	30-72	235-134S	32/45/48	420-86	235-501	12-17



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
YAMAHA (con't)									
DT 100	74-76	14/49	235-234	30-70	235-234S	48/49	428-112	235-502S	10/12-19
DT 100	77-83	14/45	235-134	30-72	235-134S	32/45/48	420-102	235-501	12-17
L, LT 100	70-73	14/49	235-234	30-70	235-234S	48/49	428-106	235-502S	10/12-19
LS 100	1972	42	235-134	30-72	235-134S	32/45/48	420-106	N/A	-
MX 100	74-78	14/52	235-234	30-70	235-234S	48/49	428-110	235-502S	10/12-19
MX 100	79-83	14/48	235-134	30-72	235-134S	32/45/48	420-104	235-501	12-17
YZ 100	76-81	12/45	235-305	28-74	235-305S	31/46/47/51	520-100	235-502X	10-15
YZ 100	82-83	12/50	235-311	42-74	235-311S	44/46-52	520-106	235-502X	10-15
RT 100	90,92-00	14/48	235-134	32-72	235-134S	32/45/48	420-104	235-501	12-17
AT 1,2,3	68-73	15/45	235-184	32-70	235-184S	45/50	428-112	235-502S	10/12-19
DT 125	74-76	14/45	235-184	32-70	235-184S	45/50	428-114	235-502S	10/12-19
DT 125	78-81	14/49	235-133	32-70	235-133S	49	428-118	235-502S	10/12-19
IT 125	80-81	12/46	235-305	28-74	235-305S	31/46/47/51	520-100	235-502X	10-15
MX 125 STEEL ONLY	74-76	47	N/A		235-304S	46-50	428-114	235-502S	10/12-19
RD 125	74-76	14/39	235-234	30-70	235-234S	48/49	428-110	235-502S	10/12-19
XT 125	82-84	14/54	235-316	30-70	235-316S	44/50/55	428-120	235-502	12-19
YAS 125 1-C TWIN	68-69	15/39	235-234	30-70	235-234S	48/49	428	235-502S	10/12-19
YT 125 TRI MOTO	80-81	13/49	235-455	32-60	235-455S	49	428-60	235-502S	10/12-19
YT 125 Tri Moto (JT Sprocket)	82-85							236-421	11
YT 125 STEEL ONLY	82-85	11/39	N/A	-	235-903S	39/40	520-48	235-502X	10-15
YZ 125 A,B,C	74-76	-	N/A		235-304S	46-50	428-112	235-502S	10/12-19
YZ 125 X	1976	12/46	235-305	28-74	235-305S	31/46/47/51	520-98	235-502X	10-15
YZ 125	77-79	12/51	235-305	28-74	235-305S	31/46/47/51	520-104	235-502X	10-15
YZ 125	1980	12/48	235-311	42-74	235-311S	44/46-52	520	235-502X	10-15
YZ 125	81-82	12/46	235-311	42-74	235-311S	44/46-52	520	235-502X	10-15
YZ 125	83-84	12/48	235-311	42-74	235-311S	44/46-52	520-106/110	235-502X	10-15
YZ 125	1985	12/52	235-311	42-74	235-311S	44/46-52	520-114	235-502X	10-15
YZ 125	1986	13/50	235-311	42-74	235-311S	44/46-52	520-112	235-502X	10-15
YZ 125	1987	12/50	235-311	42-74	235-311S	44/46-52	520-112	235-563	12-14
YZ 125	1988	12/49	235-311	42-74	235-311S	44/46-52	520-112	235-563	12-14
YZ 125	1989	13/49	235-311	42-74	235-311S	44/46-52	520-112	235-563	12-14
YZ 125	89-92	13/51	235-311	42-74	235-311S	44/46-52	520-116	235-563	12-14
YZ 125	93-95	13/50	235-311	42-74	235-311S	44/46-52	520-116	235-563	12-14
YZ 125	1996	13/50	235-311	42-74	235-311S	44/46-52	520-112	235-563	12-14
YZ 125	97-98	13/48	235-311	42-74	235-311S	44/46-52	520-112	235-563	12-14
YZ 125	99-01	13/48	235-426	37-74	235-426S	41/42/47-51/53	520-112	235-563	12-14
YZ 125	02-04	13/49	235-426	37-74	235-426S	41/42/47-51/53	520-112	235-563	12-14
YZ 125 428 CONV	02-04	-	235-426Z	25-72	N/A	-	428	235-563X	14-19
YZ 125	05-07	13/48	235-426	37-74	235-426S	41/42/47-51/53	520-112	235-626	12-14
YFA 125 BREEZE	89,91-02	12/32	235-326	23-74	235-326S	32	520-74	235-513	11-19
YFM 125 GRIZZLY	04-06	12/32					520-74	235-524	12-16
TTR 125	00-01	13/49	235-339	28-72	235-339S	49/54	428-116	235-502	12-19
TTR 125	02-07	13/49	235-368	28-70	N/A	-	428-116	235-502	12-19
TTR 125 L	00-01	13/54	235-339	28-72	235-339S	49/54	428-122	235-502	12-19
TTR 125 L	02-07	13/54	235-368	28-70	N/A	-	428-122	235-502	12-19
TTR 125 LE	02-06	13/54	235-368	28-70	N/A	-	428	235-502	12-19
CT 175	69-73	16/45	235-184	32-70	235-184S	45/50	428-112	235-502S	10/12-19
DT 175	74-76	16/45	235-184	32-70	235-184S	45/50	428-112	235-502S	10/12-19
DT 175	78-81	16/49	235-133	32-70	235-133S	49	428-118	235-502S	10/12-19
IT 175	77-79	12/41	235-305	28-74	235-305S	31/46/47/51	520-96	235-502X	10-15
IT 175 (JT Sprocket)	77-83							236-422	15
IT 175	80-83	12/44	235-311	42-74	235-311S	44/46-52	520-110	235-502X	10-15
MX 175	74-75	14/47	STEEL ONLY		235-304S	46-50	428-118	235-502S	10/12-19
MX 175	79-81	15/49	235-133	32-70	235-133S	49	428-118	235-502S	10/12-19
YZ 175	1976	12/44	235-305	28-74	235-305S	31/46/47/51	520-96	235-502X	10-15
YZ 175 (JT Sprocket)	1976							236-422	15
YT 175 STEEL ONLY	82-85	11/39	N/A	-	235-903S	39/40	520-48	235-502X	10-15
YT 175 (JT Sprocket)	82-85							236-422	15
YT 175 Tri Moto (JT Sprocket)	82-83							236-421	11
YCS 180, CS 200	68-72	15	235-216	30-70	N/A	-	428-106	235-502S	10/12-19
RT 180	90-92	14/51	235-133	32-70	235-133S	49	428-122	235-502S	10/12-19
RT 180	93-98	14/51	235-333	32-70	235-333S	51	428-122	235-502S	10/12-19
SR 185	81-82	15/44	235-314	30-70	N/A	-	428-118	235-502	12-19
BW 200	85-87	14/37	235-323	28-74	235-323S	37	520-74	235-502X*	10-15

* FITS OUTSIDE FINAL DRIVE



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
YAMAHA (con't)									
IT 200	84-86	12/44	235-311	42-74	235-311S	44/46-52	520-106	235-502X	10-15
IT 200 (JT Sprocket)	84-86							236-422	15
RD 200, CS-3,5	70-76	14	235-303	32-70	N/A	-	428-108	235-502S	10/12-19
TW 200	87-04	14/50	235-316	32-70	235-316S	44/50/55	428-122/126	235-566*	14-15
*06 SAME FRONT 566									
XT 200	82-83	15/47	235-316	32-70	235-316S	44/50/55	428-118	235-502	12-19
YFS 200 BLASTER	88-06	13/40	235-260	38-74	235-260S	38-42/ 44/46-52	520-92	235-569	12-14
YTM 200 TRI MOTO	83-85	11/42	235-313	30-74	N/A	-	520-60	235-502XX	10-15
WR 200	91-92	13/52	235-331	42-74	N/A	-	520-114	235-563	12-14
TT 225 STEEL ONLY	86-87	14/50	N/A	-	235-9906S	45/50/58	428-124	235-502	12-19
TTR 225 STEEL ONLY	99-04	15/58	N/A	-	235-9906S	45/50/58	428	235-502	12-19
XT 225 STEEL ONLY	92-06	15/45	N/A	-	235-9906S	45/50/58	428-120	235-502	12-19
XT 225	2007								
TTR 230	2005	13/49	235-2936	22-74	N/A	-	520	-	-
DS 250 6,7	-	-	235-259	30-66	N/A	-	525-92	N/A	-
DT1,DT2,DT3 A,B,C	68-76		235-180	28-74	235-180S	47	520-108	235-504	11-17
DT1CMX, DT1EMX	70-71	14	235-180	28-74	235-180S	47	520-100	235-504	11-17
DT2MX, MX250	72-74	51	235-243	30-74	235-243S	51	520-102	235-504	11-17
TY 250 MUST USE SPACER	1974	-	235-184	28-72	N/A	-	428	235-502	12-19
MX 250 B	75-76	13/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-504	11-17
DT 250	77-79	14/47	235-136	38-74	N/A	-	520-104	235-513	11-19
IT 250	1977	13/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-513	11-19
IT 250	1978	14/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-513	11-19
IT 250	79-80	13/48	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-513	11-19
IT 250	81-82	13/50	235-311	42-74	235-311S	46-52	520-110	235-513	11-19
IT 250	1983	13/48	235-311	42-74	235-311S	46-52	520-110	235-513	11-19
RD 250	73-75	15/40	235-301	30-71	N/A	-	530-92	235-514	11-20
SR 250	80-82	16/46	235-312	28-74	235-312S	46/47/51	520-102	235-513Y	11-17
SRX 250	1987	43	235-312	28-74	235-312S	46/47/51	520-106	N/A	-
TRI Z 250	85-86	13/44	235-260	38-74	235-260S	38-42/ 44/46-52	520-98	235-513	11-19
TT 250	1980	15/51	235-312	28-74	235-312S	46/47/51	520-102	235-513Y	11-17
TT 250	81-82	14/49	235-312	28-74	235-312S	46/47/51	520-102	235-513Y	11-17
TTR 250	99-06	13/52	235-311	42-74	235-311S	46-52	520-110	235-610	12-14
TZ 250	72-94	-	235-132Z	28-70	N/A	-	520	235-513Y	11-17
XT 250	80-83	15/47	235-312	28-74	235-312S	46/47/51	520-98	235-513Y	11-17
XT 250	1984	15/48	235-312	28-74	235-312S	46/47/51	520-106	235-516Y	12-16
XV 250 VIRAGO	88-90,96-06	16/45	235-315	37-74	235-315S	40/42/45	520-113	235-513Y	11-17
YZ 250	1974	13/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-513	11-19
YZ 250	1975	13/52	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-513	11-19
YZ 250	1976	13/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-513	11-19
YZ 250	1977	13/54	235-260	38-74	235-260S	38-42/ 44/46-52	520-108	235-513	11-19
YZ 250	78-79	13/48	235-260	38-74	235-260S	38-42/ 44/46-52	520-108	235-513	11-19
YZ 250	1980	13/48	235-311	42-74	235-311S	44/46-52	520-106	235-513	11-19
YZ 250	1981	14/48	235-311	42-74	235-311S	44/46-52	520-110	235-513	11-19
YZ 250	1982	13/45	235-311	42-74	235-311S	44/46-52	520-110	235-513	11-19
YZ 250	83-84	13/48	235-311	42-74	235-311S	44/46-52	520-112	235-513	11-19
YZ 250	85-86	14/50	235-311	42-74	235-311S	44/46-52	520-114	235-513	11-19
YZ 250	87-90	14/49	235-311	42-74	235-311S	44/46-52	520-114	235-513	11-19
YZ 250	91-93	14/49	235-311	42-74	235-311S	44/46-52	520-116	235-513	11-19
YZ 250	94-97	13/49	235-311	42-74	235-311S	44/46-52	520-114	235-513	11-19
YZ 250	1989	14/49	235-311	42-74	235-311S	44/46-52	520-114	235-513	11-19
YZ 250	1990	14/51	235-311	42-74	235-311S	44/46-52	520-116	235-513	11-19
YZ 250	1998	14/50	235-311	42-74	235-311S	44/46-52	520-114	235-513	11-19
YZ 250	99-07	14/50	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
YZ 250 WR	1989	14/51	235-311	42-74	235-311S	44/46-52	520-118	235-513	11-19
YZ 250 WR	90-91	14/52	235-311	42-74	235-311S	44/46-52	520-118	235-513	11-19
YZ 250 WR	92-97	14/52	235-311	42-74	235-311S	44/46-52	520-116	235-513	11-19
YZ 250 F	01-07	13/48	235-426	37-74	235-426S	41/42/47-53	520-112	235-626	12-14
WR 250 F	01-07	13/52	235-426	37-74	235-426S	41/42/47-53	520-114	235-626	12-14
BW 350	87-88	13	N/A	-	N/A	-	520-76	235-502XX	10-15
RD 350 YR-1,2,R-32	68-75	15/40	235-301	30-71	N/A	-	530-92	235-514	11-20
R5 GRAND PRIX	70-72	40	235-302	30-66	N/A	-	525-92	N/A	-
RZ 350	84-85	17/40	235-319	34-74	N/A	-	520-106	235-513Y	11-17
TR, TZ 350	74-78	34	235-132Z	SPEC	N/A	-	SPEC	N/A	-
TT 350	86-87	14/50	235-311	42-74	235-311S	44/46-52	520-108	235-5133	14-17



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
YAMAHA (con't)									
TY 350	1985	12/42	235-328	30-74	N/A	-	520	235-513	11-19
TY 350	1986	10/35	235-328	30-74	N/A	-	520	235-513	11-19
XT 350	85-00	19/55	235-309	28-70	235-309S	44/50/55	428-130	235-549	18-19
XT 350 520 CONV	85-00	-	235-312	37-74	N/A	-	520	235-5133	14-17
350 RAPTOR	04-07	13/38	235-486	37-74	N/A	-	520-98	235-513	11-19
YFM 350 WARRIOR	86-88	13/40	235-315	37-74	235-315S	40/42/45	520-100	235-513	11-19
YFM 350 WARRIOR	89-04	13/40	235-260	38-74	235-260S	38-42/ 44/46-52	520-100	235-513	11-19
YFZ 350 BANSHEE	87-88	13/42	235-315	37-74	235-315S	40/42/45	520-104	235-513	11-19
YFZ 350 BANSHEE	89-06	14/41	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-513	11-19
DT 360	1974	15/44	235-180	28-74	235-180S	47	520-104	235-504	11-17
RT-1, 1M, 1B, 1MX, 2, 3	70-73	-	235-180	28-74	235-180S	47	520-102	235-504	11-17
RT-2 MX, MXA	1972	15/51	235-243	30-74	235-243S	51	520	235-504	11-17
XS 360	76-77	16/40	235-306	32-71	N/A	-	530-100	235-527	15-17
YZ 360	74-75	15/48	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-11446504	11-17
WR/YZ 400 F	1998	14/49	235-311	42-74	235-311S	44/46-52	520-114	235-504	11-17
DT 400	75-76	14/40	235-180	28-74	235-180S	47	520-104	235-513	11-19
DT 400	77-78	16	235-260	38-74	235-260S	38-42/ 44/46-52	520-102	235-513	11-19
FZR 400 428	88-90	19/55	235-325	42-70	N/A	-	428-130	235-570	18-19
FZR 400 520	88-90	15/44	235-319	34-74	N/A	-	520	235-570X	14-15
IT 400	1976	15/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-504	11-17
IT 400	77-79	14/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-513	11-19
MX 400	1975	14/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-504	11-17
RD 400	76-78	17/38	235-306	32-71	N/A	-	530-96	235-527	15-17
RD 400	1979	17/37	235-308	32-71	235-308S	39	530-96	235-527	15-17
XS 400 SG, SH	77-78	16/37	235-308	32-71	235-308S	39	530-102	235-527	15-17
XS 400 SG, SH	1979	16/39	235-308	32-71	235-308S	39	530-102	235-527	15-17
XS 400 SG, SH	80-82	16/37	235-308	32-71	235-308S	39	530-102	235-527	15-17
XS 400 XJ MAXIM	82-83	16/35	235-317	32-71	N/A	-	530-102	235-535	14-17
XS 400 SECA	82-83	16/38	235-317	32-71	N/A	-	530-102	235-535	14-17
WR 400 F	1998	14/49	235-311	42-74	235-311S	44/46-52	520-114	235-504	11-17
WR 400 F	99-05	14/50	235-426	42-74	235-426S	41/42/47-53	520-114	235-504	11-17
YZ 400	1976	14/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-106	235-504	11-17
YZ 400	77-79	14/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-108	235-513	11-19
YZ 400 F	1998	14/49	235-311	42-74	235-311S	44/46-52	520-114	235-504	11-17
YZ 400 F	99-00	14/49	235-426	42-74	235-426S	41/42/47-53	520-114	235-504	11-17
IT 425	1980	14/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-102	235-513	11-19
YZ 426 F	99-02	14/49	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
YZ 426 F	03-04	14/48	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
WR 426 F	01-02	14/50	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
YZ 450 F	03-05	14/48/51	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
YZ 450 F	06-07	13/49	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
WR 450 F	03-07	14/50	235-426	37-74	235-426S	41/42/47-53	520-114	235-504	11-17
YFZ 450 ATV	04-07	14/38	235-486	37-74	235-426S	41/42/47-53	520-96	235-504	12-17*
* NO CLEARANCE USING 17 WITH STOCK CHAIN GUARD									
IT 465	81-82	14/44	235-311	42-74	235-311S	44/46-52	520-108	235-513	11-19
YZ 465	1980	14/46	235-260	38-74	235-260S	38-42/ 44/46-52	520-102	235-513	11-19
YZ 465	1981	14/46	235-311	42-74	235-311S	44/46-52	520-108	235-513	11-19
IT 490	83-84	14/44	235-311	42-74	235-311S	44/46-52	520-110	235-513	11-19
YZ 490	1982	14/44	235-311	42-74	235-311S	44/46-52	520-110	235-513	11-19
YZ 490	83-85	14/46	235-311	42-74	235-311S	44/46-52	520-112	235-513	11-19
YZ 490	86-90	14/48	235-311	42-74	235-311S	44/46-52	520-112	235-513	11-19
RZ 500	84-85	15/40	235-322	34-71	N/A	-	530	235-615	16-17
SC 500	73-74	16/51	235-243	30-74	235-243S	51	520-106	235-504	11-17
SR 500	78-81	16/44	235-135	42-71	N/A	-	530-104	235-514	11-19
TT 500	76-81	15/50	235-260	38-74	235-260S	38-42/ 44/46-52	520-104	235-504	11-17
TX 500	73-74	17/43	235-210	30-71	235-210S	34	530-108	235-514	11-19
WR 500	91-93	15/50	235-311	42-74	235-311S	44/46-52	520-118	235-513	11-19
XS 500	1975	17/43	235-210	30-71	235-210S	34	530-108	235-514	11-19
XS 500	76-78	16/42	235-308	32-71	235-308S	39	530-106	235-514	11-19
XT 500	76-81	16/44	235-260	38-74	235-260S	38-42/ 44/46-52	520-100	235-504	11-17
XJ 550 MAXIM	81-83	16/45	235-183	28-71	235-183S	45/46	530-104	235-535	14-17
XJ 550 R SECA	1981	16/46	235-183	28-71	235-183S	45/46	530-104	235-535	14-17
XJ 550 R SECA	82-83	16/45	235-183	28-71	235-183S	45/46	530-104	235-535	14-17
XT 550	82-83	15/42	235-315	37-74	235-315S	40/42/45	520-98	235-5133	14-17
FJ 600	84-85	16/45	235-320	34-71	235-320S	46	530-106	235-535	14-17



To order Sprockets add "- and the number of teeth" to the part #

SPROCKET APPLICATION CHART

MODEL	YEAR	REAR ALUMINUM			REAR STEEL		CHAIN	FRONT STEEL	
		STOCK GEARS	REAR ALUM PART#	TOOTH RANGE	REAR STEEL PART#	TOOTH RANGE	CHAIN SIZE	FRONT STEEL PART #	TOOTH RANGE
YAMAHA (con't)									
FZ 600	86-88	16/46	235-320	34-71	235-320S	46	530-104	235-535	14-17
FJ, FZ 600	520 CHAIN	84-88	16/46	235-319	34-74	N/A	-	520	235-535X
FZ 6	04-06	16/46	235-336	35-71	235-336S	42-46/48-50	530-118	235-5144	
FZ6	520 CHAIN	04-06	16/46	235-298	35-74	235-298S	42/45	520-118	235-5144X
FZR 600 R	1989	15/46	235-324	38-71	235-324S	46	530-106	235-514	11-19
FZR 600 R	520 CONV	90-99	15/45	235-324	38-71	235-324S	46	530-106	235-514
FZR 600 R	89-99	15	235-3244	38-74	N/A	-	520	235-514X	11-18
SRX 600	1986	15/37	235-319	34-74	N/A	-	520-104	235-5133	14-17
TT 600	83-86	14/50	235-311	42-74	235-311S	44/46-52	520-112	235-5133	14-17
XJ 600 S SECA	92-98	48	235-330	38-74	235-330S	48	520-110	N/A	-
XT 600	84-89	15/45	235-315	37-74	235-315S	40/42/45	520-106	235-5133	14-17
XT 600 E	90-95	45	235-315	37-74	235-315S	40/42/45	520-106	N/A	-
YX 600 RADIAN	86-87	16/44	235-320	34-71	235-320S	46	530-104	235-535	14-17
YX 600 RADIAN	88-90	16/45	235-320	34-71	235-320S	46	530-104	235-565	14-17
YZF 600	94-06	15/47	235-335	38-71	235-335S	46-48	530-108	235-514	11-19
YZF 600	520 CHAIN	94-06	15/47	235-335S	38-74	N/A	-	520-108	235-514X
YZF 600 R6	99-02	16/48	235-338	37-52	235-338S	48/50	532-116	235-5733	13-17
YZF 600 R6	530 CONV	99-02	16/48	235-337	37-71	N/A	-	530	235-5144
YZF 600 R6	520 CONV	99-02	16/48	235-3377	37-74	N/A	-	520	235-5144X
YZF 600 R6 S	03-06	16/48	235-370	35-52	N/A	-	532-116	235-5733	13-17
YZF 600 R6 S	03-06	16/48	235-336	35-71	235-336S	42-45	530	235-5144	11-17
YZF 600 R6 S	520 CONV	03-06	16/48	235-298	35-74	235-298S	42/45	520	235-5144X
R6 V, NEXT GENERATION	2006	-	235-2943	32-66	N/A	-	525	235-650	15-17
R6 V, NEXT GENERATION	2006	-	235-298	35-74	235-298S	42/45	520	235-514X	11-18
R6 LIMITED ED. ANN.	2006	-	N/A*	-	N/A	-	525	235-650	15-17
R6 LIMITED ED. ANN.	2006	-	N/A*	-	N/A	-	520	235-514X	11-18
* REAR FOR THIS MODEL REQUIRES CUSH DRIVE									
TX, XS 650	ALL MODEL	THRU 83	17/34	235-210	30-71	235-210S	34	530-108	235-506
YFM 660 R, RAPTOR	01-06	13/40	235-260	38-74	235-260S	38-42/ 44/46-52	520-92	235-504	11-17
YFM 700 RAPTOR(36L.L)	06-07	14/38	235-486	36-74	N/A	-	520-98	235-652	12-16
FZ 700	1987	16/46	235-324	38-71	235-324S	46	530-112	235-5144	11-17
FZX 700 FAZER	86-88	16/44	235-324	38-71	235-324S	46	530-108	235-5144	11-17
FZ 750	85-86,88	16/45	235-324	38-71	235-324S	46	530-110	235-5144	11-17
FZR 750 R, RACER	87-88	17/42	235-321	38-71	235-321S	42/47	530-108	235-5144	11-17
FZR 750 RR, RE,OWO	90-93	16/46	235-321	38-71	235-321S	42/47	530	235-5144	11-17
TX 750	73-74	17/40	235-210	30-71	235-210S	34	530-106	235-506	13-17
TZ 750 ROAD RACER	-	-	235-132Z	SPEC	N/A	-	SPEC	N/A	-
YZF 750	532 CHAIN	94-98	16/43	235-334	42-52	N/A	-	532-106	235-5733
YZF 750	530 CHAIN	94-98	16/43	235-321	38-71	235-321S	42/47	530-106	235-5144
YZF 750	520 CHAIN	94-98	16/43	235-3211	38-74	N/A	-	520	235-5144X
TDM 850	1993	16/44	235-332	38-66	N/A	-	525-114	235-572	14-16
FZR 1000	87-88	16/47	235-327	42-52	N/A	-	532-110	235-5733	13-17
FZR 1000	89-95	17/47	235-327	42-52	N/A	-	532-110	235-5733	13-17
FZR 1000	530 CHAIN	87-88	16/47	235-321	38-71	235-321S	42/47	530-110	235-5144
FZR 1000	530 CHAIN	89-95	17/47	235-321	38-71	235-321S	42/47	530-110	235-5144
GTS 1000	93-94	17/47			N/A	-	532-118	235-5733	13-17
YZF 1000	532 CHAIN	1997	17/46	235-334	42-52	N/A	-	532	235-5733
YZF 1000	530 CHAIN	1997	17/46	235-321	38-71	235-321S	42/47	530	235-5144
YZF 1000 R1	98-06	16/43	235-336	35-71	235-336S	42-45	530-114	235-556	15-18
YZF 1000 R1	04-06	17/45							
YZF 1000 R1	98-06	16/43	235-298	35-74	235-298S	42/45	520-114	235-556X	15-17
FZ-1	01-04	16/44	235-336	35-71	235-336S	42-45	530-114	235-556	15-18
FZ-1	05-06	17/45	235-336	35-71	235-336S	42-45	530-116	235-556	15-18
FJ 1100	84-85	17/42	235-321	38-71	235-321S	42/47	530-110	235-556	15-18
FJ 1200	86-87	17/41	235-321	38-71	235-321S	42/47	530-110	235-556	15-18
FJ 1200	89-93	17/40	235-321	38-71	235-321S	42/47	530-110	235-556	15-18

